

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-07028
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Owen
8. Well Number 7
9. OGRID Number 192463
10. Pool name or Wildcat Blinberry Oil & Gas

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ **HOBBS OGD**

2. Name of Operator  
OXY USA WTP Limited Partnership **OCT 01 2015**

3. Address of Operator  
P.O. Box 50250 Midland, TX 79710 **RECEIVED**

4. Well Location  
Unit Letter I : 2045 feet from the South line and 710 feet from the East line  
Section 35 Township 21S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3362'

12. Check Appropriate Box to Indicate Nature of Notice; Report or Other Data

NOTICE OF INTENTION TO:		REM COM CASI OTHER: <input type="checkbox"/>	E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>		CONVERSION <input type="checkbox"/>	RBDMS <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>		RETURN TO <input type="checkbox"/>	TA <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>		CSNG <input type="checkbox"/>	CHG LOC <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>			INT TO P&A <input checked="" type="checkbox"/>	P&A NR <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>				
OTHER: <input type="checkbox"/>				

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-6555' PBD-5787' Perfs-5558-5843'  
13-3/8" 36# csg @ 293' w/ 300sx, 17-1/4" hole, TOC-Surf-Circ  
8-5/8" 32# csg @ 2800' w/ 500sx, 12-1/4" hole, TOC-640'-TS  
5-1/2" 14-15.5# csg @ 6458' w/ 250sx, 7-7/8" hole, TOC-4530'-Calc  
4" 11.6# liner @ 2604-5786' w/ 150sx, TOC-2604'-Circ

4180' PERF 5072. M&P 25sx cmt @ 4180-3830' WOC-Tag  
1300' 3. Perf 4" & 5-1/2" @ 2850', sqz 80sx cmt to 2550' WOC-Tag  
4. Perf 5-1/2" @ 1400', sqz 50sx cmt to 1250' WOC-Tag  
5. Perf 5-1/2" & 8-5/8" @ 343' sqz 260sx cmt to surface  
10# MLF between plugs ✓  
Above ground steel tanks will be utilized

The Oil Conservation Division  
**MUST BE NOTIFIED 24 Hours**  
Prior to the beginning of operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 9/29/15

Type or print name David Stewart E-mail address: david.stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Dist Supervisor DATE 10/5/2015  
Conditions of Approval (if any):

OCT 07 2015

OXY USA WTP LP - Proposed  
Owen #7  
API No. 30-025-07028

260sx @ 343'-Surface

50sx @ 1400-1250' WOC-Tag


80sx @ 2850-2550' WOC-Tag

25sx @ 4180-3830' WOC-Tag

CIBP @ 5508' w/ 25sx to 5160'

CIBP @ 5795' w/ 2sx to 5787'

CIBP @ 6370' w/ 2sx to 6354'  
Pkr @ 6396'



Perf @ 343'

17-1/4" hole @ 325'  
13-3/8" csg @ 293'  
w/ 300sx-TOC-Surf-Circ

Perf @ 1400'  
1300'

Perf @ 2850'

12-1/4" hole @ 2800'  
8-5/8" csg @ 2800'  
w/ 500sx-TOC-640'

Perfs @ 5558-5773'

4" liner @ 2604-5786'  
w/ 150sx-TOC-2604'-Circ


Perfs @ 5800-5843'

7-7/8" hole @ 6555'  
5-1/2" csg @ 6458'  
w/ 250sx-TOC-4530'

OH @ 6458-6555'

TD-6555'

OXY USA WTP LP - Current  
Owen #7  
API No. 30-025-07028



17-1/4" hole @ 325'  
13-3/8" csg @ 293'  
w/ 300sx-TOC-Surf-Circ

12-1/4" hole @ 2800'  
8-5/8" csg @ 2800'  
w/ 500sx-TOC-640'

4" liner @ 2604-5786'  
w/ 150sx-TOC-2604'-Circ

Perfs @ 5558-5773'

Perfs @ 5800-5843'

7-7/8" hole @ 6555'  
5-1/2" csg @ 6458'  
w/ 250sx-TOC-4530'

OH @ 6458-6555'

CIBP @ 5795' w/ 2sx to 5787'

CIBP @ 6370' w/ 2sx to 6354'  
Pkr @ 6396'