

Submit a Copy to Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-33923
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. VA-998
7. Lease Name or Unit Agreement Name Estacado 27 State
8. Well Number 3
9. OGRID Number 16696
10. Pool name or Wildcat High Plains Permian Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐ **HOBBS OCD**

2. Name of Operator
OXY USA Inc. **SEP 28 2015**

3. Address of Operator
P.O. Box 50250 Midland, TX 79710 **RECEIVED**

4. Well Location
Unit Letter F : 1980 feet from the north line and 1980 feet from the west line
Section 27 Township 14S Range 34E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4106'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		E-PERMITTING <SWD INJECTION>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	CONVERSION <input type="checkbox"/>	RBDMS <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	RETURN TO <input type="checkbox"/>	TA <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CSNG <input type="checkbox"/>	CHG LOC <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>		INT TO P&A <input checked="" type="checkbox"/>	P&A NR <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>			P&A R <input type="checkbox"/>
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-12242' PBTD-10430' Perfs-10384-10412'
13-3/8" 54.5# @ 400' w/ 650sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 32# csg @ 6193', DVT @ 4000' w/ 1900sx, 11" hole, TOC-875'-TS
5-1/2" 17# csg @ 12242' w/ 885sx, 7-7/8" hole, TOC-7132'-Calc
1. RIH & set CIBP @ 10334' M&P 25sx cmt
2. M&P 25sx cmt @ 10075-9925' WOC-Tag
3. M&P 25sx cmt @ 8165-8015' WOC-Tag
4. Perf 5-1/2" @ 6243', sqz 35sx cmt to 6143' WOC-Tag
5. Perf 5-1/2" @ 4050' sqz 35sx cmt to 3950' WOC-Tag
6. Perf 5-1/2" @ 2950' sqz 35sx cmt to 2850' WOC-Tag
7. Perf 5-1/2" @ 1900' sqz 35sx cmt to 1800' WOC-Tag
8. Perf 5-1/2" & 8-5/8" @ 450' sqz 350sx cmt to surface
10# MLF between plugs
Above ground steel tanks will be utilized

**The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 9/23/15

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Dist Supervisor DATE 9/30/2015
Conditions of Approval (if any):

OC: 08 2015

OXY USA Inc. - Proposed
Estacado 27 State #3
API No. 30-025-33923

350sx @ 450'-Surface

35sx @ 1900-1800' WOC-Tag

35sx @ 2950-2850' WOC-Tag

35sx @ 4050-3950' WOC-Tag

35sx @ 6243-6143' WOC-Tag

25sx @ 8165-8015' WOC-Tag


25sx @ 10075-9925'

CIBP @ 10334' w/ 25sx

CIBP @ 10450' w/ 20' cmt

CIBP @ 10548' w/ 20' cmt

PB-11902'



Perf @ 450'

Perf @ 1900'

Perf @ 2950'

Perf @ 4050'

Perf @ 6243'

Perfs @ 10384-10412'

Perfs @ 10477-10498'

Perfs @ 10568-10573'


TD-12242'

17-1/2" hole @ 400'
13-3/8" csg @ 400'
w/ 650sx-TOC-Surf-Circ

11" hole @ 6193'
8-5/8" csg @ 6193'
DVT @ 4000'
w/ 1900sx-TOC-875'-TS

7-7/8" hole @ 12242'
5-1/2" csg @ 12242'
w/ 885sx-TOC-7132'-Calc

OXY USA Inc. - Current
Estacado 27 State #3
API No. 30-025-33923



CIBP @ 10450' w/ 20' cmt
CIBP @ 10548' w/ 20' cmt