

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | |
|--|---|
| 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/> | WELL API NO. 30-025-34144 |
| 2. Name of Operator OXY USA Inc. | 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 3. Address of Operator P.O. Box 50250 Midland, TX 79710 | 6. State Oil & Gas Lease No. E1673 |
| 4. Well Location Unit Letter <u>F</u> : <u>1980</u> feet from the <u>north</u> line and <u>2310</u> feet from the <u>west</u> line Section <u>33</u> Township <u>21S</u> Range <u>35E</u> NMPM County <u>Lea</u> | 7. Lease Name or Unit Agreement Name State 33 |
| | 8. Well Number <u>2</u> |
| | 9. OGRID Number 16696 |
| | 10. Pool name or Wildcat Grama Ridge Morrow, East |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3621' | |

12. Check Appropriate Box to Indicate Nature of Notice Report or Other Data

| NOTICE OF INTENTION TO: | | E-PERMITTING <SWD INJECTION> | |
|--|--|---|----------------------------------|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input checked="" type="checkbox"/> | CONVERSION <input type="checkbox"/> | RBDMS <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | RETURN TO <input type="checkbox"/> | TA <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | MULTIPLE COMPL <input type="checkbox"/> | CSNG <input type="checkbox"/> | ENVIRO <input type="checkbox"/> |
| DOWNHOLE COMMINGLE <input type="checkbox"/> | | INT TO PA <input checked="" type="checkbox"/> | CHG LOC <input type="checkbox"/> |
| CLOSED-LOOP SYSTEM <input type="checkbox"/> | | P&A NR <input type="checkbox"/> | P&A R <input type="checkbox"/> |
| OTHER: <input type="checkbox"/> | | OTHER: <input type="checkbox"/> | |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15. NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-12707' PBTD-9136' Perfs-12526-12658' RBP-9136'
13-3/8" 54.5# csg @ 1118' w/ 950sx, 17-1/2" hole, TOC-Surf-Circ
9-5/8" 36-40# csg @ 4850' w/ 1705sx, 12-1/4" hole, TOC-Surf-Circ
7" 23# csg @ 11115' w/ 1250sx, 8-3/4" hole, TOC-2798'-Calc
4" 11.6# liner @ 10731-12666' w/ 220sx, 6-1/8" hole, TOC-10731'-Circ
1. RIH & tag RBP @ 9136', POOH. RIH to 12446', M&P 25sx cmt to 12290' ✓
2. M&P 50sx cmt @ 11365-10681' WOC-Tag ✓
3. M&P 25sx cmt @ 9295-9195' WOC-Tag - PRESSURE TEST CSG.
4. M&P 25sx cmt @ 7100-7000' WOC-Tag
5. M&P 25sx cmt @ 4900-4800' WOC-Tag
6. M&P 40sx cmt @ 4130-3820' WOC-Tag
7. Perf @ 2660', sqz 40sx cmt to 2560' WOC-Tag
8. Perf @ 1168', sqz 40sx cmt to 1068' WOC-Tag
9. Perf @ 250' sqz 100sx cmt to surface
10# MLF between plugs
Above ground steel tanks will be utilized

Spud Date:

The Oil Conservation Division
MUST BE NOTIFIED 24 Hours
Prior to the beginning of operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 10/12/15
Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Malay Stewart TITLE Dist Supervisor DATE 10/19/2015
Conditions of Approval (if any):

OCT 20 2015

OXY USA Inc. - Proposed
State 33 #2
API No. 30-025-34144

100sx @ 250'-Surface

40sx @ 1168-1068' WOC-Tag

40sx @ 2660-2560' WOC-Tag

40sx @ 4130-3820' WOC-Tag


25sx @ 4900-4800' WOC-Tag

25sx @ 7100-7000' WOC-Tag

25sx @ 9295-9195' WOC-Tag

50sx @ 11365-10681' WOC-Tag

25sx @ 12446-12290'
CIBP @ 12476' w/ 4sx cmt



Perf @ 250'

17-1/2" hole @ 1118'
13-3/8" csg @ 1118'
w/ 950sx-TOC-Surf-Circ

Perf @ 1168'

Perf @ 2660'

12-1/4" hole @ 4850'
9-5/8" csg @ 4850'
w/ 1705sx-TOC-Surf-Circ

Csg lk @ 9229-9260'

8-3/4" hole @ 11115'
7" csg @ 11115'
w/ 1250sx-TOC-2798'-Calc

6-1/8" hole @ 12671'
4-1/2" liner @ 10731-12666'
w/ 220sx-TOC-10731'-Circ

Perfs @ 12526-12535' Sqz w/ 100sx cmt - 2005
Perfs @ 12654-12658'
OH @ 12666-12707'

TD-12707'

OXY USA Inc. - Current
State 33 #2
API No. 30-025-34144

17-1/2" hole @ 1118'
13-3/8" csg @ 1118'
w/ 950sx-TOC-Surf-Circ

12-1/4" hole @ 4850'
9-5/8" csg @ 4850'
w/ 1705sx-TOC-Surf-Circ

RBP @ 9136'

Csg lk @ 9229-9260'

8-3/4" hole @ 11115'
7" csg @ 11115'
w/ 1250sx-TOC-2798'-Calc

6-1/8" hole @ 12671'
4-1/2" liner @ 10731-12666'
w/ 220sx-TOC-10731'-Circ

CIBP @ 12476' w/ 4sx cmt

Perfs @ 12526-12535' Sqz w/ 100sx cmt - 2005
Perfs @ 12654-12658'
OH @ 12666-12707'

TD-12707'