LU-HOBBS

FORM APPROVED

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OMB NO. 1004-0135 Expires: July 31, 2010 Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

NMLC031670A

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				If Indian, Allottee or Tribe Name If Unit or CA/Agreement, Name and/or No. 892000321E		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.						
Type of Well Oil Well	Other			8. Well Name and No. SEMU 246	100	
2. Name of Operator CONOCOPHILLIPS COMPANY Contact: ASHLEY BERGEN E-Mail: ashley.bergen@conocophillips.com			9. API Well No. 30-025-42018-00-X1			
3a. Address MIDLAND, TX 79710		3b. Phone No. (include area co Ph: 432-688-6983	ode)	10. Field and Pool, or Ex SKAGGS	xploratory	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 19 T20S R38E NWSE 1330FSL 1464FEL 32.331787 N Lat, 103.110241 W Lon				11. County or Parish, and State LEA COUNTY, NM		
12. CHECK API	PROPRIATE BOX(E	S) TO INDICATE NATURE O	F NOTICE, RI	EPORT, OR OTHER	DATA	
TYPE OF SUBMISSION	1	TYPE OF ACTION				
□ Notice of Intent	☐ Acidize	□ Deepen	☐ Product	ion (Start/Resume)	■ Water Shut-Off	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

☐ Plug Back

☐ Fracture Treat

■ New Construction

□ Plug and Abandon

□ Reclamation

□ Recomplete

■ Water Disposal

□ Temporarily Abandon

Amend EC #301451

Subsequent Report

☐ Final Abandonment Notice

9/23/14 RIH and Gamma Ray 12/16/14 NU Frac stack. PT csg & Frac stack to 2000 PSI for 2 mins, 2000 PSI for 2 mins & 6730 PSI

for 10 mins- Test good.

12/17/14 RIH w/ perf gun & shot perfs @ 3781'-3985'. Pumped 12,000 gals of 15%of acid. Pressure on annulus was stable during acid stimulation and monitored and recorded on plot diagram (see

1/5/15 RIH w/ 120 jts of 2 3/8", 4.7#, J-55 tbg set @ 3774' & pkr set @ 3765'. 1/6/15 ND BOP NU WH. Ran MIT 560#/30 mins- Test good (see attachment). RDMO.

□ Alter Casing

□ Casing Repair

□ Change Plans

Convert to Injection

5/14/15 Current PSI is 420#. ConocoPhillips is gathering further information per NMOCD request.

SUBJECT TO LIKE APPROVAL BY STATE

■ Well Integrity

Drilling Operations

Other

For	nission #302982 verified by th CONOCOPHILLIPS COMPANY S for processing by LINDA JII	, sent to the He	obbs		
Name(Printed/Typed) ASHLEY BERGEN		Title STAFF REGULATORY TECH			
Signature (Electronic Submission)	Date	05/27/2015	ACCEPTED FOR RECORD		
THIS SP	ACE FOR FEDERAL OR	STATE OFF	CE USE		
Approved By	Title		NOV 4 2015 Date		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		e	BUREAU OF LAND MANAGEMENT		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 States any false, fictitious or fraudulent statements or represe	make it a crime for any person knotations as to any matter within its	owingly and willfu jurisdiction.	lly to make GARY department of agency of the United		

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED

Please note this well has two plots due to unplanned shutdown.





