

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED

WELL API NO. 30-025-36489
Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. VA-564
7. Lease Name or Unit Agreement Name Copperhead 13 State
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Twiste Draw Strawn East (Gas)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3541'

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator OXY USA Inc. ✓	
3. Address of Operator P.O. Box 50250 Midland, TX 79710	
4. Well Location Unit Letter <u>P</u> : <u>660</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>East</u> line Section <u>1B</u> Township <u>24S</u> Range <u>33E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3541'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

E-PERMITTING <SWD INJECTION> CONVERSION _____ RETURN TO _____ CSNG _____ ENVIRO _____ CHG LOC _____ INT TO PA _____ P&A NR _____ P&A R _____ OTHER: _____	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <u>TIA MIT</u> <input checked="" type="checkbox"/>
--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.1. MAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/30/2015 MIRU PU, ND WH, NU BOP

12/1/2015 Start to RIH w/ tbg, not making up correctly, start to POOH.

12/2/2015 Continue to POOH & LD tbg. Start to RIH w/ tbg.

12/3/2015 Continue to RIH w/ tbg, tag up on RBP., Circ hole w/ 10# BW, rel RBP & start to POOH.

12/4/2015 Continue to POOH w/ tbg & RBP, RIH w/ gauge ring to 12263, no tag, POOH. RIH & set CIBP @ 14175', load tbg w/ 10# BW, test csg to 500#, tested good. Dump bail 4sx cmt in 2 runs, POOH.

12/7/2015 RIH & tag cmt @ 14110', POOH, circ hole w/ pkr fluid. Notify NMOCD of MIT test.

12/8/2015 ND BOP, NU WH, RU pump truck, run MIT, test to 535# for 30min, tested good. NMOCD took original chart. RDPU.

This Approval of Temporary  
Abandonment Expires 12/8/2018

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 12/21/15

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mark Brown TITLE Dist. Supervisor DATE 12/29/2015

Conditions of Approval (if any):

DEC 31 2015 11/4/16





535#

HOBBS OCD

DEC 24 2015

RECEIVED

Graphic Controls Inc.

CHART NO. MC MP-1000

METER

CHART PUT ON

TAKEN OFF

12-08-15

LOCATION

Copperhead FS-1


REMARKS

ARE: 3002536489

535#

6 PM

OXY USA Inc. - Current  
Copperhead 18 State #1  
API No. 30-025-36489



17-1/2" hole @ 727'  
13-3/8" csg @ 727'  
w/ 575sx-TOC-Surf-Circ

12-1/4" hole @ 5034'  
9-5/8" csg @ 5034'  
w/ 2900sx-TOC-Surf-Circ

8-3/4" hole @ 12646'  
7" csg @ 12646'  
w/ 700sx-TOC-7230'-TS

6-1/8" hole @ 14627'  
4-1/2" liner @ 12362-14627'  
w/ 345sx-TOC-12362'-Circ

CIBP @ 14175' w/ 4sx cmt, PBTD 14110'

Model R Pkr @ 14438' w/ blk plug

Perfs @ 14228-14388'  
Perfs @ 14477-14532'

TD-14627'