Form 3160-5 UNITED STATES (August 2007) DEPARTMENT OF THE INTERIOR						FORM APP OMB NO. 10	004-0135	
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an					Expires: July 31, 2010 5. Lease Serial No. NMLC032339A			
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.						7. If Unit or CA/Agreemer	it, Name and/or No.	
1. Type of Well Gas Well Other: INJECTION						8. Well Name and No. Off MATTIX 06		
2. Name of Operator Contact: DAVID STEV OXY USA INCORPORATED / E-Mail: david_stewart@oxy.com						9. API Well No. 30-025-10987-00-S	1 -	
3a. Address 3b. Phone No Ph: 432-68					CD-	10. Field and Pool, or Expl LANGLIE	oratory	
HOUSTON, TX 77210-4294 Fx: 43			85-5 7 42		016			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			R	ECEIVED		11. County or Parish, and S	State	
Sec 3 T24S R37E SWSE 660FSL 1982FEL						LEA COUNTY, NM		
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICAT	E NATU	JRE OF N	OTICE, 1	REPORT, OR OTHER D	ATA	
TYPE OF SUBMISSION				TYPE OF ACTION				
Notice of Intent		De	•		INT	TO PA		
Subsequent Report	 Alter Casing Casing Repair 	_	acture Tre ew Constr		P&A		AR	
□ Final Abandonment Notice	Change Plans	_	ug and Al		RBD	MSTA		
_	Convert to Injection		ug Back					
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)								
TD-3671' PBTD-3667' Perfs-3496-3646'				SEE ATTACHED FOR				
9-5/8" 32.3# csg @ 311' w/ 300sx, 12-1/4" hole, TOC-Surf-Circ 7" 20# csg @ 3670' w/ 1000sx, 8-1/2" hole, TOC-Surf-Circ								
1. RIH & set CIBP @ 3446', M&P 30sx cmt to 3310' 2. M&P 30sx cmt @ 2920-2790' WOC-Tag 3. M&P 50sx cmt @ 2650-2430' WOC-Tag 4. M&P 50sx cmt @ 1 290-1050' WOC-Tag 5. M&P 80sx cmt @ 361' to surface 10# MLF between plugs Above ground steel tanks will be utilized UPC (cas's affected.			RE	RECLAMATION PROCEDURE ATTACHED				
14. I hereby certify that the foregoing is	Electronic Submission #	324032 vorifi	od by the	BI M Wall	Informati	on System		
Electronic Submission #324032 verified by the BLM Well Information System For OXY USA INCORPORATED, sent to the Hobbs Committed to AFMSS for processing by LINDA JIMENEZ on 12/01/2015 (16LJ0227SE)								
Name(Printed/Typed) DAVID STEWART			Title	SR. REGULATORY ADVISOR				
Signature (Electronic Submission)			Date	11/19/2015				
	THIS SPACE FO	OR FEDER	AL OR	STATE O	OFFICE	USE		
Approved By the Walk			Title	Eng			Date 1/12/16	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office	(FO				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.								
** BLM REV	SED ** BLM REVISE	D ** BLM R	EVISE	D ** BLM	REVISE	D ** BLM REVISED **		
MW/OCD 01/19/2016						20 2016	m	

OXY USA Inc. - Proposed G.H. Mattix Federal #6 API No. 30-025-10987

80sx @ 361'-Surface

1350-1110

50sx @ 1290-1050 WOC-Tag

50sx @ 2650-2430' WOC-Tag

30sx @ 2920-2790' WOC-Tag

CIBP @ 3446' w/ 30sx to 3310'

PB-3667'

TD-3671'

8-1/2" hole @ 3670' 7" csg @ 3670' w/ 1000sx-TOC-Surf-Circ

Perfs @ 3496-3646'

12-1/4" hole @ 311' 9-5/8" csg @ 311' w/ 300sx-TOC-Surf-Circ

HOBBS OCD JAN 1 9 2016 RECEIVED

OXY USA Inc. - Current G.H. Mattix Federal #6 API No. 30-025-10987

TD-3671'

12-1/4" hole @ 311' 9-5/8" csg @ 311' w/ 300sx-TOC-Surf-Circ

8-1/2" hole @ 3670' 7" csg @ 3670' w/ 1000sx-TOC-Surf-Circ

Perfs @ 3496-3646'

PB-3667'

2-3/8" tbg w/ pkr @ 3412'