

Submit 1 Copy To Appropriate District Office  
 District I - (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II - (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III - (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV - (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis  
 Santa Fe, NM 87505

**HOBBS OCD**  
**FEB 01 2016**  
**RECEIVED**

WELL API NO. 025-07742 ✓
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Warren McKee Unit ✓
8. Well Number 203 ✓
9. OGRID Number 192463
10. Pool name or Wildcat Warren McKee
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3577'

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well  Gas Well  Other Injection

2. Name of Operator  
OXY USA WTP Limited Partnership ✓

3. Address of Operator  
P.O. Box 50250 Midland, TX 79710

4. Well Location  
 Unit Letter K : 1650 feet from the south line and 2310 feet from the west line ✓  
 Section 7 Township 20S Range 38E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	
CLOSED-LOOP SYSTEM <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

INT TO PA PA  
 P&A NR \_\_\_\_\_ P&A R \_\_\_\_\_  
 RBDMS \_\_\_\_\_ TA \_\_\_\_\_

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-9364' PBD-4380' Perfs-9148-9267' CIBP-4380' - 8850'  
 13-3/8" 48# csg @ 333' w/ 350sx, 17-1/2" hole, TOC-Surf-Circ  
 8-5/8" 24-32# csg @ 3734' w/ 2630sx, 11" hole, TOC-1180'-TS  
 5-1/2" 15.5-17# csg @ 9143' w/ 500sx, 7-7/8" hole, \*TOC-6430'-TS  
 4" 11.6# liner @ 9016-9353' w/ 50sx, TOC-9016'-Circ  
 \*Cmt sqz @ 5720-4393'

- RIH & tag CIBP @ 4380', drill out to 8850', M&P 25sx cmt to 8700'
- M&P 25sx cmt @ 7075-6925' WOC-Tag
- Perf @ 6425', sqz 35sx cmt to 6325' WOC-Tag
- M&P 35sx cmt @ 5750-5500' WOC-Tag
- Perf @ 3785' sqz 35sx cmt to 3680' WOC-Tag
- Perf @ 2780', sqz 35sx cmt to 2680' WOC-Tag
- Perf @ 1350', sqz 35sx cmt to 1250' WOC-Tag
- Perf @ 383' sqz 120sx cmt to surface  
10# MLF between plugs  
Above ground steel tanks will be utilized

**NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS**

Spud Date: \_\_\_\_\_

Rig Release Date: \_\_\_\_\_

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 1/28/16

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mark Whitaker TITLE Petroleum Engr Specialist DATE 02/02/2016

Conditions of Approval (if any):

**FEB 02 2016**

*cy*

OXY USA WTP LP - Proposed  
Warren McKee Unit #203  
API No. 30-025-07742

120sx @ 383'-Surface

35sx @ 1350-1250' WOC-Tag

35sx @ 2780-2680' WOC-Tag

35sx @ 3785-3680' WOC-Tag


35sx @ 5750-5500' WOC-Tag

35sx @ 6425-6325' WOC-Tag

25sx @ 7075-6925' WOC-Tag

25sx @ 8850-8700'

5/83-CIBP @ 8850'



Perf @ 383'

Perf @ 1350'

Perf @ 2780'

Perf @ 3785'

Csg Lk @ 5547-5577' 5650-5720'

Perf @ 6425'

Perfs @ 9148-9267'

17-1/2" hole @ 333'  
13-3/8" csg @ 333'  
w/350sx-TOC-Surf-Circ


11" hole @ 3734'  
8-5/8" csg @ 3734'  
w/2630sx-TOC-Surf-Circ

7-7/8" hole @ 9210'  
5-1/2" csg @ 9143'  
w/500sx-TOC-6430'-TS

4-3/4" hole @ 9364'  
4" liner @ 9016-9353'  
w/50sx-TOC-9016'

TD-9364'

OXY USA WTP LP - Current  
Warren McKee Unit #203  
API No. 30-025-07742



17-1/2" hole @ 333'  
13-3/8" csg @ 333'  
w/350sx-TOC-Surf-Circ

11" hole @ 3734'  
8-5/8" csg @ 3734'  
w/2630sx-TOC-Surf-Circ

2/09-CIBP @ 4380'

Csg Lk @ 5547-5577' 5650-5720'

5/83-CIBP @ 8850'

7-7/8" hole @ 9210'  
5-1/2" csg @ 9143'  
w/500sx-TOC-6430'-TS

4-3/4" hole @ 9364'  
4" liner @ 9016-9353'  
w/50sx-TOC-9016'

Perfs @ 9148-9267'

TD-9364'