

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-07610
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. A-1212-002
7. Lease Name or Unit Agreement Name South Hobbs (G/SA) Unit
8. Well Number 32
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs (G/SA)

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ Injection

2. Name of Operator  
Occidental Permian Ltd.

3. Address of Operator  
P.O. Box 4294, Houston, TX 77210

4. Well Location  
Unit Letter F : 1980 feet from the North line and 1980 feet from the West line  
Section 4 Township 19S Range 38E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3635' KB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>E-PERMITTING &lt;SWD INJECTION&gt;</b> CONVERSION <u>      </u> RBDMS <u>MB</u> RETURN TO <u>      </u> TA <u>PA</u> CSNG <u>      </u> ENVIRO <u>      </u> CHG LOC <u>      </u> INT TO PA <u>      </u> P&A NR <u>      </u> P&A R <u>      </u>	<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input checked="" type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: TA Well <input type="checkbox"/>
--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU x NDWH x NUBOP
- RIH B PLUG @ 3981'
- POOH INJ. PKR
- RIH 5" RBP @ 3975' x PKR @ 3970'
- POOH TBG
- POOH RBP x RIH 5" CIBP @ 4023' w 3 sxs cmt
- RAN CBL 3986' - surface
- Dump 5 sxs cmt on liner @ 3986' - 3936'
- RIH RBP @ 995' w 3 sxs sand
- RO x ND BOP x NUCAP Flange
- MIRU x NDWH x NUBOP
- POOH RBP x RIH 121 jts tbg @ 3936'

- Pressure tested well - chart attached
- RD x NDBOP x NUWH x MO location

This Approval of Temporary  
Abandonment Expires 12/1/2020  
1st TA

\*\*\*Well is currently TA'd\*\*\*

Spud Date:

11/10/15 (RUPU)

Rig Release Date:

11/25/15 (RDPU)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Sarah Mitchell

TITLE Regulatory Coordinator

DATE

2/3/16

Type or print name Sarah Mitchell

E-mail address: sarah\_mitchell@oxy.com

PHONE: 713-366-5469

For State Use Only

APPROVED BY:

Maley Brown

TITLE

District Supervisor

DATE

2/11/2016

Conditions of Approval (if any):

FEB 11 2016

cy



MIDNIGHT

Graphic Controls

DATE

12-1-15

BR 2221

End  
520 psi

South Hobbs Unit 32

Unit F, Sec 4-T19S-R38E

API # 30-025-07610

Domestic Water  
PA # 456

520 psi

PRINTED IN U.S.A. 6 PM



# SHOU-32F04

API# 30-025-07610

TWN 19-S; RNG 38-E

Water Injection Well

Repaired Wellhead. Installed 15' risers from 9-5/8" to surface  
Repaired 6-5/8" casing above surface head

