Form 3160-5 (August 2007)

JNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Hobbs


FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5.	Lease Serial No.	
	NMLC029405A	

SUNDRY NOTICES AND REPORTS ON WELLS	
Do not use this form for proposals to drill or to re-enter an	
abandoned well. Use form 3160-3 (APD) for such proposals.	

_			-	-	
6.	If Indian,	Allottee	or	Tribe	Name

abandoned wer	n. Ose form of too-o (Ar i	o) for such p	noposais.						
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No.				
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. ELVIS FEDERAL 04				
Name of Operator CONOCOPHILLIPS COMPAN	Contact: E-Mail: greg.bryan	GREG BRYA t@basicenergy			9. API Well No. 30-025-33949-00-C1				
3a. Address MIDLAND, TX 79710		3b. Phone No Ph: 432-56 Fx: 432-56	. (include area code 3-3355	e)	10. Field a BAISH	and Pool, or Explo	ratory		
4. Location of Well (Footage, Sec., T.	R M or Survey Description		HOBB	SOCD	11 Count	y or Parish, and St	ate		
Sec 20 T17S R32E SENW 16			FEB 2			COUNTY, NM			
12. CHECK APPR	ROPRIATE BOX(ES) TO	INDICATE	NATUREOF	NOTICE RI	EPORT, O	R OTHER DA	ATA		
TYPE OF SUBMISSION			TYPE C	F ACTION	r		- 12-		
	☐ Acidize	☐ Dee	□ Deepen □ P		ion (Start/	INT TO PA			
☑ Notice of Intent	☐ Alter Casing	☐ Frac	ture Treat	☐ Reclama	ation	P&A NR			
☐ Subsequent Report	☐ Casing Repair	□ Nev	Construction	□ Recomp	olete	P&A R	-		
☐ Final Abandonment Notice	☐ Change Plans	☑ Plug	and Abandon	☐ Tempor	arily Aba	-			
	☐ Convert to Injection	Plug	Back	☐ Water D	Disposal				
1) MIRU. POOH W/ PROD. EC 2) Set 5-1/2" CIBP @ 10292'. 3) Set 5-1/2" CIBP @ 8886'. C 4) Perf @ 6700' - Sqz 40sx cm 5) Perf @ 3200' - Sqz 40sx cm 7) Perf @ 2050' - Sqz 40sx cm 8) Perf @ 1000' - Sqz 40sx cm 9) Perf @ 720' - Sqz 40sx cm 10) Perf @ 60' - Circ 25sx cm 11) POOH. Top off well. RDM	Dumpbail 3sx.cmt on top lirc hole w/ MLF. Cap w/ 2nt to 6600". WOC-Tag 1st to 4550". WOC-Tag 1st to 4550". WOC-Tag 1st to 4950". WOC-Tag 1st to 620". WOC-Tag 1st to 620". WOC-Tag 1st o surface O. Cut off WH & anchors.	130	ole marker.	SEE	ATTA(IDITIO	CHED FOR NS OF AP			
14. I hereby certify that the foregoing is	true and correct.	226107 vorific	d by the BI M W						
Caim	Electronic Submission #3 For CONOCO	PHILLIPS CO	MPANY, sent to	the Hobbs	(4600000	CE)			
Name (Printed/Typed) GREG BR	mitted to AFMSS for proce	ssing by PRI	Title AGEN		(10000037	3E)			
Time(17 mem 1)peny GNEG BN	17411		THE TOLIN						
Signature (Electronic S	ubmission)		Date 12/11/2	2015					
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE				
Approved By Chi Walls			Title En	9 .			Date 2/19/16		
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to condu	itable title to those rights in the		Office (F	0			- 17- 14		
Fitle 18 U.S.C. Section 1001 and Title 43				d willfully to ma	ake to any de	partment or agend	ey of the United		





HOBBS OCD

FEB 2 9 2016

WELLBORE SKETCH ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

RKB @

DF @

1 >

PBTD:

TD

11.939

12,100

REGENTED 3996 Subarea Lease & Well No 3984 1660 FNL & 1866 FWL. Sec. 20. T-17-S. R-32-E Legal Description County 14 3/4" Hole State Lea New Mexico Field Baish Wolfcamp/Cisco Date Spudded 5/22/1997 7/19/1997 Rig Released: 30-025-33949 API Number 11 3/4" 42# WC-40 @ 670' Status Producing Cmt'd w/ 370 sx, circ 60 sxs State Lse No. LC-029405 TOC @ Surface OGRID No. 217817 Stimulation History: Lbs. Max Max Interval Date Type Gals Sand Pross ISIP Rate Down 7/24/1997 15% HCI 1000 Top of Salt @ 7/25/1997 Perf 11498-11592, 11600-11656 11660-11692, w/ 5 SPF 11498-11692 15% NEFE 4000 Set CIBP @ 11430 w/ 35' cmt on top; TOC @ 11395' 7/29/1997 8/4/1997 Perf 10392-10458 w/ 4 SPF 8/6/1997 Perf 10710-10718, 10736-10763, 10/10/1997 10774-10779, 10786-10790, 10794-10798, 10802-10814, 10828-10835, 10842-10844, 10850-10855, 10870-10890 w/ 4 SPF Base of Salt @ 10/16/1997 Collapsed Csg @ 10517-10527 Perf 10474-10480, 10498-10518, 10/28/1997 10527-10538, 10550-10568, 10581-10590, 10600-10610, 10619-10634, 10639-10658, 10663-10671, 10763-10769, 10826-10836, 10872-10890 w/ 4 SPF 10474-10890 10/30/1997 15% NEFE 7000 10474-10890 15% NEFE 11/12/1997 16,000 6/6/2001 Set CIBP @ 10325 11" Hole 6/7/2001 Perf 8986-9006, 9465-9485, 8 5/8"32# K-55 @ 4600" 9572-9592 w/ 4 SPF Cmt'd w/ 1910 sx, circ 50 sxs 8986-9592 6/9/2001 20% NEFE 16,750 TOC @ Surface 5/12/2003 DO CIBP to 11,396' TOC 5 1/2" @ 7950" (CBL) 8986-9592 Formation Tops: Santa Rosa Base Rustler 10392-10458 Salado Yates 10474-10890 Queen Collapsed Csg 10517-10527 Pemrose 10710-10890 Grayburg San Andres Gloneta CIBP @ 11340' w/ 35' cmt on top, TOC @ 11395' Paddock Wolfcamp 11498-11692 7-7/8" Hole 5 1/2" 17# L-80 @ 12,100"

Cmt'd w/ 1150 sx; TOC @ 7950' (CBL)

WELLBORE SKETCH ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

RKB @ 3996						Date	Decem	ber 3, 20	015	
DF @		Subarea		Buckeye			-	-	-	
GL @ 3984'	de-room	Legal Descripti		1660 FNL & 1866 FWL	Sec 20.1	T-17-S R-	32-E			
	14 3/4" Hole	County		Lea S	tate	New Me	IVICO.			
-	P&S 25sx cmt @ 60'-3'	Field		Baish Wolfcamp/Cisco			. NOO			
		Date Spudded API Number		5/22/1997 30-025-33949	Rig Relea	ased.	7/19/1997			
	11 3/4" 42# WC-40 @ 670'	Status		Producing						
	Cmt'd w/ 370 sx. circ 60 sxs				State Lse		LC-0	029405		
	P&S 40sx cmt @ 720'-620' - Tag	Stimulation H	istory:							
		Interval	Date	Туре	Gals	Lbs. Sand	Max Press	ISIP	Max Rate Dov	wn
	Top of Salt @ 500 P&S 40sx cmt @ 1000'-900 ' - Tag 930-920'	11498-11692	7/24/1997 7/25/1997 7/29/1997 8/4/1997 8/6/1997	15% HCL Parf 11498-1159 11660-11692, wi 15% NEFE Set CIBP @ 114 Parf 10392-1046	4000 30 w/ 35' cr	mt on top;	TOC @ 11	1395'		
	Base of Salt @ 1941 1930 P&S 40sx cmt @ 2050'-1960' . Tag		10/10/199: 10/16/1997 10/28/1997	7 Perf 10710-1071 10774-10779, 10 10802-10814, 10 10850-10856, 10 7 Collapsed Csg @ 7 Perf 10474-1048 10527-10538, 10 10600-10610, 10 10663-10671, 10	8, 10736-1 1786-10790 1828-10836 1870-10890 10517-10 10, 10498-1 1550-10568 1619-10634 1763-10769	0763, , 10794-10, , 10842-10 w/ 4 SPF 527 0618, , 10581-10,	0844, 0590, 0658,			
	P&S 40sx cmt @ 3200'-3100' 3070 Tag	10474-10890 10474-10890	10/30/1997 11/12/1997 6/6/2001 6/7/2001		7000 16,000					
	8 5/8"32# K-55 @ 4600" Cmtd w/ 1910 sx circ 50 sxs TOC @ Surface P&S 50sx cmt @ 4650"-4650" - Tag	8986-9592	6/9/2001 5/12/2003	9572-9692 w/ 4 5 20% NEFE DO CIBP to 11 3	SPF 16 750 96'					
===	P+5 cm (@ 5250-5100! To	ns. (6)	orieHa	HOPE 5200	')					
	P&S 40sx cmt @ 47.00'-6600' - Tag 7607 - 7437' (A	BO top-	7557							
	TOC 5 1/2" @ 7950" (CBL) Spot 26sx cmt @ 8886"-97990 Set CIBP @ 8886" 8986-9592"									
	DB 35F cmt @ 10292'-10262' Set CIBP @ 10292' 10392-10458			Formation Tops Santa Rosa Base Rustler Salado Yates						
== ==	10474-10890 Collapsed Csg 10517-10527 10710-10890			Queen Pemrose Grayburg San Andres						
	CIBP @ 11340' w/ 35' cmt on top, TOC @ 11395' 11498-11692'			Gloneta Paddock Wolfcamp						
	7-7/8" Hole 6 1/2" 17# L-80 @ 12,100" Cmfa w/ 1150 sx. TOC @ 7950 (CBL)									
PBTD 11.939 TD 12.100										

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

FEB 2 9 2016

RECEIVED

Permanent Abandonment of Federal Wells Conditions of Approval (LPC Habitat)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **brine** water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. Below Ground Level Cap (Lesser Prairie-Chicken Habitat): All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¼ inch thick and welded in place. A weep hole shall be left in the plate and/or casing.

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>Timing Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:</u>
From March 1st through June 15th annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of
 Operations must include adequate measures for stabilization and reclamation of disturbed lands.
 Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD
 process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.

- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.
- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Linda Denniston Environmental Protection Specialist 575-234-5974

Henryetta Price Environmental Protection Specialist 575-234-5951

Dara Glass Environmental Protection Specialist 575-234-5924

Shelly Tucker Environmental Protection Specialist 575-234-5979