

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-28338
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other: TA		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Occidental Permian Ltd.		6. State Oil & Gas Lease No.
3. Address of Operator HCR 1 Box 90 Denver City, TX 79323		7. Lease Name or Unit Agreement Name South Hobbs (G/SA) Unit
4. Well Location Unit Letter <u>F</u> : <u>2558</u> feet from the <u>North</u> line and <u>1353</u> feet from the <u>West</u> line Section <u>4</u> Township <u>19S</u> Range <u>38E</u> NMPM Lea County		8. Well Number: 135
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3622' RDB		9. OGRID Number: 157984
		10. Pool name or Wildcat Hobbs (G/SA)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT

REMEDIAL WORK
COMMENCE DRILLING OPNS.
CASING/CEMENT JOB

INT TO PA ☒
P&A NR ☐
P&A R ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU PU 45 WOC & TAG
- Spot 25 sxs on top of CIBP @ 3807' (above top perf San Andres/Grayburg). Tag at 3365 or better (Covers DV Tool)
- PU to 2748' and spot 25 sxs (Yates) - B. SALT
- PU to 1551' and spot 25 sxs (shoe). WOC and tag.
- PU to 300' and spot 50 sxs. Top off well as necessary.
- Cut off wellhead and install dry hole marker with labeling.
- Clean up location and remove anchors.

During this procedure we plan to use the closed-loop system with a steel tank and haul contents to the required disposal per ODC Rule 19.15.17

Spud Date:

Rig Release

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE April Hood TITLE Regulatory Coordinator DATE 03/01/2016

Type or print name April Hood E-mail address april_hood@oxy.com PHONE: 713-366-5771

For State Use Only

APPROVED BY: Mark P. Smith TITLE P.E.S. DATE 03-03-2016

Conditions of Approval (if any):

MAR 07 2016

CURRENT WELLBORE




Occidental Petroleum Corporation

SHOU-135

API# 30-025-28338

TWN 19-S; RNG 38-E

TA'd



14" @ 37'
cmt'd w/ 2 yds cmnt

12-1/4" Bore Hole
8-5/8" 24# @ 1501'
cmt'd w/875 sxs Class C
(395 sxs circ to Surface)

DV Tool @ 3415'

CIBP @ 3807' (02/2016) w/4sxs on top

CIBP top @ 4038' (cmnt unknown)
tested good to 600 psi on 02/24/16

Perfs @ 3907'-17', 3946'-56'

Perfs @
4090'-110', 4116'-45', 4148'-66'
4169'-78', 4184'-88', 4190'-92', 4197'-99'

5-1/2" K-55 15.5# @ 4302' in 7-7/8" hole
1st stg cmt'd w/350 sxs Class H (125 sxs Circ to Surace)
2nd stg cmt'd w/1875 sxs Class H (Circ to surface)

PROPOSED P&A WELLBORE



SHOU-135

API# 30-025-28338

TWN 19-S; RNG 38-E
P&A'd Well

