

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD
MAY 17 2016
RECEIVED

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-129
Revised August 1, 2011

Submit one copy to appropriate
District Office

NFO Permit No. _____
(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12

(See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NMAC)

- A. Applicant Yates Petroleum Corporation,
whose address is 105 S. Fourth Street, Artesia, NM 88210,
hereby requests an exception to Rule 19.15.18.12 for _____ days or until
August 30, Yr 2016, for the following described tank battery (or LACT):
Name of Lease Basilisk BQS State Com #1H Name of Pool Bone Spring
Location of Battery: Unit Letter N Section 36 Township 24S Range 32E
Number of wells producing into battery 1 well, API 30-025-40054
- B. Based upon oil production of 26 barrels per day, the estimated * volume
of gas to be flared is 213 +/- Daily MCF; Value _____ per day.
- C. Name and location of nearest gas gathering facility:

- D. Distance _____ Estimated cost of connection _____
- E. This exception is requested for the following reasons: Requesting permission to flare due to abnormal
system pressures in Agave lines. The possibility of flare will not be consistent; therefore, the volume above
can easily fluctuate.

OPERATOR

I hereby certify that the rules and regulations of the Oil Conservation
Division have been complied with and that the information given above
is true and complete to the best of my knowledge and belief.

Signature Tina Huerta

Printed Name

& Title Tina Huerta, Regulatory Reporting Supervisor

E-mail Address tinah@yatespetroleum.com

Date: May 13, 2016 Telephone No: 575-748-4168

OIL CONSERVATION DIVISION

Approved Until 8/23/2016

By Marys Brown

Title _____

Date 5/23/2016

* Gas-Oil ratio test may be required to verify estimated gas volume.