UNITED STATES DEPARTMENT OF THE IS BUREAU OF LAND MANA SUNDRY NOTICES AND REPO	NTERIOR	Oil Conserva 1625 N. Free Hobbs, NA	5 Lease Serial I	OM B No 1004-01 xpires March 31 No.	37		
Danot use this form for proposals to	drill or to re-	-enter an	6. If Indian,	Mottee or Tribe	Name		
prepandoned well. Use Form 3160-3 (Al	PD) for such p	roposals.					
SUBMIT IN TRIPLICATE- Other instructions on reverse side. 1 Type of Well				 If Unit or CA/Agreement, Name and/or No. Milnesand Unit 			
Other _	المل .		8 Well Name 317	and No.	Y. 18- 13	M.	
Name of Operator EOR Operating Co Address		9 API Well No. 30-041-10195					
3a. Address 200 N Loraine, STE 1440, Midland TX 79701 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 2310' FNL & 990'FEL Sec. 19, T-085, R-35E				Pool, or Explore			
				Milnesand, San Andres 11. County or Parish, State Roosevelt Co, NM			
12. CHECK APPROPRIATE BOX(ES) TO II	NDICATE NATU	JRE OF NOTICE, R			ΓA		
TYPE OF SUBMISSION		YPE OF ACTION					
Notice of Intent Notice of Intent Acidize Alter Casing Casing Repair Change Plans	Deepen Fracture Treat New Construction Plug and Abandon		[Water Shut-	ity		
Final Abandonment Notice Convert to Injection	Plug Back	Water Disposal	oandon order Us.			1	
13 Describe Proposed or Completed Operation (clearly state all pertine If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation re testing has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.)	give subsurface locate the Bond No. on file sults in a multiple con	ions and measured and true with BLM/BIA Requirempletion or recompletion	ne vertical depths red subsequent rep in a new interval,	of all pertinent in orts shall be file a Form 3160-4	markers and and within 30 shall be file	day:	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation re	give subsurface locate the Bond No. on file sults in a multiple conted only after all required to next morning. 1540'-3440'. Woc 4 to next morning. 1540'-1440', Woc 4 to next morning.	nons and measured and the with BLM/BIA Requirempletion or recompletion rements, including reclaments. Tag cmt plug @ 4 hrs Tag cmt plug @	ne vertical depths of the description and the method in a new interval, nation, have been of the description	of all pertunent roots shall be file a Form 3160-4 completed, and	markers and ed within 30 shall be filed the operator	day:	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation retesting has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.) 1. 8/6/12 MIRU, P&A Equip 2. 8/7/12 Tag cmt plug @ 3800' perf, sqz 40sx cmt from 3 Spot 25sx class "c" from 2604'-2226'. Woc Tag 3. 8/8/12 Tag cmt plug @ 2190'. Perf, sqz 40sx cmt from "c" cmt Displace to 300' Woc tag to next morni 4. 8/9/12 Tag cmt plug @ 266', perf 60', 50' sqz 25sx cmt,	give subsurface locate the Bond No. on file sults in a multiple conted only after all required only after all required on the subsurface of the subsurface o	nons and measured and the with BLM/BIA Requirempletion or recompletion rements, including reclaments. Tag cmt plug @ 4 hrs Tag cmt plug @	ne vertical depths eed subsequent rep in a new interval, nation, have been of 3470', perf @ 2: 1435' perf @ 46	of all pertinent roots shall be file a Form 3160-4 completed, and	markers and ad within 30 shall be filed the operator of the op	days	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation restesting has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.) 1. 8/6/12 MIRU, P&A Equip 2. 8/7/12 Tag cmt plug @ 3800' perf, sqz 40sx cmt from 3 Spot 25sx class "c" from 2604'-2226'. Woc Tag 3. 8/8/12 Tag cmt plug @ 2190'. Perf, sqz 40sx cmt from "c" cmt Displace to 300' Woc tag to next morni 4. 8/9/12 Tag cmt plug @ 266', perf 60', 50' sqz 25sx cmt, ERMITTING <swd injection=""> INJECTION> IVERSION RBDMS URN TO TA G ENVIRO CHG LOC TO PA P&A NR P&A R 14. Thereby certify that the foregoing is true and correct</swd>	give subsurface locate the Bond No. on file sults in a multiple conted only after all required only after all required on the subsurface of the subsurface o	tons and measured and the with BLM/BIA Requirements including reclamaters. Tag cmt plug @ 4 hrs. Tag cmt plug @ 4 hrs. Tag cmt plug @ 4 hrs. Tag cmt plug @ 5 hrs. Tag cmt plug @ 5 hrs. Tag cmt plug @ 6 hrs. Tag cmt plug	ne vertical depths eed subsequent rep in a new interval, nation, have been of 3470', perf @ 2: 1435' perf @ 46	of all pertinent roots shall be file a Form 3160-4 completed, and	markers and ad within 30 shall be filed the operator of the op	days	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation retesting has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.) 1. 8/6/12 MIRU, P&A Equip 2. 8/7/12 Tag cmt plug @ 3800' perf, sqz 40sx cmt from 3 Spot 25sx class "c" from 2604'-2226'. Woc Tag 3. 8/8/12 Tag cmt plug @ 2190'. Perf, sqz 40sx cmt from "c" cmt Displace to 300' Woc tag to next mornl 4. 8/9/12 Tag cmt plug @ 266', perf 60', 50' sqz 25sx cmt, ERMITTING <swd injection=""> INJECTION> IVERSION RBDMS URN TO TA G ENVIRO CHG LOC TO PA P&A NR P&A R</swd>	give subsurface locate the Bond No. on file sults in a multiple con ted only after all requir 1540'-3440'. Woc 4 to next morning. 1540'-1440', Woc 4 ing. 8 5/8, 25sx cmt. If APPROV WELL DI IS RETAINED	tons and measured and the with BLM/BIA Requirements including reclamaters. Tag cmt plug @ 4 hrs. Tag cmt plug @ 4 hrs. Tag cmt plug @ 4 hrs. Tag cmt plug @ 5 hrs. Tag cmt plug @ 5 hrs. Tag cmt plug @ 6 hrs. Tag cmt plug	ne vertical depths eed subsequent rep in a new interval, nation, have been of 3470', perf @ 2: 1435' perf @ 46	of all pertinent roots shall be file a Form 3160-4 completed, and	markers and ad within 30 shall be filed the operator of the op	days	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation retesting has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.) 1. 8/6/12 MIRU, P&A Equip 2. 8/7/12 Tag cmt plug @ 3800' perf, sqz 40sx cmt from 3 Spot 25sx class "c" from 2604'-2226'. Woc Tag 3. 8/8/12 Tag cmt plug @ 2190'. Perf, sqz 40sx cmt from "c" cmt Displace to 300' Woc tag to next morni 4. 8/9/12 Tag cmt plug @ 266', perf 60', 50' sqz 25sx cmt, ERMITTING <swd injection=""> WERSION RBDMS URN TO TA G ENVIRO CHG LOC TO PA P&A NR P&A R 14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) "s</swd>	give subsurface locate the Bond No. on file sults in a multiple con ted only after all requir 1540'-3440'. Woc 4 to next morning. 1540'-1440', Woc 4 ing. 8 5/8, 25sx cmt. If APPROV WELL DI IS RETAINED	tions and measured and the with BLM/BIA Requirements including reclamments, including reclamments. Tag cmt plug @ 4 hrs Tag cmt plug @ 4 hrs Tag cmt plug @ 4 hrs Tag cmt plug @ 6 THORE. LUBBILITY UNDER BOND DUNTIL SURFACE RESTORATIS COMPLETED	ue vertical depths eed subsequent rep in a new interval, nation, have been of 3470', perf @ 2: 1435' perf @ 4: 155	of all pertinent roots shall be file a Form 3160-4 completed, and	markers and ad within 30 shall be filed the operator of the op	days	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation retesting has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.) 1. 8/6/12 MIRU, P&A Equip 2. 8/7/12 Tag cmt plug @ 3800' perf, sqz 40sx cmt from 3 Spot 25sx class "c" from 2604'-2226'. Woc Tag 3. 8/8/12 Tag cmt plug @ 2190'. Perf, sqz 40sx cmt from "c" cmt Displace to 300' Woc tag to next morni 4. 8/9/12 Tag cmt plug @ 266', perf 60', 50' sqz 25sx cmt, ERMITTING <swd injection=""> INJECTION> INJECTION INJECTIO</swd>	give subsurface locate the Bond No. on file sults in a multiple conted only after all required in the substitution of the subs	tons and measured and the with BLM/BIA Requirements and measured and the with BLM/BIA Requirements, including reclamments, including reclamments. Tag cmt plug @ 4 hrs Tag cmt plug @ RD, P&A TED AS TO PLUGGING @F THOORE. LIABILITY UNDER BOND DUNTIL SURFACE RESTORATION IS COMPLETED Manager 8-/3-/3	ue vertical depths ed subsequent rep in a new interval, nation, have been of 3470', perf @ 2: 1435' perf @ 4:	of all pertinent roots shall be file a Form 3160-4 completed, and	markers and ad within 30 shall be filed the operator of the op	days	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation retesting has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.) 1. 8/6/12 MIRU, P&A Equip 2. 8/7/12 Tag cmt plug @ 3800' perf, sqz 40sx cmt from 3 Spot 25sx class "c" from 2604'-2226'. Woe Tag 3. 8/8/12 Tag cmt plug @ 2190'. Perf, sqz 40sx cmt from "c" cmt Displace to 300' Woe tag to next mornl 4. 8/9/12 Tag cmt plug @ 266', perf 60', 50' sqz 25sx cmt, ERMITTING <swd injection=""> INJECTION> INJECTIONS INJECTIONS</swd>	give subsurface locate the Bond No. on file sults in a multiple conted only after all requisions of the subsurface of the Bond No. on file sults in a multiple conted only after all requisions of the subsurface of the subsurface of the subsurface of the Bond No. 440°. Word of the subsurface of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word of the subsurface of the Bond No. 440°. Word	tons and measured and the with BLM/BIA Requirements and measured and the with BLM/BIA Requirements, including reclamments, including reclamments. Tag cmt plug @ 4 hrs Tag cmt plug @ RD, P&A TED AS TO PLUGGING @F THOORE. LIABILITY UNDER BOND DUNTIL SURFACE RESTORATION IS COMPLETED Manager 8-/3-/3	ue vertical depths red subsequent rep in a new interval, nation, have been of 3470', perf @ 2: 1435' perf @ 4: IS D ATION	of all pertinent roots shall be file a Form 3160-4 completed, and 540'. Press 25 00', sqz 40sx 0	markers and ad within 30 shall be filed the operator of the op	zono days dono has	
If the proposal is to deepen directionally or recomplete horizontally, Attach the Bond under which the work will be performed or provide following completion of the involved operations. If the operation retesting has been completed. Final Abandonment Notices shall be fill determined that the site is ready for final inspection.) 1. 8/6/12 MIRU, P&A Equip 2. 8/7/12 Tag cmt plug @ 3800' perf, sqz 40sx cmt from 3 Spot 25sx class "c" from 2604'-2226'. Woe Tag 3. 8/8/12 Tag cmt plug @ 2190'. Perf, sqz 40sx cmt from "c" cmt Displace to 300' Woe tag to next mornl 4. 8/9/12 Tag cmt plug @ 266', perf 60', 50' sqz 25sx cmt, ERMITTING <swd injection=""> WERSION RBDMS URN TO TA G ENVIRO CHG LOC TO PA P&A NR P&A R 14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) "Signature Typed)" Signature Typed) "Signature Typed) "Signature Typed)" Signature Typed) "Signature Typed Typed) "Signature Typed Ty</swd>	give subsurface locate the Bond No. on file sults in a multiple conted only after all requisions of the subsurface of the Bond No. on file sults in a multiple conted only after all requisions of the subsurface of the Bond No. 440'. Work of the subsurface of the Section No. 440'. Work of the Section No. 44	tons and measured and the with BLM/BIA Requirempletion or recompletion rements, including reclamates. Tag cmt plug @ 4 hrs Tag cmt plug @ 6 PED AS TO PLUGGING @ THU ORE. LUABILITY UNDER BOND UNTIL SURFACE RESTORATION OF THE COMPLETED Manager 8-/3-/2 STATE OFFICE PETROLEUM EN Title. ROSI	ue vertical depths red subsequent rep in a new interval, nation, have been did at 1435' perf @ 2: 1435' perf @ 4: IS DO ATION PARTICIPATION Dat WELL FIELL	of all pertinent roots shall be file a Form 3160-4 completed, and 540'. Press 25 00', sqz 40sx 6 0CT OCT OCT OCT OCT OCT OCT OCT OCT OCT O	markers and ad within 30 shall be filed the operator shows the operato	zono days dono has	

APPROVED FOR 6 MONTH PERIOD ENDING FEB 0 9 2013

NOV 0 8 2012

NOV SUNDRY	UNITED STATI DEPARTMENT OF TH BUREAU OF LAND MA NOTICES AND RE his form for proposals ell. Use Form 3160-3.	E INTERIOR NAGEMENT EPORTS ON V	re-enter an	ich Drive	OM 13 No. 1004-013 kpires March 31, No. 19978	2007			
SUBMIT IN TRIPLICATE- Other instructions on reverse side. 1 Type of Well					7. If Unit or CA/Agreement, Name and/or No. Milnesand Unit 8 Well Name and No.				
3a. Address		3b. Phone No. (include area code)		30-041-10	195				
200 N Loraine, STE 1440, Midland TX 79701 4. Location of Well (Footage, Sg., T., R., M., or Survey Description)		432-687-0303		10 Field and Pool, or Exploratory Area Milnesand, San Andres					
2310' FNL & 990'FEL Sec. 19, T-08S, R-35E	/			11. County or Rooseveit	Co, NM	/	/		
	PPROPRIATE BOX(ES) T			REPORT, OR C	OTHER DAT	A			
TYPE OF SUBMISSION	Acidize	F	TYPE OF ACTION Production (St	ad(Paruma)	Water Shut-	Off			
Notice of Intent	Alter Casing	Deepen Fracture Treat	Reclamation	arvicesume)	Well Integral				
Subsequent Report	Casing Repair	New Constructi		y Abandon order Do.					
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Aband Plug Back	lon Pemporarily A Water Disposal				/		
Spot 25sx class 3. 8/8/12 Tag cmt plug @ "c" cmt Displac	quip 3800' perf, sqz 40sx cmt fro "c" from 2604'-2226'. Woc 2190'. Perf, sqz 40sx cmt fr ce to 300' Woc tag to next m 266', perf 60', 50' sqz 25sx o	Tag to next morning com 1540'-1440', Wo orning.	g. c 4 hrs Tag cmt plug @						
66,0,25						22			
Enjector Eth	PAA 2012	APPR WELL IS RETAI	OVED AS TO PLUGGING OF TH L BORE. LIABILITY UNDER BON NED UNTIL SURFACE RESTORA IS COMPLETED	D	SUPPLIED IN THE STATE OF	2012 OCT 15 AM	RECEIV		
14. I hereby certify that the fore Name (Printed/Typed)	going is true and correct	. 1		-	AS.				
Jimmy Bagley,		· Title	e Manager		当	-5			
Signature	1/	Date	8-13-12	2					
10.	THIS SPACE FOR	FEDERAL OF	R STATE OFFICE	USE					
Approved by /S/ DA\	VID R. GLA	SS	PETROLEUM EN	IGINEER Date	OCT	1 8 201	2		
Conditions of approval, if any, are a certify that the applicant holds legal which would entitle the applicant to	or equitable title to those rights conduct operations ther on	s in the subject lease	Office	WELL FIELD) Uppice				
Title 18 U.S.C. Section 1001 and Title States any false, fictitious or fraudul	e 43 USC Section 1212, make it ent statements or representation	t a crime for any persons as to any matter with	n knowingly and willfully in its jurisdiction	to make to any de	epartment or ag	ency of the	United		
(Instructions on page 2)	.00		127						

APPROVED FOR 6 MONTH PERIOD ENDING FEB 0 9 2013

NOV 0 8 2012

HOBBS OCD

MAY 1 2 2016



RECEIVED

May 9, 2016

New Mexico OCD District 1 1625 N. French Drive Hobbs, NM 88240

Re: 2016 UIC Test results for EOR Operating Company (257420)

Attached please find copies of all Branden Head Test Reports and MIT charts prepared for 2016.

The MSU #317 well (30-041-10195) was plugged in 2012 and thus a test was not performed. I've attached a copy of the associated sundry filed for your convenience.

Regards,

Jamie L Hogue