
State of New Mexico	
Energy, Minerals and Natural Resources Departme	
FILE IN TRIPLICATE HOBBS OCD OIL CONSERVATION DIVISION	Revised 5-27-2004
DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 2 5 2016 1220 South St. Francis Dr. Santa Fe, NM 87505	WELL API NO. 30-025-05451
DISTRICT II	5. Indicate Type of Lease
1301 W. Grand Ave, Artesia, NM 88219 ECEIVED	STATE X FEE
DISTRICT III	6. State Oil & Gas Lease No.
1000 Rio Brazos Rd, Aztec, NM 87410	
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (Form C-101) for such proposals.)	North Hobbs (G/SA) Unit Section 14
1. Type of Well:	8. Well No. 231
Oil Well Gas Well Other Temporarily Abandoned	
2. Name of Operator	9. OGRID No. 157984
Occidental Permian Ltd.	10. Pool name or Wildcat Hobbs (G/SA)
3. Address of Operator HCR 1 Box 90 Denver City, TX 79323	10. Pool name or Wildcat Hobbs (G/SA)
4. Well Location	
	et From The West Line
Unit Letter K : 1650 Feet From The South 2310 Fe	et From The West Line
Section 14 Township 18-S Range 37-	E NMPM Lea County
11. Elevation (Show whether DF, RKB, RT GR, etc.)	
3686' GL	
Pit or Below-grade Tank Application or Closure	
	Distance from accred surface water
Pit Type Depth of Ground Water Distance from nearest fresh water well	
Pit Liner Thickness mil Below-Grade Tank: Volume bbls; Construction Ma	aterial
12. Check Appropriate Box to Indicate Nature of Notice, Report, or	Other Data
E-PERMITTING <swd injection=""> SUB</swd>	SEQUENT REPORT OF:
CONVERSION REDMS REMEDIAL WORK	
CONVERSION REDUK	ALTERING CASING
CONVERSION RBDMS Remedial work RETURN TO TA Commence drilling of commence	ALTERING CASING
CONVERSION RBDMS_MB REMEDIAL WORK RETURN TO TA CHG LOC CASING TEST AND CEMEN	ALTERING CASING
CONVERSION RBDMS REMEDIAL WORK RETURN TO TA COMMENCE DRILLING OF CSNG ENVIRO CHG LOC CASING TEST AND CEMEND INT TO PA P&A NR OTHER: Casing integr	ALTERING CASING
CONVERSION RBDMS_MB REMEDIAL WORK RETURN TO TA CHG LOC CHG LOC CASING TEST AND CEMEN INT TO PA P&A R OTHER: Casing integrations 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates)	ALTERING CASING
CONVERSION RBDMS REMEDIAL WORK RETURN TO TA COMMENCE DRILLING OF CSNG ENVIRO CHG LOC CASING TEST AND CEMEND INT TO PA P&A NR OTHER: Casing integr	ALTERING CASING
CONVERSION	ALTERING CASING
CONVERSION RBDMS_MB REMEDIAL WORK RETURN TO TA CHG LOC CHG LOC CASING TEST AND CEMEN INT TO PA P&A R OTHER: Casing integrations 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates)	ALTERING CASING
CONVERSION	ALTERING CASING
CONVERSION RBDMS/MALL RETURN TO TA CSNG ENVIRO CSNG ENVIRO CHG LOC CASING TEST AND CEMENDIAL WORK INT TO PA P&A NR P&A R OTHER: Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes This Approval of Ten	ALTERING CASING
CONVERSION RBDMS/MALL RETURN TO TA CSNG ENVIRO CSNG ENVIRO CHG LOC CASING TEST AND CEMENDIAL WORK INT TO PA P&A NR P&A R OTHER: Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes This Approval of Ten	ALTERING CASING
CONVERSION RBDMS_MG REMEDIAL WORK RETURN TO ARE CHG LOC CHG LOC COMMENCE DRILLING OF CSNG ENVIROCHG LOC CASING TEST AND CEMEN INT TO PA P&A NR P&A R COMMENCE DRILLING OF CASING TEST AND CEMEN OTHER: Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes Witnessed: NO	ALTERING CASING PNS. PLUG & ABANDONMENT NT JOB ity test/TA status request X s, including estimated date of starting any completion or recompletion.
CONVERSION RBDMS/MALL RETURN TO TA CSNG ENVIRO CSNG ENVIRO CHG LOC CASING TEST AND CEMENDIAL WORK INT TO PA P&A NR P&A R OTHER: Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes This Approval of Ten	ALTERING CASING PNS. PLUG & ABANDONMENT NT JOB ity test/TA status request X s, including estimated date of starting any completion or recompletion.
CONVERSION REMEDIAL WORK RETURN TO CHG LOC CSNG ENVIRO CHG LOC CHG LOC INT TO PA P&A NR P&A NR P&A R 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes This Approval of Tel Abandonment Expite Witnessed: NO	ALTERING CASING PNS. PLUG & ABANDONMENT NT JOB ity test/TA status request X s, including estimated date of starting any completion or recompletion. MDORATY res
CONVERSION RBDMS REMEDIAL WORK RETURN TO CASING COMMENCE DRILLING OF CSNG ENVIRO CHG LOC CASING TEST AND CEMEND INT TO PA P&A NR P&A R CHERE Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent datasproposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI This Approval of Tele Abandonment Expine Witnessed: NO	ALTERING CASING PNS. PLUG & ABANDONMENT NT JOB ity test/TA status request X s, including estimated date of starting any completion or recompletion. MDORATY res
CONVERSION RBDMS REMEDIAL WORK CONVERSION TA Commence Drilling of Commence Drilling of Casing Test and Cemel Differ CONVERSION P&A NR P&A R Differ 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes This Approval of Test Abandonment Expite Witnessed: NO	ALTERING CASING ALTERING CASING ALTERING CASING PLUG & ABANDONMENT
CONVERSION RBDMS REMEDIAL WORK CSNG ENVIRO CHG LOC CASING TEST AND CEMEL INT TO PA P&A NR P&A R Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 This Approval of Tel Abandonment Explit Length of test –30 minutes Witnessed: NO Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative plan SIGNATURE MANGE DATURE MANGE DATURE TITLE	ALTERING CASING ALTERING CASING NS. PLUG & ABANDONMENT NT JOB ity test/TA status request x s, including estimated date of starting any completion or recompletion. mporary fres
CONVERSION RBDMS REMEDIAL WORK RETURN TO TA CASING TEST AND CEMEL CSNG ENVIRO CHG LOC INT TO PA P&A NR P&A R 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test –30 minutes This Approval of Tel Abandonment Expite Witnessed: NO	ALTERING CASING ALTERING CASING NS. PLUG & ABANDONMENT NT JOB ity test/TA status request x s, including estimated date of starting any completion or recompletion. mporary fres
CONVERSION RBDMS REMEDIAL WORK CSNG ENVIRO CHG LOC CASING TEST AND CEMEL INT TO PA P&A NR P&A R Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 This Approval of Tel Abandonment Explit Length of test –30 minutes Witnessed: NO Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative plan SIGNATURE MANGE DATURE MANGE DATURE TITLE	ALTERING CASING ALTERING CASING PLUG & ABANDONMENT NT JOB ity test/TA status request x s, including estimated date of starting any completion or recompletion. TOPORARY Tes
CONVERSION RBDMS REMEDIAL WORK RETURN TO TA CASING TEST AND CEMEL CSNG ENVIRO CHG LOC INT TO PA P&A NR P&A R 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test –30 minutes This Approval of Tel Abandonment Expite Witnessed: NO	ALTERING CASING ALTERING CASING NS. PLUG & ABANDONMENT NT JOB ity test/TA status request x s, including estimated date of starting any completion or recompletion. mporary fres
CONVERSION REDMS REMEDIAL WORK CSNG ENVIRO CHG LOC CASING TEST AND CEMEND INT TO PA P&A NR P&A R OTHER: Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent date: proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes This Approval of Tei Abandonment Expin Witnessed: NO Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative plan SIGNATURE TITLE Administrative TYPE OR PRINT NAME Mendy A Johnson E-mail address: mendy johnson@oxy.com For State Use Only Mathematical Methods Address TITLE Dist	ALTERING CASING ALTERING CASING PLUG & ABANDONMENT NT JOB ity test/TA status request x s, including estimated date of starting any completion or recompletion. TOPORARY Tes
CONVERSION RBDMS REMEDIAL WORK RETURN TO TA CMMENCE DRILLING OF CSNG ENVIRO CHG LOC CASING TEST AND CEMEND INT TO PA P&A NR P&A R OTHER: Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent date: proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 This Approval of Tei Abandonment Expin Pressure readings: Initial – 560 PSI Ending – 550 PSI This Approval of Tei Abandonment Expin Witnessed: NO NO Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify onstructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative plan SIGNATURE Mendy Alphnson E-mail address: mendy johnson@oxy.com For State Use Only Math Math Math Math	ALTERING CASING ALTERING CASING PLUG & ABANDONMENT NT JOB ity test/TA status request x s, including estimated date of starting any completion or recompletion. TOPORARY Tes
CONVERSION REDMS REMEDIAL WORK CSNG ENVIRO CHG LOC CASING TEST AND CEMEND INT TO PA P&A NR P&A R OTHER: Casing integr 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent date: proposed work) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed Date of test: 06/17/2016 Pressure readings: Initial – 560 PSI Ending – 550 PSI Length of test – 30 minutes This Approval of Tei Abandonment Expin Witnessed: NO Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative plan SIGNATURE TITLE Administrative TYPE OR PRINT NAME Mendy A Johnson E-mail address: mendy johnson@oxy.com For State Use Only Mathematical Address TITLE Dist	ALTERING CASING ALTERING CASING PLUG & ABANDONMENT NT JOB ity test/TA status request x s, including estimated date of starting any completion or recompletion. TOPORARY Tes



American Valve & Meter, Inc.

1113 W. BROADWAY

P.O. BOX 166 HOBBS, NM 88240

T0: Pate Trucking

This is to certify that:

I, Tony Flores

Technician for American Valve & Meter Inc.

has checked the calibration of the following instrument.

8" Pressure recorder

at these points.

Pressure #

Temperature *or Pressure #

Test	Found	Left	Test	Found	Left-
- 0	-	- 0	-	-	_ 1
- 500	-	- 500	1.1.1	-	-
- 700	-	- 700		-	-
- 1000	-	- 1000		-	-
- 200	- A.	- 200	Salas-	-	
- 0	- 1 - I	- 0			

Remarks:

Signature: Joy Mon

DATE: 06/15/16

Ser#12517