

HOBBS

AUG 1 10 16

RECEIVED

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-11628

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil &amp; Gas Lease No.

B229

7. Lease Name or Unit Agreement Name

Arnott Ramsay NCT E

8. Well Number

5

9. OGRID Number

16696

10. Pool name or Wildcat

SWD Seven Rivers

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ SWD

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter E: 1980 feet from the north line and 560 feet from the west lineSection 16 Township 25S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3141'

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐CHANGE PLANS ☐PULL OR ALTER CASING ☐MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐CLOSED-LOOP SYSTEM ☐OTHER: ☐

## SUBSEQUENT F

REMEDIAL WORK ☐COMMENCE DRILLING OPNS. ☐CASING/CEMENT JOB ☐

OTHER:

INT TO PA Pm x

P&amp;A NR

P&amp;A R

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3385' OH-3255-3385'

8-5/8" 28# csg @ 472' w/ 250sx, 11" hole, TOC-Surf-Circ

5-1/2" 17# csg @ 3169', DVT @ 1139' w/ 300sx, 7-7/8" hole, TOC-\*Surf-Circ

4" liner @ 2868-3255' w/ 60sx, TOC-2868'-Circ

1. RIH &amp; set CIBP @ 3215', M&amp;P 30sx cmt to 2815' WOC-Tag

2. M&amp;P 25sx cmt @ 2720-2545' WOC-Tag

3. M&amp;P 25sx cmt @ 1215-1065' WOC-Tag

4. M&amp;P 65sx cmt @ 522' to surface

10# MLF between plugs

Above ground steel tanks will be utilized

Cut off wellhead 3' below GL  
Verify cmt to surface all strings, install  
P&A marker

Spud Date:

NOTIFY OCD 24 HOURS PRIOR TO BEGINNING  
PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Sr. Regulatory Advisor

DATE

8/8/16

Type or print name

David Stewart

E-mail address:

david\_stewart@oxy.com

PHONE:

432-685-5717

For State Use Only

APPROVED BY:

TITLE

Petroleum Engr. Specialist

DATE

8/11/2016

Conditions of Approval (if any):

OXY USA Inc. - Proposed  
Arnett Ramsay NCT E #5  
API No. 30-025-11628

65sx @ 522'-Surface

25sx @ 1215-1065' WOC-Tag

25sx @ 2720-2545' WOC-Tag

CIBP @ 3215' w/ 30sx to 2815' WOC-Tag

12-1/4" hole @ 472'  
8-5/8" csg @ 472'  
w/ 250sx-TOC-Surf-Circ

7-7/8" hole @ 3169'  
5-1/2" csg @ 3169'  
DVT @ 1139'  
w/ 300sx-TOC-\*Surf-Circ

Perfs @ 2990-3150' sqz w/ 100sx

4" liner @ 2868-3255'  
w/ 60sx-TOC-2868'-Circ

OH @ 3255-3385'

TD-3385'

OXY USA Inc. - Current  
Arnott Ramsay NCT E #5  
API No. 30-025-11628

12-1/4" hole @ 472'  
8-5/8" csg @ 472'  
w/ 250sx-TOC-Surf-Circ

2-3/8Tbg & pkr @ 2849'

7-7/8" hole @ 3169'  
5-1/2" csg @ 3169'  
DVT @ 1139'  
w/ 300sx-TOC-\*Surf-Circ

Perfs @ 2990-3150' sqz w/ 100sx

4" liner @ 2868-3255'  
w/ 60sx-TOC-2868'-Circ

OH @ 3255-3385'

TD-3385'