30-025-40941

HOBBS OCD

District I 1625 N. French Dr., Hobbs, NM 88240

District III
1301 W. Grand Avenue, Artesia, NM 840V 1 3 2012

District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87 SECEVED

State of New Mexico
Energy Minerals and Natural Resources
Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u>Pit, Closed-Loop System, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
clease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
1.
Operator: Fasken Oil and Ranch, LTD. OGRID#: 151416
Address: 303 W. Wall St., Ste. 1800, Midland, TX 79701-5116
Facility or well name: Quail "16" State No. 6H
API Number: OCD Permit Number: U/L or Qtr/Qtr O Section 16 Township 20S Range 34E County: Lea
Center of Proposed Design: Latitude N 32° 33' 59.66" Longitude W 103° 33' 42.28" NAD: ☐1927 ☐ 1983
Surface Owner: ☐ Federal ☒ State ☐ Private ☐ Tribal Trust or Indian Allotment
Depth to groundwater 135' per Geoffrey Drilling Workover Depth to groundwater 135' per Geoffrey Leking - OCD, Hobbs.
□ Permanent □ Emergency □ Cavitation □ P&A
 ✓ Lined ☐ Unlined Liner type: Thickness 20 mil ☐ LLDPE ☒ HDPE ☐ PVC ☐ Other ✓ String-Reinforced
Liner Seams: Welded ☐ Factory ☐ Other Volume: 34,000 bbl Dimensions: L 165' x W 165' x D 7'
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Liner Seams: Welded Factory Other .
4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:bbl Type of fluid:
Tank Construction material:
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

Alternative Method:

Liner type: Thickness

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

mil HDPE PVC Other

☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC In Item In I	e .
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	ppriate district
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☒ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☒ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☒ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗵 No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ⊠ No
Within a 100-year floodplain FEMA map	☐ Yes ⊠ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions: Please indentify the facility or facilities for the disposal of liquid facilities are required.	d Steel Tanks or Haul-off Bins Only: (19.15.17.13.I s, drilling fluids and drill cuttings. Use attachment if	O NMAC) more than two
Disposal Facility Name:	Disposal Facility Permit Number:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Disposal Facility Name:	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information below) No		vice and operations?
Required for impacted areas which will not be used for future service and operated. Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsections.	ate requirements of Subsection H of 19.15.17.13 NMA on I of 19.15.17.13 NMAC	C
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requested an exception which must be submitted to the Santa Fe Environment demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	ne closure plan. Recommendations of acceptable soun wire administrative approval from the appropriate dist tal Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	☐ Yes ☒ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells	Yes □ No NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	ignificant watercourse or lakebed, sinkhole, or playa	☐ Yes ⊠ No
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site; Aerial photo; Satell		☐ Yes ☒ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that I watering purposes, or within 1000 horizontal feet of any other fresh water well o - NM Office of the State Engineer - iWATERS database; Visual inspection	r spring, in existence at the time of initial application.	☐ Yes ☒ No
Within incorporated municipal boundaries or within a defined municipal fresh ward adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written appre		☐ Yes ☒ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Vis	sual inspection (certification) of the proposed site	☐ Yes 🗷 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mini	ng and Mineral Division	☐ Yes ⊠ No
Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geold Society; Topographic map	gy & Mineral Resources; USGS; NM Geological	☐ Yes ⊠ No
Within a 100-year floodplain FEMA map		☐ Yes ☒ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements Construction/Design Plan of Burial Trench (if applicable) based upon the Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsections.	equirements of 19.15.17.10 NMAC of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19. 15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC I drill cuttings or in case on-site closure standards cann on H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC	15.17.11 NMAC

19.	
Operator Application Certification:	on is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Kim Tyson	Title: Regulatory Analyst
Signature: Rim Zum	Date: 11-8-2012
e-mail address: kimt@forl.com	Telephone: <u>432-687-1777</u>
20. OCD Approval: ☐ Permit Application (including closure plan)	☐ Closure Plan (only) ☐ OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date:
Title:	OCD Permit Number:
	ure plan prior to implementing any closure activities and submitting the closure report. hin 60 days of the completion of the closure activities. Please do not complete this
	Closure Completion Date:
22. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method If different from approved plan, please explain.	d Alternative Closure Method Waste Removal (Closed-loop systems only)
Instructions: Please indentify the facility or facilities for where two facilities were utilized.	d-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than
Contract to the contract of th	
	Disposal Facility Permit Number:
☐ Yes (If yes, please demonstrate compliance to the items below Required for impacted areas which will not be used for future serviced in Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique	
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for o Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude	LongitudeNAD:
	th this closure report is true, accurate and complete to the best of my knowledge and closure requirements and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

Fasken Oil and Ranch, Ltd.
Quail "16" State No. 6H
SHL - 200' FSL and 1500' FEL Sec. 16, T20S, R34E
BHL - 330' FNL and 1650' FEL, Sec. 16, T20S, R34E
Lea County, NM

RE: Form C-144 Attachment

Hydrogeologic Data: Per Geoffrey Lecking, Environmental Engineer, OCD Hobbs groundwater is found at 135' beneath this section. A visual inspection of the immediate area has been made and there are no known water wells within a 1 mile radius of this drilling location.

Design Plan: Pit size will be approximately 165' X 165' X 7' double horseshoe design. A geotextile liner will be installed along with a 20 mil HDPE cross laminated liner.

Operating and Maintenance Plan: Pit will be monitored daily for proper fluid levels during drilling operations. A daily log will be kept indicating the fluid level in the pit. Any abnormal drop in fluid levels will be reported to the NMOCD district office. The pit will be de-watered immediately after drilling operations have been completed. The pit will be inspected weekly after de-watering and a log will be kept indicating the condition of the pit and any fluid level.

Closure Plan: After de-watering the pit will be left to dry through natural evaporation. Pit will be backfilled with topsoil that has been stripped or stockpiled. It will consist of the background thickness of topsoil or one foot of suitable material to establish vegetation. The drill cuttings will be dug out and hauled to an NMOCD approved disposal. At the current time the Controlled Recovery Incoporated disposal facility on the Lea Land Disposal Facility at Halfway Bar will be utilized for drill cuttings disposal. The permit number for the each facility is shown on the attachment.

Maps: A topographic map is attached showing the surrounding area. FEMA reports that a 100 year flood plain map has not been constructed for this area. A visual inspection of the area does not indicate that flooding or standing water would occur.


An attachment is provided showing the pit design as drawn by Talon LPE.

Form C-102 is attached showing the pit location. The latitude and longitude for the pit is shown on the plat. This data reference is the center of the pit.

The area will be revegitated with at least three native plant species, including at least on grass, but not including noxious weeds. This will be maintained through two growing seasons. The area will be revegitated to the natural state is was in before drilling operations started.

Waste Material Sampling Plan: Talon LPE will take a minimum of a 5 spot soil sample after the reserve pit is dug prior to lining. After drilling the well, Talon LPE will sample the pit contents and determine if the requirements for contaminants in the waste meet NMOCD standards. We will dig and haul the pit contents to CRI disposal facility on the Lea Land Disposal Facility. We will have Talon LPE take another 5 spot sample after the waste has been removed from the pit to verify that soil standards have been met.

A sign will be placed on the 4', 4 strand barb-wire fence identifying Fasken Oil and Ranch, Ltd. as the operator, the location of the pit, and providing an emergency phone number.



		TO THE PROPERTY OF THE PARTY OF		and the late of th
19	GANDY MARLEY INC	10/06/1994 Chaves	GANDY MARLEY LANDFARM	4-11 S-31 E
28	OLD LOCO OIL CO	07/02/1985 Eddy	OLD LOCO TREATING PLANT	-19-17 S-31 E
43	Loco Hills Landfarm LLC	11/08/2004 Eddy	Loco Hills Landfarm	m-32-16 S-30 E
4	LOCO HILLS WATER DISPOSAL	10/30/1981 Eddy	LOCO HILLS WATER DISPOSAL	M-16-17 S-30 E
36	OK HOT OIL SERVICE INC	08/16/2000 Eddy	OK HOT OIL SERVICES INC	O-14-17 S-28 E
24	CHAPARRAL SWD	01/31/1995 Lea	CHAPARRAL TREATING PLANT	B-17-23 S-37 E
35	LEA LAND INC	01/05/2000 Lea	LEA LAND LANDFILL	-32-20 S-32 E
12	C&C LANDFARM INC	11/16/1992 Lea	C&C LANDFARM	B-3-20 S-37 E
13	ENVIRONMENTAL PLUS INC	02/15/1993 Lea	ENVIRONMENTAL PLUS LANDFARM	-14-22 S-37 E
15	GOO YEA LANDFARM INC	11/16/1992 Lea	GOO YEA LANDFARM	-14-11 S-38 E
23	J&L LANDFARM INC	05/10/1998 Lea	J&L LANDFARM	-9-20 S-38 E
25	GANDY CORP	06/27/1973 Lea	Gandy Corp. Treating Plant	-11-10 S-35 E
26	JENEX OPERATING CO	09/21/1983 Lea	JENEX TREATING PLANT	D-14-20 S-38 E
30	ARTESIA AERATION LLC	06/29/1999 Lea	ARTESIA AERATION LANDFARM	-7-17 S-32 E
32	SOUTH MONUMENT SURFACE WASTE FACILITY LLC	10/04/1999 Lea	SOUTH MONUMENT LANDFARM	A-25-36 S-20 E
33	DOOM LANDFARM	04/03/2000 Lea	DOOM LANDFARM	g-5-25 S-37 E
34	DD LANDFARM INC	04/12/2000 Lea	DD LANDFARM	-31-21 S-38 E
21	RHINO OILFIELD DISPOSAL INC	11/17/1997 Lea	RHINO OILFIELD LANDFARM	-34-20 S-38 E
44	COMMERCIAL EXCHANGE, INC.	11/01/2004 Lea	Blackwater Oil Reclamation Facility	d-1-25 S-37 E
39	PITCHFORK LANDFARM LLC	10/30/2002 Lea	PITCHFORK LANDFARM	A-5-24 S-34 E
9	CONTROLLED RECOVERY INC	04/27/1990 Lea	CONTROLLED RECOVERY	-27-20 S-32 E
42	COMMERCIAL EXCHANGE, INC.	07/22/2004 Lea	Blackwater Landfarm	f-1-25 S-37 E
38	SAUNDERS LANDFARM LLC	10/28/2002 Lea	SAUNDERS LANDFARM	M-7-14 S-34 E
41	LAZY ACE LANDFARM LLC	03/09/2004 Lea	LAZY ACE LANDFARM	M-22-20 S-34 E
8	SUNDANCE SERVICES, INC.	08/30/1977 Lea	SUNDANCE PARABO	m-29-21 S-38 E
37	COMMERCIAL EXCHANGE, INC.	03/31/2003 Lea	COMMERCIAL SURFACE WM FACILITY	A-1-20 S-36 E
80	T-N-T ENVIRONMENTAL INC	01/19/1987 Rio Arriba	TNT EVAP POND/LANDFARM	-8-25 N-3 W
11	ENVIROTECH INC	07/07/1992 San Juan	ENVIROTECH LANDFARM #2	-6-26 N-10 W
6	KEY FOUR CORNERS INC	04/02/1991 San Juan	KEY EVAP POND and Landfarm	E-2-29 N-12 W
10	JFJ LANDFARM LLC	07/22/2002 San Juan	JFJ Land Farm Crouch Mesa (Formerly Tierra)	j-2-29 N-12 W
5	BASIN DISPOSAL INC	10/16/1987 San Juan	BASIN DISPOSAL EVAP, POND	F-3-29 N-11 W

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone (875) 393-6161 Pax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone (575) 746-1283 Pax: (575) 748-9720

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone (505) 476-3460 Fax: (505) 476-3462

API Number

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102 Revised August 1, 2011

Submit one copy to appropriate District Office

Pool Name

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT


Pool Code

☐ AMENDED REPORT

			3	7570		Lea; Bone S	pring			
Property 38941	Code		Property Name QUAIL STATE 16						Well Number 6H	
ogrid N 151416	0.		3	FASKEN	Operator Nam N OIL AND R		in the	Eleva 363		
Teg.	The state of				Surface Loc	ation	No.		1	
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
0	16	20 S	34 E		200	SOUTH	1500	EAST	LEA	
	A STATE OF		Bottom	Hole Lo	cation If Diffe	erent From Sur	face	14 14		
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
В	16	20 S	34 E		330	NORTH	1650	EAST	LEA	
Dedicated Acre	s Joint o	or Infill C	onsolidation	Code Or	der No.					

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


N. 575725.09 E. 775270.58	PROPOSED BOTTOM HOLE LOCATION Lat - N 32°34'46.10" Long - W 103°33'43.26" NMSPCE - N 575404.220 E 778923.184 (NAD-83)	N. 575729.96 E. 777924.30	330,	N. 575741.08 E. 780570.43	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
	 PIT PLAT	1	7		Signature Date Kim Tyson Printed Name kimt@forl.com Email Address
N. 573083.39 E. 775289.82		N	4747.		SURVEYOR CERTIFICATION
	Lat. N 32° 33' Long. W 103° 33				I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison and that the same is true and correct to the best of my belief.
	+	 			Date surveyed Signature & Seal of Professional Surgery
	SURFACE LOCATION Lat - N 32"33'59.15" Long - W 103"33'41.51" NMSPCE - N 570660.055 E 779107.823 (NAD-83)		200	4500'	Certificate No. Gary L. Jones 7977
N. 570444.19 E. 775311.17	m = 1 - 1 - 1 - 1	N. 570458.31 E. 777959.66	0-	N. 570462.45 E. 780609.09	Basin surveyS 27450



Drawn By: WDR

Pit Liner Detail Plat





18" Anchor trench _____

Plastic liner 20 mil. string reinforced LLDPE or equivalent

Firm, smooth, prepared subgrade

Liner Anchor

Site Detail



Date: 07/24/2008

Scale: 1" = 20

Drawn By: WDR

Fasken Oil And Ranch Quail "16" State No. 6H New Mexico Pit Liner Detail