

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

Revised July 18, 2013

HOBBBS
SEP 02 2016
RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-28361
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name South Hobbs (G/SA) Unit
8. Well Number 158
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs (G/SA)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3604' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Temporarily Abandoned

2. Name of Operator
Occidental Permian, Ltd

3. Address of Operator
HCR 1 Box 90 Denver City, TX 79323

4. Well Location
Unit Letter C : 1245 feet from the North line and 2475 feet from the West line
Section 10 Township 19-S Range 38-E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

P
T
P
C
C
OTHER:
E-PERMITTING <SWD INJECTION>
CONVERSION RBDMS MB
RETURN TO TA PM
CSNG ENVIRO CHG LOC
INT TO PA P&A NR P&A R

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Csg integrity test/TA status request ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Date of test: 08/23/2016

Pressure readings: Start - 540 PSI Ending - 530 PSI

Length of test: 30 minutes

Witnessed: NO

This Approval of Temporary
Abandonment Expires 8/23/2018

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mendy A Johnson TITLE Admin. Associate DATE 08/30/2016

Type or print name Mendy A. Johnson E-mail address: mendy_johnson@oxy.com PHONE: 806-592-6280

For State Use Only

APPROVED BY: Mailey Brown TITLE Dist. Supervisor DATE 9/7/2016

Conditions of Approval (if any):

PRINTED IN U.S.A. 6 PM 7 8 9

DATE 8-23-16
BR 2221

Graphic Controls



End
530 PSI

accidental perforation
trim lead partnership
the South Hobbs Unit
well No 158
Mr. & Mrs. Sec 10 T95 R385
30-025-28361

HOBBS UNIT
SEP 02 2016
RECEIVED

Data Tracking
Start 540 PSI
Unit 119
Douglas

American Valve & Meter, Inc.

1113 W. BROADWAY

P.O. BOX 166 HOBBS,
NM 88240

T0: Pate Trucking

DATE: 06/15/16

This is to certify that:

I, Tony Flores

Technician for American Valve & Meter Inc.

has checked the calibration of the following instrument.

8" Pressure recorder

Ser#12517

at these points.

Pressure #			Temperature *or Pressure #		
Test	Found	Left	Test	Found	Left
- 0	-	- 0	-	-	-
- 500	-	- 500	-	-	-
- 700	-	- 700	-	-	-
- 1000	-	- 1000	-	-	-
- 200	-	- 200	-	-	-
- 0	-	- 0			

Remarks: _____


Signature:  _____

SHOU 158

API# 30-025-28361

TWN 19-S; RNG 38-E

Prod Beam - TA'd



8-5/8" 24# @ 1621'
cmt'd w/875 sxs
TOC @ Surface (Circ.)

CIBP @ 4000'

Plugged back perfs 4030-50'

CIBP @ 4100'

Plugged Back Perfs: 4182-4232'

5-1/2" 15.5# @ 4300'
cmt'd w/1100 sxs
TOC @ surf. (circ.)

PBTD @ 3975'
TD @ 4300'