Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	HOREGONSERVATION DIVISION	30-025-04971
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	OLT 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE X
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM		6. State Oil & Gas Lease No.
87505	RECEIVED	Private /
	CES AND REPORTS ON WELLS SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		Santa Fe
1. Type of Well: Oil Well \(\overline{\chi} \) Gas Well \(\overline{\chi} \) Other		8. Well Number 2
2. Name of Operator Reliance Energy, Inc.		9. OGRID Number 149441
3. Address of Operator		10. Pool name or Wildcat
300 N. Marienfeld, Suite 1100 Midland, Texas 79701		E. Crossroads, Devonian
4. Well Location		
Unit Letter O : 660 feet from the South line and 1980 feet from the East line		
Section 19	Township 9S Range 37E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
4001		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT R		
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🛛 REMEDIAL WOR	RK INT TO PA
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK INT TO PA COMMENCE DRILLING OPNS P&A NR		
PULL OR ALTER CASING	MULTIPLE COMPL CASING/CEMEN	IT JOB □ P&A R
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM		
OTHER:	□ OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.		
proposed completion of recompletion.		
See attached wellbore diagram		
Work to start as soon as possible		
Spud Date:	NOTIFY OCD 24 HOURS PRIOR	R TO BEGINNING
Spud Date.	PLUGGING OPERATIONS	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
17-XI		
SIGNATURE	TITLE Operations Engineer	DATE 10/27/2016
Type or print name Tyler West	E-mail address:twest@reim	nid.com PHONE: (432) 683-4816
For State Use Only	\cap	×149
APPROVED BY: Washer title Petroleum Engr. Specialistate 11/7/2016		
Conditions of Approval (if any):	4	

Updated procedure for the Santa Fe #2. Please amend the filed C-103

1. Set packer above fish and pump 250 sx. Displace to 9350. Shut down WOC.

Mud ladenfluids between pluge

2. Unset packer and POOH. Set CIBP@ 6460'

3. Perf & sqz @ 6450' w/ 55 sx WOC + TAG-

4. Perf & sqz w/ 55 sx 4460' - 4311' Woc + TAG-5. Perf & sqz w/ 40 sx 2350' - 2218' @ ZZOO'

6. Perf & sqz w/ 145 sx 469' to surface SPOT CMT

Cut off wellhead 3' below ground level. Verify cement to surface all strings. Install below ground Pi A'marker.

(This well in Lessor Prairie Chicken area.)

Reliance Energy Santa Fe #2 As of: 10/10/2016 Sec 19, T9S, R37E Lea Co. New Mexico 30-025-04971

