Form 3160-5 (August 2007)	UNITED STATES		FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010				
HOBBSUNDRY	NOTICES AND REPOR	RTS ON WE	ELLS Horoposals.	00	<ol><li>Lease Serial No. NMLC030132B</li></ol>		
Do not use this	is form for proposals to II. Use form 3160-3 (API	drill or to re- D) for such p		BBS	6. If Indian, Allottee	or Tribe Name	
SUBMIT N TRI	PLICATE - Other instruc	tions on rev	erse side.		7. If Unit or CA/Agre	ement, Name and/or No.	
Type of Well					8. Well Name and No. CLOSSON B 32Y		
Name of Operator     BREITBURN OPERATING LF		JEANIE MCN hillan@breitbur			9. API Well No. 30-025-29809-0	00-S1	
3a. Address 1401 MCKINNEY ST SUITE 1 HOUSTON, TX 77010	400	3b. Phone No Ph: 713-63 Fx: 713-634		)	10. Field and Pool, or JALMAT-TAN-Y		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description,				11. County or Parish,	and State	
Sec 19 T22S R36E NESE 198	BOFSL 701FEL				LEA COUNTY,	NM	
		<u> </u>					
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE	NATURE OF	NOTICE, RE	PORT, OR OTHE	R DATA	
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION			
<ul><li>□ Notice of Intent</li><li>☑ Subsequent Report</li><li>□ Final Abandonment Notice</li></ul>	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans	☐ Fracture Treat ☐ Reclam ☐ New Construction ☐ Recom			_ ,		
	Convert to Injection	Plug		₩ Water D	-		
13. Describe Proposed or Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Conditions of Approval Opera lease. Breitburn Operating LF	ally or recomplete horizontally, rk will be performed or provide I operations. If the operation re- bandonment Notices shall be file inal inspection.)  tor Change required that	give subsurface the Bond No. or sults in a multipled only after all	locations and measure file with BLM/BL/ e completion or recrequirements, including me additional in:	ured and true ver A. Required sub ompletion in a n ding reclamation formation for	tical depths of all pertin sequent reports shall be ew interval, a Form 316, have been completed,	nent markers and zones. e filed within 30 days 60-4 shall be filed once	
approval.  Attached hereto is a facility Di Attached is a water analysis a	agram as per Onshore Or llong with Water Production	rder #3 on and Dispos	sal information.		APPI	ROVED	
Accepted for Record Pu Approval Subject to On Date: 11.17.17	rposes. site Inspection.	SE CONDI	E ATTACHED F TIONS OF APP	OR ROVAL	Such	1 7 2016 S A. AMOS VISOR-EPS	
14. I hereby certify that the foregoing is	Electronic Submission #	JRN OPERAT	NG LP, sent to t	he Hobbs			
Name (Printed/Typed) JEANIE N	ICMILLAN		Title REGUI	LATORY MAI	NAGER		
Signature (Electronic S	Submission)		Date 07/08/2	2016			
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE US	SE		
Approved By			Title			Date	
Conditions of approval, if any, are attache certify that the applicant holds legal or eq which would entitle the applicant to condu	uitable title to those rights in the	not warrant or e subject lease	Office				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a statements or representations as	crime for any pe to any matter w	erson knowingly and ithin its jurisdiction	d willfully to ma	ke to any department or	r agency of the United	

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

MUB/OCD 11/28/2014

## **WATER PRODUCTION & DISPOSAL INFORMATION**

In order to process your disposal request, the following information must be completed.

1.	Name(s) of formation(s) producing water on the leaseJALMAT YATES, SEVEN RIVERS
2.	Amount of water produced from all formations in barrels per day50 BWPD
3.	Attach a current water analysis of produced water from all zones showing at least the total dissolved solids, ph, and the concentrations of chlorides and sulfates. (One sample will suffice if water is commingled).
4.	How water is stored on leaseIN 500 BBL FG STORAGE TANK
5.	How water is moved to the disposal facility.
	WATER IS PUMPED VIA HP LINE THROUGH HP INJECTION LINE TO CLOSSON B FED #18 WIW_
6.	Identify the Disposal Facility by:
	A. Facility Operators nameBREITBURN OPERATING
	B. Name of facility or well name and numberCLOSSON B FEDERAL #018 WIW
	C. Type of facility or well (WDW) (WIW) etcWIW
	D. Location by ¼ ¼ _SW NW Section19 Township22SRange36E
7	Attach a conv of the State issued permit for the Disposal Facility

Submit to this office, **620 EAST GREENE ST, CARLSBAD NM, 88220**, the above required information on a Sundry Notice 3160-5. Submit 1 original and 3 copies, within abatement period. (This form may be used as an attachment to the Sundry Notice).

## WATER PRODUCTION & DISPOSAL INFORMATION

In order to process your disposal request, the following information must be completed.

1.	Name(s) of formation(s) producing water on the leaseJALMAT YATES, SEVEN RIVERS
2.	Amount of water produced from all formations in barrels per day25 BWPD
3.	Attach a current water analysis of produced water from all zones showing at least the total dissolved solids, ph, and the concentrations of chlorides and sulfates. (One sample will suffice water is commingled).
4.	How water is stored on leaseIN 300 BBL FG STORAGE TANK
5.	How water is moved to the disposal facility.
	WATER IS TRANSFERRED VIA 3" POLY FLOW LINE TO CLOSSON B FED BATTER 1 FOR DISPOSAL
6.	Identify the Disposal Facility by:  A. Facility Operators nameBREITBURN OPERATING
	B. Name of facility or well name and numberCLOSSON B FEDERAL #018 WIW
	C. Type of facility or well (WDW) (WIW) etcWIW
	D. Location by ¼ ¼ _NE SW Section30 Township22SRange36E
7.	Attach a copy of the State issued permit for the Disposal Facility.

Submit to this office, **620 EAST GREENE ST, CARLSBAD NM, 88220**, the above required information on a Sundry Notice 3160-5. Submit 1 original and 3 copies, within abatement period. (This form may be used as an attachment to the Sundry Notice).

#### **Closson B4 Battery**


Elevation: 3550'

Artesia Current Status Active Location: 225.3

Field Artesia Current Status Active Location: 22S 36E Sec.19

 State:
 New Mexico
 Lease
 Closson B4
 Coordinates:
 N32.37169

 County
 Lea
 Diagram Revised: Jimika Reed-Terry (09-07-10)
 W103.30225




History



Seperator Information Seperator Type = Welded Diameter = 4 ft Material = Steel Height = 12 ft Top=Closed Capacity= 27 bbls Transportation = Foundation = Cement Total Diked Area= Type of Failure = Capacity 86 bbls Rupture, Leak Direction of Flow= NE Berm Construction = Earth & Gravel Min. Recommend Berm Height = 15 in.
vest point of berm at time of inspection = 0 in

Wells Connected to Closson Battery #4 & #5

#3, #9, #26, #30, #32Y, #36, #37




#### **Closson B5 Battery**

Elevation: 3554'

Current Status Active Artesia Field Location: 22S 36E Sec.19 Lease Closson B5 State: **New Mexico** Coordinates: N32.37557

Diagram Revised: Jimika Reed-Terry (09-07-10) County Lea






W103.30194

Wells Connected to Closson Battery #4 & #5

#3, #9, #26, #30, #32Y, #36, #37

History.





Catalyst Oilfield Services 11999 E Hwy 158 Gardendale, TX 79758 (432) 563-0727 Fax: (432) 224-1038

# **Water Analysis Report**

29038

34158

Company:	ompany: Breitburn Operating					
Area:	Permian Basin		Analysis ID #:			
Lease:	Closson B					
Location:	B2 Battery	0				
Sample Point:	Wellhead					

Sampling Date:	7/9/2015	Anions	. mg/l	meq/l	Cations	mg/l	meq/I
Analysis Date:	7/14/2015	Chloride:	23971.9	676.16	Sodium:	10350.0	450.2
Analyst:	Catalyst	Bicarbonate:	2169.2	35.55	Magnesium:	3101.0	255.1
TDS (mg/l or g/m3):	41738	Carbonate: Sulfate:	740.0	15.41	Calcium: Strontium:	440.4 16.3	21.98 0.37
Density (g/cm3):	1.03	Sullate.	740.0	15.41	Barium:	0.0	0.37
					Potassium:	302.3	7.73
Hydrogen Sulfide:	504.9				Iron:	0.0	0.
Carbon Dioxide:	0				Manganese:	0.000	0.
		pH at time of samp	ling:	7.496	,		
Comments:		pH at time of analys	sis:				
		pH used in Calcul	ation:	7.496	Conductivity (mi	ero ohme/em):	66300
		Temperature @ la	b conditions (F):	75	Resistivity (ohm		.1508

		Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl											
Гетр		alcite aCO <sub>3</sub>		sum 042H <sub>2</sub> 0		ydrite aSO <sub>4</sub>		estite 'SO <sub>4</sub>		rite aSO <sub>4</sub>			
°F	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount			
80	1.18	172.52	-1.18	0.00	-1.23	0.00	-0.81	0.00	0.00	0.00			
100	1.25	193.04	-1.20	0.00	-1.19	0.00	-0.81	0.00	0.00	0.00			
120	1.31	214.23	-1.22	0.00	-1.12	0.00	-0.79	0.00	0.00	0.00			
140	1.38	235.41	-1.22	0.00	-1.04	0.00	-0.77	0.00	0.00	0.00			
1.60	1.45	256.60	-1.22	0.00	-0.94	0.00	-0.74	0.00	0.00	0.00			
180	1.53	277.11	-1.22	0.00	-0.82	0.00	-0.70	0.00	0.00	0.00			
200	1.61	295.95	-1.21	0.00	-0.69	0.00	-0.66	0.00	0.00	0.00			
220	1.70	312.76	-1.20	0.00	-0.55	0.00	-0.62	0.00	0.00	0.00			



Catalyst Oilfield Services 11999 E Hwy 158 Gardendale, TX 79758 (432) 563-0727 Fax: (432) 224-1038

# **Water Analysis Report**

Sample #:

Analysis ID #:

29037

34157

Company:	Breitburn Operating				
Area:	Permian Basin				
Lease:	Closson B				
Location:	B1 Battery	0			
Sample Point:	Wellhead				

Sampling Date:	7/9/2015	Anions	mg/l	meq/I	Cations	mg/l	meq/I
Analysis Date:	7/14/2015	Chloride:	35081.4	989.52	Sodium:	13700.0	595.92
Analyst:	Catalyst	Bicarbonate:	1085.8	17.79	Magnesium:	5213.0	428.84
TDS (mg/l or g/m3):	61257.7	Carbonate:			Calcium:	1234.0	61.58
	1.042	Sulfate:	3800.0	79.12	Strontium:	32.8	0.75
Density (g/cm3):	1.042				Barium:	0.0	0.
					Potassium:	353.3	9.04
Hydrogen Sulfide:	139.4				Iron:	0.0	0.
					Manganese:	0.000	0.
Carbon Dioxide:	27						
		pH at time of sampling	:	6.66			
Comments:		pH at time of analysis:					
		pH used in Calculation	on:	6.66	0 4 4 4 4 4 4	b/	20400
		Temperature @ lab c	onditions (F):	75	Conductivity (min	The second secon	.1135

	Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl											
Temp	Calcite CaCO <sub>3</sub>		Gypsum CaSO <sub>4</sub> *2H <sub>2</sub> 0		Anhydrite CaSO <sub>4</sub>		Celestite SrSO <sub>4</sub>		Barite BaSO <sub>4</sub>			
°F	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount	10	
80	0.42	64.66	-0.18	0.00	-0.23	0.00	0.01	0.66	0.00	0.00		
100	0.54	85.11	-0.21	0.00	-0.19	0.00	0.02	0.66	0.00	0.00		
120	0.67	105.90	-0.22	0.00	-0.12	0.00	0.03	1.32	0.00	0.00		
140	0.81	127.01	-0.23	0.00	-0.03	0.00	0.05	2.31	0.00	0.00		
160	0.94	147.80	-0.22	0.00	0.07	133.28	0.08	3.63	0.00	0.00		
180	1.08	167.92	-0.22	0.00	0.19	330.89	0.11	5.28	0.00	0.00		
200	1.22	186.72	-0.21	0.00	0.32	515.31	0.15	6.60	0.00	0.00		
220	1.35	204.21	-0.19	0.00	0.46	680.26	0.18	7.92	0.00	0.00		

## BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14