

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161

1625 N. French Dr., Hobbs, NM 88240

District II - (575) 748-1283

811 S. First St., Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Rd., Aztec, NM 87410

District IV - (505) 476-3460

1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD
DEC 15 2016
RECEIVED

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-025-32679
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Conoco 29 State
8. Well Number #1
9. OGRID Number 21355
10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator Southwest Royalties, Inc.	
3. Address of Operator 6 Desta Drive, Suite 3700, Midland, TX 79705	
4. Well Location Unit Letter J : 1980 feet from the South line and 1980 feet from the East line Section 29 Township 18S Range 37E NMPM County	
29	11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3723 - GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: Add pay in same pool ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Estimated commence date: 2/1/2017

Set plug at 4312' w/ 5' of cement.

Perforate the following:

4128'-4142'

4183'-4187'

4249'-4255'

4300'-4305'

Acidize the perofated intervals (4128'-4305') with 5000 gal 15% HCL and ball sealers.

Produce 4128'-4305' above the plug set at 4312'.

Spud Date:

10/05/1994

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Mark Phelps

TITLE

Engineer

DATE

12/12/2016

Type or print name

Mark Phelps

E-mail address:

mphelps@claytonwilliams.com

PHONE:

432-688-3293

For State Use Only

APPROVED BY:

Mark Phelps

TITLE

AO/II

DATE

12/21/2016

Conditions of Approval (if any):

LEASE NAME:

Conoco 29 State #1

FIELD:

Eunice Monument

COUNTY:

Lea County, NM

LOCATION: 1980' FSL & 1980' FEL, Sec. 29-T18S-R37E

SPUD: 10/1994


API NUMBER: 30-025-32679

COMPLETE: 11/1994

GEOLOGY:

Yates 3061'
Seven Rivers 3320'
Queen 3662'
Grayburg 4005'
San Andres 4306'

Current



Surface Casing:

5/8" @ 1650'

37 jts 24# J-55 LTC @ GL

CEMENT: 625 sx

TOC @ CIRC 96 sx

8

San Andres
4316'-4361' Perf'd: 11/95

San Andres
4346'-4378' Perf'd: 11/94
Sqzd: 5/95

PRODUCTION CASING:

5 1/2" @ 4512'

99 jts 15.5# J-55

CEMENT: 500 sx

TOC @ 3132'

LEASE NAME:

Conoco 29 State #1

FIELD:

Eunice Monument

COUNTY:

Lea County, NM

LOCATION:

1980' FSL & 1980' FEL, Sec. 29-T18S-R37E

SPUD: 10/1994

API NUMBER:

30-025-32679

COMPLETE: 11/1994

GEOLOGY:


Yates 3061'
Seven Rivers 3320'
Queen 3662'
Grayburg 4005'
San Andres 4306'

Proposed

Grayburg
4128'-4142'
4183'-4187'
4249'-4255'
4300'-4305'

San Andres
4316'-4361' Perf'd: 11/95

San Andres
4346'-4378' Perf'd: 11/94
Sqzd: 5/95



Surface Casing:

5/8" @ 1650'

37 jts 24# J-55 LTC @ GL

CEMENT: 625 sx

TOC @ CIRC 96 sx

8

PRODUCTION CASING:

5 1/2" @ 4512'

99 jts 15.5# J-55

CEMENT: 500 sx

TOC @ 3132'