		UNITED STATES PARTMENT OF THE INTE UREAU OF LAND MANAGEN	ERIOR	D Habbs	OMB NO Expires: J	APPROVED 0. 1004-0135 July 31, 2010
	JAN 1 2 20 SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an				5. Lease Serial No. NMLC063645	
	Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name	
	SUBMIT IN TRIPLICATE - Other instructions on reverse side.				7. If Unit or CA/Agreement, Name and/or No.	
/	1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other				8. Well Name and No. SCOOTER FEDERAL COM 2H	
	2. Name of Operator Contact: MAYTE X REYES COG OPERATING LLC E-Mail: mreyes1@concho.com				9. API Well No. 30-025-42788	
	3a. Address 2208 WEST MAIN STREET ARTESIA, NM 88210	3b Pt	. Phone No. (include area code) n: 575-748-6945		10. Field and Pool, or F CORBIN; BS, SO	Exploratory DUTH
	4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, and State	
/	Sec 23 T18S R33E NENW 190FNL 1650FWL				LEA COUNTY, NM	
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						RDATA
	TYPE OF SUBMISSION		TYPE OF	ACTION		
		☐ Acidize	TYPE OF		ion (Start/Resume)	☐ Water Shut-Off
	□ Notice of Intent	☐ Acidize ☐ Alter Casing			,	☐ Water Shut-Off ☐ Well Integrity
		_	☐ Deepen	□ Product	ation	
	□ Notice of Intent	☐ Alter Casing	☐ Deepen☐ Fracture Treat	☐ Product	ation	☐ Well Integrity
	☐ Notice of Intent ☑ Subsequent Report	☐ Alter Casing ☐ Casing Repair	☐ Deepen ☐ Fracture Treat ☐ New Construction	☐ Product	ation blete arily Abandon	☐ Well Integrity
12	☐ Notice of Intent ☑ Subsequent Report	☐ Alter Casing ☐ Casing Repair ☐ Change Plans ☐ Convert to Injection eration (clearly state all pertinent detailly or recomplete horizontally, give k will be performed or provide the loperations. If the operation results andonment Notices shall be filed or	Deepen Fracture Treat New Construction Plug and Abandon Plug Back tails, including estimated starting subsurface locations and measus but an a multiple completion or reco	Product Reclama Recomp Tempor Water D date of any pred and true ve Required sul mpletion in a r	ation olete arily Abandon Disposal roposed work and approx ritical depths of all pertin besequent reports shall be to	☐ Well Integrity ☐ Other Imate duration thereof. Ent markers and zones. Filed within 30 days O-4 shall be filed once
120	☐ Notice of Intent ☑ Subsequent Report ☐ Final Abandonment Notice 13. Describe Proposed or Completed Op If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At	Alter Casing Casing Repair Change Plans Convert to Injection Convert to	☐ Deepen ☐ Fracture Treat ☐ New Construction ☐ Plug and Abandon ☐ Plug Back tails, including estimated starting subsurface locations and measus Bond No. on file with BLM/BIA in a multiple completion or reconly after all requirements, including anstructed tank battery on the starting of the starting starting and the starting substances.	Product Reclams Recomp Tempor Water E g date of any pred and true ve Required sul mpletion in a r ing reclamation	ation plete arily Abandon Disposal roposed work and approx critical depths of all pertine besequent reports shall be to new interval, a Form 3166 n, have been completed, a	■ Well Integrity ☑ Other imate duration thereof. ent markers and zones. filled within 30 days 0-4 shall be filed once
	□ Notice of Intent ☑ Subsequent Report □ Final Abandonment Notice 13. Describe Proposed or Completed Operation of the proposal is to deepen direction. Attach the Bond under which the worder following completion of the involved testing has been completed. Final Additional that the site is ready for form of the complete of the proposal complet	Alter Casing Casing Repair Change Plans Convert to Injection cration (clearly state all pertinent detailly or recomplete horizontally, give k will be performed or provide the loperations. If the operation results bandonment Notices shall be filed or inal inspection.) ully requests approval of a country that the time of permitted, we were level Com #1H.	☐ Deepen ☐ Fracture Treat ☐ New Construction ☐ Plug and Abandon ☐ Plug Back tails, including estimated starting subsurface locations and measus Bond No. on file with BLM/BIA in a multiple completion or reconly after all requirements, including anstructed tank battery on the starting of the starting starting and the starting substances.	Product Reclams Recomp Tempor Water E g date of any pred and true ve Required sul mpletion in a r ing reclamation	ation plete arily Abandon Disposal roposed work and approx critical depths of all pertine besequent reports shall be to new interval, a Form 3166 n, have been completed, a	☐ Well Integrity ☐ Other Imate duration thereof. Ent markers and zones. Filed within 30 days O-4 shall be filed once
	□ Notice of Intent Subsequent Report □ Final Abandonment Notice 13. Describe Proposed or Completed Ope If the proposal is to deepen directions. Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for for COG Operating LLC, respecting Federal Com #2H location. At	Alter Casing Casing Repair Change Plans Convert to Injection cration (clearly state all pertinent detailly or recomplete horizontally, give k will be performed or provide the loperations. If the operation results bandonment Notices shall be filed or inal inspection.) ully requests approval of a country that the time of permitted, we were level Com #1H.	☐ Deepen ☐ Fracture Treat ☐ New Construction ☐ Plug and Abandon ☐ Plug Back tails, including estimated starting subsurface locations and measus Bond No. on file with BLM/BIA in a multiple completion or reconly after all requirements, including anstructed tank battery on the starting of the starting starting and the starting substances.	Product Reclams Recomp Tempor Water E g date of any pred and true ve Required sul mpletion in a r ing reclamation	ation plete arily Abandon Disposal roposed work and approx critical depths of all pertine besequent reports shall be to new interval, a Form 3166 n, have been completed, a	☐ Well Integrity ☐ Other Imate duration thereof. Ent markers and zones. Filed within 30 days O-4 shall be filed once
	□ Notice of Intent ☑ Subsequent Report □ Final Abandonment Notice 13. Describe Proposed or Completed Operation of the proposal is to deepen direction. Attach the Bond under which the worder following completion of the involved testing has been completed. Final Additional that the site is ready for form of the complete of the proposal complet	Alter Casing Casing Repair Change Plans Convert to Injection cration (clearly state all pertinent detailly or recomplete horizontally, give k will be performed or provide the loperations. If the operation results bandonment Notices shall be filed or inal inspection.) ully requests approval of a country that the time of permitted, we were level Com #1H.	☐ Deepen ☐ Fracture Treat ☐ New Construction ☐ Plug and Abandon ☐ Plug Back tails, including estimated starting subsurface locations and measus Bond No. on file with BLM/BIA in a multiple completion or reconly after all requirements, including anstructed tank battery on the starting of the starting starting and the starting substances.	Product Reclams Recomp Tempor Water E g date of any pred and true ve Required sul mpletion in a r ing reclamation	ation plete arily Abandon Disposal roposed work and approx critical depths of all pertine besequent reports shall be to new interval, a Form 3166 n, have been completed, a	■ Well Integrity ☑ Other imate duration thereof. ent markers and zones. filled within 30 days 0-4 shall be filed once
	□ Notice of Intent ☑ Subsequent Report □ Final Abandonment Notice 13. Describe Proposed or Completed Operation of the proposal is to deepen direction. Attach the Bond under which the worder following completion of the involved testing has been completed. Final Additional that the site is ready for form of the complete of the proposal complet	Alter Casing Casing Repair Change Plans Convert to Injection cration (clearly state all pertinent detailly or recomplete horizontally, give k will be performed or provide the loperations. If the operation results bandonment Notices shall be filed or inal inspection.) ully requests approval of a country that the time of permitted, we were level Com #1H.	☐ Deepen ☐ Fracture Treat ☐ New Construction ☐ Plug and Abandon ☐ Plug Back tails, including estimated starting subsurface locations and measus Bond No. on file with BLM/BIA in a multiple completion or reconly after all requirements, including anstructed tank battery on the starting of the starting starting and the starting substances.	Product Reclams Recomp Tempor Water E g date of any pred and true ve Required sul mpletion in a r ing reclamation	ation plete arily Abandon Disposal roposed work and approx critical depths of all pertine besequent reports shall be to new interval, a Form 3166 n, have been completed, a	■ Well Integrity ☑ Other imate duration thereof. ent markers and zones. filled within 30 days 0-4 shall be filed once

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #326639 verified by the BLM Well Information System
For COG OPERATING LLC, sent to the Hobbs
Committed to AFMSS for processing by LINDA JIMENEZ on 01/08/2016 ()

Name (Printed/Typed) MAYTE X REYES

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 12/17/2015

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

_Approved_By_____


FIELD MANAGER

Date 99/1

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.





Scooter Federal Com #2H 30-025-42788 SHL: State BHL:NMLC0063645 C-23-18S-33E Lea County



COG Operating LLC. 2208 W Main St. Artesia, NM 88210 Scooter Federal Com #2H 30-025-42788 SHL: State BHL:NMLC0063645 C-23-18S-33E Lea County

Production Phase (OT#1)

- A. Valves #1,#2,#4,#7, and #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #2, and #3 Positioned:
 - 1. Valves #1, #3, & #4 Closed and sealed

Production Phase (OT #2)

- A. Valves #1, #2, #4, #7, and #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1, and #3 Positioned:
 - 1. Valves #1, #3 & #4 Closed and Sealed

II. Sales Phase (OT#1)

- A. Valves #1, #2 and #4 Closed and Sealed
 - B. Valve #3 on OT #1 Open
 - C. Valves on OT #2, and #3 Positioned:
 - 1. Valve #1, and #2, Open
 - 2. Valve #3 Closed and Sealed

Sales Phase (OT#2)

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #2 Open
- C. Valves on OT #1, and #3 Positioned:
 - 1. Valve #1, and #2 Open
 - 2. Valve #3 Closed and Sealed

Production Phase (OT #3)

- A. Valves #1,#2,#4,#7, & #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1, and #2, Positioned:
 - 1. Valves #1, #3 & #4 Closed and Sealed

Sales Phase (OT#3)

- A. Valves #1, #2 and #4 Closed and Sealed
 - B. Valve #3 on OT #3 Open
 - C. Valves on OT #1, and #2 Positioned:
 - 1 Valve #1, and #2 Open
 - 2. Valve #3 Closed and Sealed

Production Phase (OT #4)

- A. Valves #1,#2,#4,#7, & #8 Open
- B. Valve #3 Closed and Sealed
- C. Valve #6 Closed
- D. Valves on OT #1, #2, and #3 Positioned:
- 1. Valves #1, #3 & #4 Closed and Sealed

Sales Phase (OT#4)

- A. Valves #1, #2 and #4 Closed and Sealed
- B. Valve #3 on OT #4 Open
 - C. Valves on OT #1, #2, and #3 Positioned:
 - 1 Valve #1, and #2 Open
 - 2. Valve #3 Closed and Sealed

EXHIBIT A

STANDARD STIPULATIONS FOR OIL AND GAS RELATED SITES

A copy of the Sundry Notice and attachments, including stipulations and map, will be on location during construction. BLM personnel may request to view a copy of your permit during construction to ensure compliance with all stipulations.

ALL CONDITIONS OF APPROVAL ASSOCIATED WITH THE ORIGINAL APD ARE STILL IN EFFECT. THIS DOCUMENT DOES NOT SUPERSEDE THE REQUIREMENTS PREVIOUSLY PROVIDED TO THE HOLDER.

In addition, the holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer, BLM.

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant and for all response costs, penalties, damages, claims, and other costs arising from the provisions of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. Chap. 82, Section 6901 et. seq., from the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), 42 U.S.C. Chap. 109, Section 9601 et seq., and from other applicable environmental statues.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976, as amended (15 U.S.C. 2601, et. seq.) with regard to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized by this grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation and Liability Act, Section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the Authorized Officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et. seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et. seq.) on the right-of-way (unless the release or threatened release is wholly unrelated to the right-of-way holder's activity on the right-of-way). This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

- 4. If, during any phase of the construction, operation, maintenance, or termination of the site or related pipeline(s), any oil or other pollutant should be discharged from site facilities, the pipeline(s) or from containers or vehicles impacting Federal lands, the control and total removal, disposal, and cleanup of such oil of other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages to Federal lands resulting therefrom, the Authorized Officer may take such measures as deemed necessary to control and cleanup the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any liability or responsibility.
- 5. Sites shall be maintained in an orderly, sanitary condition at all times. Waste materials, both liquid and solid, shall be disposed of promptly at an appropriate, authorized waste disposal facility in accordance with all applicable State and Federal laws. "Waste" means all discarded matter including, but not limited to, human waste, trash, garbage, refuse, petroleum products, brines, chemicals, oil drums, ashes, and equipment.
- 6. The operator will notify the Bureau of Land Management (BLM) authorized officer and nearest Fish and Wildlife Service (FWS) Law Enforcement office within 24 hours, if the operator discovers a dead or injured federally protected species (i.e., migratory bird species, bald or golden eagle, or species listed by the FWS as threatened or endangered) in or adjacent to a pit, trench, tank, exhaust stack, or fence. (If the operator is unable to contact the FWS Law Enforcement office, the operator must contact the nearest FWS Ecological Services office.)
- 7. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" designated by the Rocky Mountain Five-State Interagency Committee. The color selected for this project is **Shale Green**, Munsell Soil Color Chart Number 5Y 4/2.
- 8. The holder shall post a sign with the following information at each location: Operator's Name, Site Name & No., Location, Lease No., County, and State. The sign will be posted in a conspicuous location on the site where the sign will be visible from the entry to the site. This sign will be maintained in a legible condition for the term of use.
- 9. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on the holder's behalf, on public or Federal land shall be immediately reported to the Authorized Officer.

The holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to the proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

- 10. A sales contract for removal of mineral material (caliche, sand, gravel, fill dirt) from an authorized pit, site, or on location must be obtained from the BLM prior to commencing construction. There are several options available for purchasing mineral material: contact the BLM office (575-234-5972).
- 11. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 12. Once the site is no longer in service or use, the site must undergo final abandonment. At final abandonment, the site and access roads must undergo "final" reclamation so that the character and productivity of the land are restored. Earthwork for final reclamation must be completed within six (6) months of the abandonment of the site. All pads and facility locations and roads must be reclaimed to a satisfactory revegetated, safe, and stable condition, unless an agreement is made with the landowner or BLM to keep the road and/or pad intact. After all disturbed areas have been satisfactorily prepared; these areas need to be revegetated with the seed mixture provided. Seeding should be accomplished by drilling on the contour whenever practical or by other approved methods. Seeding may need to be repeated until revegetation is successful, as determined by the BLM.

Operators shall contact a BLM surface protection specialist prior to surface abandonment operations for site specific objectives (Jim Amos: 575-234-5909).

13. The holder shall stockpile an adequate amount of topsoil where blading occurs. The topsoil to be stripped is approximately 6 inches in depth. The topsoil will be segregated from other spoil piles. The topsoil will be used for final reclamation.

- 14. The holder will reseed all disturbed areas. Seeding will be done according to the seeding requirements in the original APD Conditions of Approval.
- 15. In those areas where erosion control structures are required to stabilize soil conditions, the holder shall install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound management practices. Any earth work will require prior approval by the Authorized Officer.
- 16. Open-topped Tanks The operator will take actions necessary to prevent wildlife and livestock access, including avian wildlife, to all open-topped tanks that contain or have the potential to contain salinity sufficient to cause harm to wildlife or livestock, hydrocarbons, or Resource Conservation and Recovery Act of 1976-exempt hazardous substances. At a minimum, the operator will net, screen, or cover open-topped tanks to exclude wildlife and livestock and prevent mortality. If the operator uses netting, the operator will cover and secure the open portion of the tank to prevent wildlife entry. The operator will net, screen, or cover the tanks until the operator removes the tanks from the location or the tanks no longer contain substances that could be harmful to wildlife or livestock. Use a maximum netting mesh size of 1½ inches. The netting must not be in contact with fluids and must not have holes or gaps
- 17. The operator will prevent all hazardous, poisonous, flammable, and toxic substances from coming into contact with soil and water. At a minimum, the operator will install and maintain an impervious secondary containment system for any tank or barrel containing hazardous, poisonous, flammable, or toxic substances sufficient to contain the contents of the tank or barrel and any drips, leaks, and anticipated precipitation. The operator will dispose of fluids within the containment system that do not meet applicable state or U. S. Environmental Protection Agency livestock water standards in accordance with state law; the operator must not drain the fluids to the soil or ground. The operator will design, construct, and maintain all secondary containment systems to prevent wildlife and livestock exposure to harmful substances. At a minimum, the operator will install effective wildlife and livestock exclosure systems such as fencing, netting, expanded metal mesh, lids, and grate covers. Use a maximum netting mesh size of 1 ½ inches.
- 18. Open-Vent Exhaust Stack Exclosures The operator will construct, modify, equip, and maintain all open-vent exhaust stacks on production equipment to prevent birds and bats from entering, and to discourage perching, roosting, and nesting. (Recommended exclosure structures on open-vent exhaust stacks are in the shape of a cone.) Production equipment includes, but may not be limited to, tanks, heater-treaters, separators, dehydrators, flare stacks, in-line units, and compressor mufflers.

Exhibit A NM-131766 Amendment 19. Containment Structures - Proposed production facilities such as storage tanks and other vessels will have a secondary containment structure that is constructed to hold the capacity of 1.5 times the largest tank, plus freeboard to account for precipitation, unless more stringent protective requirements are deemed necessary.

20. Special Stipulations:

- 1. Please notify the BLM, Carlsbad Field Office five days prior to the start of construction. Please contact a BLM Authorized Officer at (575-234-5972) for monitoring construction of the project.
- 2. Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken: Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.
- 3. Ground-level Abandoned Well Marker to avoid raptor perching: Upon the plugging and subsequent abandonment of the well, the well marker will be installed at ground level on a plate containing the pertinent information for the plugged well. For more installation details, contact the Carlsbad Field Office at 575-234-5972.