Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

	Lorph co. sunde	•
5.	Lease Serial No.	
	NIMMINALGES	

SUNDRY NOTICES AND REPORTS ON WELLS obbs

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

abaridoried wer	n. Ose form 3100-3 (AFI	o) for such p	oroposais.8	20.			
SUBMIT IN	7. If Unit or CA/Agree	ment, Name and/or No.					
Type of Well			ED	8. Well Name and No. OUTRIDER FEDE	RAL 6H		
Name of Operator XTO ENERGY INCORPORAT	Contact: FED / E-Mail: patty_urias	RIAS		9. API Well No. 30-025-42932-00	0-X1		
3a. Address 500 W ILLINOIS STREET SU MIDLAND, TX 79701	3b. Phone No Ph: 432-62 Fx: 432-618	. (include area code) 0-4318 3-3530	а	10. Field and Pool or Exploratory Area WC025G06S253206M-BONE SPRING			
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description,)			11. County or Parish, S	State	
Sec 27 T24S R32E NENW 17	0FNL 2115FWL			LEA COUNTY, N	NM		
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE OF	NOTICE,	REPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION			TYPE OF	ACTION			
Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Product	tion (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclam	ation	■ Well Integrity	
☐ Subsequent Report	☐ Casing Repair	□ New	Construction	☐ Recomplete		Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug	and Abandon	☐ Tempor	rarily Abandon	Venting and/or Flari	
	☐ Convert to Injection	☐ Plug			Disposal	**5	
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi	ally or recomplete horizontally, it will be performed or provide operations. If the operation resonandonment Notices must be file	give subsurface the Bond No. or	locations and measur	ed and true ve	ertical depths of all pertine	ent markers and zones.	
OUTRIDER FEDERAL CTB			,		TA CHED E	∩D.	
Associated Well(s):			2	SEE A	TACHED FO		
Outrider Federal 6H - API 30-0	025-42932		(CONDI	TIONS OF A	APPROVAL	
Rental Compressor intermitter	nt failures - 144 cumulativ	e flare hours	reached 12/8/16		A		
PLEASE SEE ATTACHED FO	R ADDITIONAL INFORM	MATION ,		,)	
14. I hereby certify that the foregoing is	Electronic Submission #3	RGY INCORPO	RATED, sent to t	he Hobbs	/ N /		
Name (Printed/Typed) PATTY R	URIAS .		Title REGULA	ATORY AN	ALYST		
Signature (Electronic S	Date 01/20/20	17 A	PPROVED				
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE //	LILA	
Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equ	itable title to those rights in the		Title	BURFAU	OF LAND MANAGEMALSBAD FIELD OFFICE	Date	
which would entitle the applicant to condu			Office		3,007		
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s				willfully to m	ake to any department or a	agency of the United	

(Instructions on page 2) ** BLM REVISED **

MyB/OCD 2/16/2017

XTO Energy Inc.(XTO) requests approval to flare royalty-free for the reasons set forth in the marked paragraphs below:

Emergency Flaring:

X	Equipment Malfunction or Failure: Due to the equipment malfunction or failure more fully described in the "Additional Information" box below, XTO's production was unavoidably and automatically flared for a duration exceeding 24 hours per incident, 144 cumulative hours for the lease during the calendar month, or both. The method that XTO used to determine the duration of flaring and the flared volumes is set forth in the marked paragraph below.
	The flared production was measured by a meter installed on the flare line. The total duration and volume of flaring for each flare incident (if intermittent) and the total duration and volume for each calendar month, as measured by the meter, is provided in the "Additional Information" box below.
,	There is no meter installed on the flare line. XTO estimated the start date based on a comparison of the metered sales volume to the daily average sales volumes. Specifically, XTO divided the theoretical flare volume (derived by the difference between the average sales volumes and the actual sales volume for a given duration) by the average daily sales volume and then multiplied that figure by 24 to determine an estimated number of hours. The sales meter is the first meter for the production (there is no separate production meter) XTO determined the flared volumes by comparing the sales volume during the period of flaring to the average sales volume. Specifically, XTO subtracted the actual sales volume from the average sales volume (both figures taken from the sales meter).
	Relief of High Line Pressure: To relieve the high line pressure described more fully in the "Additional Information" box below, XTO's production was unavoidably and automatically flared for a duration exceeding 24 hours per incident, 144 cumulative hours for the lease during the calendar month, or both. The flaring occurred due to high line pressure on a third-party gathering line. When the production in the line reached the pressure threshold for the line, XTO's production could not be delivered into the line. As a result, XTO's production automatically flared. The pressure threshold is determined by all of the production in the line, not just XTO's production; therefore, XTO had no control over the condition of the line that caused the flaring. Additionally, the flaring automatically occurred when XTO's production could not be delivered into the line, and XTO had no ability to reinitiate delivery into the line until the abnormally high line pressure was relieved. As soon as the abnormal line pressure was relieved and delivery into the line resumed, the flaring ended.
	The flared production was measured by a meter installed on the flare line. The total duration and volume of flaring for each flare incident (if intermittent) and the total duration and volume for each calendar month, as measured by the meter, is provided in the "Additional Information" box below.
	There is no meter installed on the flare line. XTO estimated the start date based on a comparison of the metered sales volume to the daily average sales volumes. Specifically, XTO divided the theoretical flare volume (derived by the difference between the average sales volumes and the actual sales volume for a given duration) by the average daily sales volume and then multiplied that figure by 24 to determine an estimated number of hours. The sales meter is the first meter for the production (there is no separate production meter) XTO determined the flared volumes by comparing the sales volume during the period of flaring to the average sales volume. Specifically, XTO subtracted the actual sales volume from the average sales volume (both figures taken from the sales meter).

	Initial Well Test Flaring : Due to initial well testing more fully described in the "Additional Information" box below, XTO's production was flared for a duration exceeding 30 days or of a vo exceeding 50 MMcf before 30 days of flaring.	lume
	The flared production was metered. The total duration of flaring and volume flared in relation this initial well test flaring event is provided in the "Additional Information" box below.	n to
•	Additional Information:	
	XTO rental compressor issues - flaring not to exceed 650mcfd. 144 cumulative hours flared as of 12/8/16	

Outrider Federal Final - 12-8-16 pg. 2

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Pursuant to **NTL-4A III**, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis <u>without</u> incurring a royalty obligation in the following circumstances:

- A. <u>Emergencies.</u> During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drillstem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests.</u> During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests.</u> During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

Condition of Approval to Flare Gas

- 1. The first 24 hours of a <u>temporary emergency flare*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as either disposition code "21" or "22".".
- 2. Flared volumes considered to be "avoidably lost":
 - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
 - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
 - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. Volumes for avoidably lost gas shall be reported on OGOR "B" reports as disposition code "08". If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- 3. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). <u>Include method for volume determination and duration</u>. <u>Report unavoidably lost (first 24 hrs of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.</u>

- 5. In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
 - If installation of an approved gas meter is not economically feasible for continued operations. Submit
 Notice of Intent Sundry Notice (Form 3160-5) to request an alternate method of determining gas
 volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may
 require the installation of additional measurement equipment whenever it is determined that the
 present methods are inadequate to meet the purposes of this Notice.
- 6. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD

Regulations and Definitions

Definition: As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

NTL-4A.IV.B. Oil Well Gas. Except as provided in II.C and III above, oil well gas may not be vented or flared unless approved in writing by the Supervisor. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of (1) an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or (2) an action plan that will eliminate venting or flaring of the gas within 1 year from the date of application.

*Temporary Emergency Flaring is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.