<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

Prione: (303) 476-3460 Fax: (303) 476-3462							- 11			
WELL LOCATION AND ACREAGE DEDICATION PLAT										
300	API Num	ber	² Pool C		Pool Name				E	
100	19-	7762	1 2843		GRAMA RIDGE. BG				NE	
⁴ Property Code				⁵ Property Name					6 Well Number	
317441			GRAMA RIDGE STATE COM						14H	
OGRID No.			8 Operator Name					⁹ Elevation		
77127			BLA	BLACK MOUNTAIN OPERATING, LLC					3572'	
¹⁰ Surface Location										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line		County
P	2	22 SOUTH	34 EAST, N.M.P.M.		150'	SOUTH	698'	EA	ST	LEA
Bottom Hole Location If Different From Surface										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line		County
A	35	21 SOUTH	34 EAST, N.M.P.M.		330'	NORTH	511'	EA	ST	LEA
12 Dedicated A	cres 13 Joir	t or Infill	¹⁴ Consolidation Code 15	Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the

livision.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	В.	TOWN A TOP CENTURY OF TWO
PROPOSED BOTTOM HOLE		330.	193	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete
LOCATION X= 777,677 NAD 27		81	511 1	to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including
Y= 525,574 LAT. 32,441698		E	113	the proposed bottom hole location or has a right to drill this well at this
LONG. 103.433259		Ei	113	location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory
X= 818,860 NAD83 Y= 525,635		Ei	113	pooling order heresofon entered by the division
LAT. 32.441822 LONG. 103.433740	35	terval	113	Service 2-17-201
GRAMA RIDGE STATE COM 14H WELL X= 777.564 NAD 27		Producing Interval	_\	Denise L White
Y= 515,410 LAT. 32,413765			113	dense. White @ blackmtn. co
LONG. 103.433904 X= 818,747 NAD83	T21S-R34E	Proposed	_ 🍱	
Y= 515,471 LAT. 32,413889	T22S-R34E	18	.57	SURVEYOR CERTIFICATION
LONG. 103.434384 ELEVATION +3572 NAVD 88			W 9,982.	I hereby certify that the well location shown on this
EEE ANTON 9372 TANAD 00			_===1	plat was plotted from field notes of actual surveys made by me or under my supervision, and that the
		Ei l	00°24'58"	same is true and correct to the best of my belief.
CORNER COORDINATES TABLE (NAD 27)			001	2-10-2017 (L. LASTR
A - Y=525879.00, X=775546.76	2-		_z!_ 3	
B - Y=525909.52, X=778185.30 C - Y=515244.04, X=775624.49	Proposed Penetration		11:1	Signature and Seal of Professional Surveyor
D - Y=515265.47, X=778262.61	Point 330' FSL, 511' FEL —	6	98.	2-18-2017
			113	
	N 45°41'43" E ———————————————————————————————————	150	M.	Certificate Number
	C	·····	mi	



NOTE:

Please be advised, that while reasonable efforts are made to locate and verify pipelines and anomalies using our standard pipeline locating equipment, it is impossible to be 100 % effective. As such, we advise using caution when performing work as there is a possibility that pipelines and other hazards, such as fiber optic cables, PVC pipelines, etc. may exist undetected on site.

NOTE:

Many states maintain information centers that establish links between those who dig (excavators) and those who own and operate underground facilities (operators). It is advisable and in most states, law, for the contractor to contact the center for assistance in locating and marking underground utilities. For guidance: New Mexico One Call - www.nmonecall.org

DISCLAIMER: At this time, C. H. Fenstermaker & Associates, L.L.C. has not performed nor was asked to perform any type of engineering, hydrological modeling, flood plain, or "No Rise" certification analyses, including but not limited to determining whether the project will impact flood hazards in connection with federal/FEMA, state, and/or local laws, ordinances and regulations. Accordingly, Fenstermaker makes no warranty or representation of any kind as to the foregoing issues, and persons or entities using this information shall do so at their own risk

FOR THE EXCLUSIVE USE OF BLACK MOUNTAIN OPERATING, LLC I, Robert L. Lastrapes, Professional Surveyor, do hereby state this plat is true and correct to the best of my knowledge.



CENTERLINE PROPOSED ACCESS ROAD						
COURSE	BEARING	DISTANCE				
1	S 89° 32' 04" W	115.94'				

PROPOSED PAD							
COURSE	BEARING	DISTANCE					
2	S 00° 27' 56" E	17.50'					
3	S 89° 32' 04" W	450.00'					
4	N 00° 27' 56" W	350.00					
5	N 89° 32' 04" E	450.00'					
6	S 00° 27' 56" E	332.50					

SURFACE USE PLAT

Page 2 of 2

BLACK MOUNTAIN OPERATING, LLC

PROPOSED PAD & ACCESS ROAD GRAMA RIDGE STATE COM NO. 14H WELL SECTION 2, T22S-R34E LEA COUNTY, NEW MEXICO

DRAWN BY: BOR		REVISIONS					
PROJ. MGR.: VHV	No.	DATE:	REVISED BY:				
DATE: 02/14/2017	No.	DATE:	REVISED BY:				
DATE: 02/14/2017	1		REVISED BY:				



C. H. Fenstermaker & Associates, L.L.C. 135 Regency Sq. Lafayette, LA 70508 Ph. 337-237-2200 Fax. 337-232-3299 www.fenstermaker.com