

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-37350
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name B Hardin
8. Well Number 2
9. OGRID Number 192463
10. Pool name or Wildcat Hobbs Abo Wildcat
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3657' GL

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Temporarily Abandoned

2. Name of Operator  
Oxy USA WTP Limited Partnership

3. Address of Operator  
HCR 1 Box 90 Denver City, TX 79323

4. Well Location  
Unit Letter E : 2015 feet from the North line and 385 feet from the West line  
Section 19 Township 18-S Range 38-E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

E-PERMITTING

CONVERSATION MB RBDMS ☐  
RETURN TO TA ☐  
CSCG ENVIRO CHG LOC ☐  
INT TO PA P&A NR P&A R ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐ OTHER: Casing integrity test/TA status request ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Test date: 02/08/2017

Pressure readings: Initial - 580 PSI Ending - 575 PSI

Length of test: 30 minutes

Witnessed: No

This Approval of Temporary  
Abandonment Expires 2/8/2020

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mendy A Johnson TITLE Admin. Associate DATE 02/15/2017


Type or print name Mendy A. Johnson E-mail address: mendy\_johnson@oxy.com PHONE: 806-592-6280

For State Use Only

APPROVED BY: Mary Brown TITLE AO/II DATE 2/21/2017

Conditions of Approval (if any):






**Casing OD:** 13-3/8" H40 48# @ 419'  
Hole size: 17.5"; Cmmt w/ 650 sx.  
Circ. 83 sx to surf.

**Casing OD:** 8 5/8", 32#/24# @ 3345'  
Hole size: 11"; Cmmt w/ 1150 sx.  
Circ 99 sx. To surface

**Treatment by Zone**

Acid Frac Abo: 7006-7323; (09/05)  
Stim/Frac Drinkard: 6657-6868; (10/05)  
Stim all perms: 209,000 gal., 50,000# bauxite  
2/3 into Drinkard, 1/3 into Abo (10/05)

**Casing OD:** 5.5" J55 17# @ 7667'  
Hole size = ??"; Cmmt with 1100 sx.  
Circulated 125 sx



\*Lost circulation throughout drilling,  
around 5000'. Continued to lose fluids  
until TD was reached

CIBP @ 3398 w/ 35' of cmnt

CIBP @ 3999' w/ 35' of cmnt

CIBP @ 6603' w/ 35' of cmnt

**Perforations:** 6657-6868 (10/2005) - PB - Drinkard  
**Perforations:** 7006-7323 (9/2005) - PB - Abo

PBTD @ 7527'  
TD: 7667'



# American Valve & Meter, Inc.

1113 W. BROADWAY

P.O. BOX 166 HOBBS,  
NM 88240

T0: Pate Trucking

DATE: 10/27/16

This is to certify that:

I, Tony Flores

Technician for American Valve & Meter Inc.

has checked the calibration of the following instrument.

8" \_Pressure recorder

Ser#G2619

at these points.

Pressure #			Temperature *or Pressure #		
Test	Found	Left	Test	Found	Left
- 0	-	- 0	-	-	-
- 500	-	- 500	-	-	-
- 700	-	- 700	-	-	-
- 1000	-	- 1000	-	-	-
- 200	-	- 200	-	-	-
- 0	-	- 0			

Remarks: \_\_\_\_\_

\_\_\_\_\_

Signature: Tony Flores