

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-26647
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Byers "B"
8. Well Number 35
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs Drinkard
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3630' RDB

SUNDY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Temporarily Abandoned

2. Name of Operator
Occidental Permian, Ltd

3. Address of Operator
HCR 1 Box 90 Denver City, TX 79323

4. Well Location
Unit Letter **H** : **2060** feet from the **North** line and **626** feet from the **East** line
Section **4** Township **19-S** Range **38-E** NMPM **Lea** County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

E-PERMITTING <SWD INJECTION
CONVERSION RBDMS MB
RETURN TO TA MB
INT TO P&A P&A NR
P&A R CASING

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER:

OTHER: Casing integrity test/TA status request ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Test date: 02/24/2017

Pressure readings: Initial - 540 PSI Ending - 540 PSI

Length of test: 30 minutes

Witnessed: NO

Oxy respectfully requests a TA extension for Byers "B:" 35. This well is in the middle of the SHU flood, is a 1980's vintage, penetrates the entire San Andres formation and has 7" casing. We hope to utilize this wellbore for future San Andres development.

This Approval of Temporary
Abandonment Expires **2/24/2018**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE **Mendy A. Johnson** TITLE **Admin. Associate** DATE **03/03/2017**

Type or print name **Mendy A. Johnson** E-mail address: **mendy_johnson@oxy.com** PHONE: **806-592-6280**

For State Use Only

APPROVED BY: **Mary Brown** TITLE **AO/II** DATE **3/8/2017**

Conditions of Approval (if any):



Occidental Permian Ltd.

Byers B35

30-025-26647

SURFACE: 2030' FNL & 626' FEL

SEC. 4, UL 'H'

Lea Co., NM

Casing OD: 13-3/8" 48# @ 395' in 17-1/2" hole
Cmt w/ 450 sx. Circ. Out 50 sx
TOC = Surf(Circ)

Perf: 1760-61' (4 JSPF) squeeze/circ. with 275 sx on 02/82.

Casing OD: 9-5/8" 36# @ 4305' in 12-1/4" hole
Cmt w/ 1050 total sx. Circulate out 180 sx.
TOC = Surf. (Circ.)

TOPS: (Jeff Thompson Picks)

5287'	Glorietta
5340'	Base of SHU Unit
5729'	Blinbry
6404'	Tubb
6610'	Drinkard
6880'	Abo

Casing OD: 7" 20, 23, 26# @ 7097' in 8-3/4" hole
Cmt w/ 800 sx. Did NOT circulate
TOC = 1765' (TS)

CIBP @ 6593' in 07/91. Well is TA'd

Perf/Frac'd: 6645'-6792' (2 JSPF) in 04/80 [DRINKARD]

Perf/Frac'd: 6826'-6910" (2 SPF) in 04/80 [DRINKARD/ABO]

Perf/Frac'd: 6914'-75' (2 SPF) on 02/82 [ABO]

TVD = 7097' on 02/1980

American Valve & Meter, Inc.

1113 W. BROADWAY

P.O. BOX 166 HOBBS,
NM 88240

T0: Pate Trucking

DATE: 01/30/17

This is to certify that:

I, Tony Flores

Technician for American Valve & Meter Inc.

has checked the calibration of the following instrument.

8" pressure recorder

Ser.# 12517

at these points.

Pressure #			Temperature *or Pressure #		
Test	Found	Left	Test	Found	Left
- 0	-	- 0	-	-	-
- 1500	-	- 1500	-	-	-
- 2250	-	- 2250	-	-	-
- 3000	-	- 3000	-	-	-
- 750	-	- 750	-	-	-
- 0	-	- 0			

Remarks: _____

Signature: Tony Flores