

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-35473
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. A0-2614
7. Lease Name or Unit Agreement Name McDonald WN State [309146]
8. Well Number 040
9. OGRID Number 873
10. Pool name or Wildcat Jalmat; Tan-Yates-7 Rvrs (Gas) [79240]

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705
4. Well Location Unit Letter B : 660 feet from the North line and 1980 feet from the East line Section 14 Township 22S Range 36E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3521' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Apache would like to TA this well, while we evaluate for uphole or bypassed potential, as follows:

Day 1: MIRU SU. POOH w/rods (if applicable) laying down. POOH w/tubing. RU WL. RIH and set CIBP @ 2880' via wireline. RIH and dump bail 35' of cement on top of CIBP. POOH.  
RIH and tag TOC. Record depth of TOC. RD wireline.  
RIH w/tubing (testing in).

Day 2: Test casing. Circulate inhibited fluid in wellbore.  
POOH w/tubing. Perform MIT

NOTE: Please contact NMOCD 48 hours prior to performing MIT test.

**Condition of Approval: notify  
OCD Hobbs office 24 hours  
prior of running MIT Test & Chart**

Spud Date:

4/3/2001

Rig Release Date:

4/9/2001

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Reesa Fisher

TITLE Sr. Staff Reg Analyst

DATE 4/6/2017

Type or print name Reesa Fisher

E-mail address: Reesa.Fisher@apachecorp.com

PHONE: (432) 818-1062

For State Use Only

APPROVED BY:

Mary Brown

TITLE

A0/II

DATE

4/12/2017

Conditions of Approval (if any):

- CURRENT -

# Apache Corporation

Work Objective \_\_\_\_\_

Region Office Permian / Midland  
District /Field Office NW / Eunice South  
AFE Type

Start Date	TBD	End Date	TBD
Lease	McDonald WN State	KB	GL: 3521'
Well Name	McDonald WN State	Well No.	#40
Field	Eunice South	TD @	???
County	Lea	PBTD @	???
State	New Mexico	ETD @	N/A
AFE #	TBD	API #	30-025-35473
Gross AFE	TBD	Spud Date	4/1/2001
Apache WI	100.000000%	Comp. Date	

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	8-5/8"	J-55	24#	430'	300	Circulated to surface
Inter Csg						
Prod Csg	4-1/2"	J-55	14#	3650'	925	Circulated to surface
Casing Liner						


Date	Zone	Actual Perforations	JSPF	Total Perfs
4/1/2001	Yates/Seven Rives/Queen	2945' - 3582' (unknown exact perforations)		

Date	Zone	Stimulation / Producing Interval	Amount
4/1/2001	Yates/Seven Rives/Queen	Acidize w/2500 gals HCl. Frac w/47,000 gals gel and 131,960# sand.	

Jts	Feet	Pulled Description	Tubing	Jts	Feet	Ran Description
			PIN JT	#VALUE!		
			PS	#VALUE!		
			SN	#VALUE!		
			IPC	#VALUE!		
			TBG	#VALUE!		
			TAC	#VALUE!		
			TBG	#VALUE!		
				#VALUE!		
				#VALUE!		
			KB	GL: 3521'	0	0.00
Jts	Feet	Pulled Description	Rods	Jts	Feet	Ran Description
			Gas Anchor			
			Pump			
			TOOL			
			K-BAR			
			TOOL			
			K-BARS			
			RODS			
			RODS			
			RODS			
			SUBS			
			POLISH			
				0	0.00	

Well History / Failure	

Apache Representative \_\_\_\_\_ Contract Rig/Number \_\_\_\_\_  
Apache Engineer Jacob Bower \_\_\_\_\_ Operator \_\_\_\_\_





# Apache Corporation

- PROPOSED -

Work Objective

TA Wellbore

Region Office

Permian / Midland


District /Field Office

NW / Eunice South

AFE Type

Start Date	TBD	End Date	TBD
Lease	McDonald WN State	KB	GL: 3521'
Well Name	McDonald WN State	Well No.	#40
Field	Eunice South	TD @	???
County	Lea	PBTD @	???
State	New Mexico	ETD @	N/A
AFE #	TBD	API #	30-025-35473
Gross AFE	TBD	Spud Date	4/1/2001
Apache WI	100.000000%	Comp. Date	

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	8-5/8"	J-55	24#	430'	300	Circulated to surface
Inter Csg						
Prod Csg	4-1/2"	J-55	14#	3650'	925	Circulated to surface
Casing Liner						



Date	Zone	Actual Perforations	JSPF	Total Perfs
4/1/2001	Yates/Seven Rives/Queen	2945' - 3582' (unknown exact perforations)		

Date	Zone	Stimulation / Producing Interval	Amount
4/1/2001	Yates/Seven Rives/Queen	Acidize w/2500 gals HCl. Frac w/47,000 gals gel and 131,960# sand.	

Jts	Feet	Pulled Description	Tubing	Jts	Feet	Ran Description
			PIN JT	#VALUE!		
			PS	#VALUE!		
			SN	#VALUE!		
			IPC	#VALUE!		
			TBG	#VALUE!		
			TAC	#VALUE!		
			TBG	#VALUE!		
				#VALUE!		
				#VALUE!		
			KB	GL: 3521'	0	0.00
Jts	Feet	Pulled Description	Rods	Jts	Feet	Ran Description
			Gas Anchor			
			Pump			
			TOOL			
			K-BAR			
			TOOL			
			K-BARS			
			RODS			
			RODS			
			RODS			
			SUBS			
			POLISH			
				0	0.00	

Well History / Failure

Apache Representative

Contract Rig/Number

Apache Engineer

Jacob Bower

Operator