

Submit 1 Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-34056

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Selby Maveety / 302346

8. Well Number 4

9. OGRID Number 873

10. Pool name or Wildcat
Monument Abo (46970)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐

2. Name of Operator

Apache Corp.

3. Address of Operator

P O box Drawer D Monument NM 88265

4. Well Location

Unit Letter N: 975 feet from the S line and 1650 feet from the W line

Section 35 Township 19S Range 36E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3608 GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐ Temporary abandon

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PERFS: 6884-7362

- 1.MIRU. POOH & LD RODS/TBG
- 2.SET CIBP @ 6834' DUMP BAIL 35' CMT ON TOP.
- 3.LOAD CSG W/ PKR FLUID
- 4.TEST CSG TO 540# FOR 30 MINUTES with no pressure change
- 5.Witnessed by NMOCD George Bower.

This Approval of Temporary
Abandonment Expires 4/26/2021

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Joel Sisk TITLE SR. PUMPER DATE 4/26/17

Type or print name JOEL SISK E-mail address: joel.sisk@apacheccorp.com PHONE: 575-441-0793

For State Use Only

APPROVED BY: Maveety Brown TITLE AO/II DATE 5/4/2017

Conditions of Approval (if any):

GL=3608'
KB=3620'
Spud: 7/19/97

Apache Corporation – Selby Maveety #4

Wellbore Diagram – Current Status

Date : 5/2/2017

API: 30-025-34056

Surface Location K. Grisham



975' FSL & 1650' FWL, Unit
Sec 35, T19S, R36E, Lea County, NM

Surface Casing

8-5/8" 24# K-55 @ 1145' w/ 450 sx to surface

Hole Size
=11"

Hole Size
=7-7/8"

TOC @ 3386'

4/17: CIBP @ 6834' capped w/ 35' cmt. Test well and held ok, status changed to TA

3/13: Perf upr Abo @ 6884-88; 7021-27; 7031-39; 7092-7102; 7113-18; 7145-59; 7172-74; 7182-88; 7191-95; 7200-05; 7221-28; 7245-48 & 7259-68' (166 holes). Acidize w/ 4500 gals 15% HCl. AIR 5.3 BPM @ 4200 psi.

3/13: CIBP @ 7285'

3/01: CIBP @ 7240' Well TA'd
3/13: Pushed plug to 7460'

8/97: Perf Abo @ 7298-7345; 7356-62 w/ 2 jspf (108 holes).
Acidized w/ 7000 gal 15% NEFE HCL

PBTD = 6834'
TD = 7550'

Production Casing

5-1/2" 17# L-80 & 15.5# K-55 & 15.5# J-55 @ 7550' w/ 1150
sxs to surface

