

OCD Hobbs
HOBBS OCD

FORM APPROVED
OMB No. 1004-0137
Expires October 31, 2014

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

JUN 19 2017

APPLICATION FOR PERMIT TO DRILL OR REENTER

RECEIVED

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. NMNM112279
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator EOG RESOURCES INC (7377)		7. If Unit or CA Agreement, Name and No.
3a. Address 1111 Bagby Sky Lobby2 Houston TX 77002		8. Lease Name and Well No. (39982) FOX 30 FED COM 703H
3b. Phone No. (include area code) (713)651-7000		9. API Well No. 43873 30-025-809 (98094)
4. Location of Well (Report location clearly and in accordance with any State requirements.)* At surface NESE / 2190 FSL / 1048 FEL / LAT 32.1002601 / LONG -103.5038686 At proposed prod. zone SESE / 230 FSL / 991 FEL / LAT 32.0803624 / LONG -103.5036711		10. Field and Pool, or Exploratory / WC-025 S253336D ; 40R WC
14. Distance in miles and direction from nearest town or post office* 19 miles		11. Sec., T. R. M. or Blk. and Survey or Area SEC 30 / T25S / R34E / NMP
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 230 feet	16. No. of acres in lease 559.6	17. Spacing Unit dedicated to this well 240
18. Distance from proposed location* to nearest well, drilling, completed, 660 feet applied for, on this lease, ft.	19. Proposed Depth 12530 feet / 19975 feet	20. BLM/BIA Bond No. on file FED: NM2308
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 3323 feet	22. Approximate date work will start* 08/01/2017	23. Estimated duration 25 days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the BLM. |

25. Signature (Electronic Submission)	Name (Printed/Typed) Stan Wagner / Ph: (432)686-3689	Date 02/15/2017
Title Regulatory Specialsit		
Approved by (Signature) (Electronic Submission)	Name (Printed/Typed) Cody Layton / Ph: (575)234-5959	Date 06/09/2017
Title Supervisor Multiple Resources		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)

APPROVED WITH CONDITIONS

KZ
06/19/17



APD ID: 10400010924

Submission Date: 02/15/2017

Highlight

Operator Name: EOG RESOURCES INC

Federal/Indian APD: FED

All Changes

Well Name: FOX 30 FED COM

Well Number: 703H

Well Type: OIL WELL

Well Work Type: Drill

Application

Section 1 - General

APD ID: 10400010924

Tie to previous NOS?

Submission Date: 02/15/2017

BLM Office: CARLSBAD

User: Stan Wagner

Title: Regulatory Specialsit

Federal/Indian APD: FED

Is the first lease penetrated for production Federal or Indian? FED

Lease number: NMNM112279

Lease Acres: 559.6

Surface access agreement in place?

Allotted?

Reservation:

Agreement in place? NO

Federal or Indian agreement:

Agreement number:

Agreement name:

Keep application confidential? YES

Permitting Agent? NO

APD Operator: EOG RESOURCES INC

Operator letter of designation:

Keep application confidential? YES

Operator Info

Operator Organization Name: EOG RESOURCES INC

Operator Address: 1111 Bagby Sky Lobby2

Zip: 77002

Operator PO Box:

Operator City: Houston

State: TX

Operator Phone: (713)651-7000

Operator Internet Address:

Section 2 - Well Information

Well in Master Development Plan? NO

Master Development Plan name:

Well in Master SUPO? NO

Master SUPO name:

Well in Master Drilling Plan? NO

Master Drilling Plan name:

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

KOP

Leg #: 1

STATE: NEW MEXICO

Meridian: NEW MEXICO PRINCIPAL County: LEA

Latitude: 32.1013638

Longitude: -103.5036968

Elevation: -8705

MD: 12038

TVD: 12028

Lease Type: STATE

Lease #: STATE

NS-Foot: 2591

NS Indicator: FSL

EW-Foot: 1097

EW Indicator: FEL

Twsp: 25S

Range: 34E

Section: 30

Aliquot: NESE

Lot:

Tract:

PPP

Leg #: 1

STATE: NEW MEXICO

Meridian: NEW MEXICO PRINCIPAL County: LEA

Latitude: 32.0941841

Longitude: -103.5036798

Elevation: -9207

MD: 14800

TVD: 12530

Lease Type: FEDERAL

Lease #: NMNM112279

NS-Foot: 20

NS Indicator: FNL

EW-Foot: 991

EW Indicator: FEL

Twsp: 25S

Range: 34E

Section: 31

Aliquot: NENE

Lot:

Tract:

PPP

Leg #: 1

STATE: NEW MEXICO

Meridian: NEW MEXICO PRINCIPAL County: LEA

Latitude: 32.1005925

Longitude: -103.5036865

Elevation: -9164

MD: 12610

TVD: 12487

Lease Type: STATE

Lease #: STATE

NS-Foot: 2312

NS Indicator: FSL

EW-Foot: 991

EW Indicator: FEL

Twsp: 25S

Range: 34E

Section: 30

Aliquot: NESE

Lot:

Tract:

EXIT

Leg #: 1

STATE: NEW MEXICO

Meridian: NEW MEXICO PRINCIPAL County: LEA

Latitude: 32.080638

Longitude: -103.5036723

Elevation: -9207

MD: 19875

TVD: 12530

Lease Type: FEDERAL

Lease #: NMNM110839

NS-Foot: 330

NS Indicator: FSL

EW-Foot: 991

EW Indicator: FEL

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Twsp: 25S **Range:** 34E **Section:** 31
Aliquot: SESE **Lot:** **Tract:**

STATE: NEW MEXICO **Meridian:** NEW MEXICO PRINCIPAL **County:** LEA

Latitude: 32.0803624 **Longitude:** -103.5036711

BHL

Elevation: -9207 **MD:** 19975 **TVD:** 12530

Leg #: 1

Lease Type: FEDERAL **Lease #:** NMNM110839

NS-Foot: 230 **NS Indicator:** FSL

EW-Foot: 991 **EW Indicator:** FEL

Twsp: 25S **Range:** 34E **Section:** 31

Aliquot: SESE **Lot:** **Tract:**

Drilling Plan

Section 1 - Geologic Formations

ID: Surface formation

Name: RUSTLER

Lithology(ies):

ANHYDRITE

Elevation: 2383

True Vertical Depth: 940

Measured Depth: 940

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 1

Name: TOP SALT

Lithology(ies):

SALT

Elevation: 1143

True Vertical Depth: 1240

Measured Depth: 1240

Mineral Resource(s):

NONE

Is this a producing formation? N

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

ID: Formation 2

Name: BASE OF SALT

Lithology(ies):

SALT

Elevation: -2567

True Vertical Depth: 4950

Measured Depth: 4950

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 3

Name: LAMAR

Lithology(ies):

LIMESTONE

Elevation: -2817

True Vertical Depth: 5200

Measured Depth: 5200

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 4

Name: BELL CANYON

Lithology(ies):

SANDSTONE

Elevation: -2847

True Vertical Depth: 5230

Measured Depth: 5230

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 5

Name: CHERRY CANYON

Lithology(ies):

SANDSTONE

Elevation: -3852

True Vertical Depth: 6235

Measured Depth: 6235

Mineral Resource(s):

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 6

Name: BRUSHY CANYON

Lithology(ies):

SANDSTONE

Elevation: -5447

True Vertical Depth: 7830

Measured Depth: 7830

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 7

Name: BONE SPRING LIME

Lithology(ies):

LIMESTONE

Elevation: -6947

True Vertical Depth: 9330

Measured Depth: 9330

Mineral Resource(s):

NONE

Is this a producing formation? N

ID: Formation 8

Name: FIRST BONE SPRING SAND

Lithology(ies):

SANDSTONE

Elevation: -7932

True Vertical Depth: 10315

Measured Depth: 10315

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

ID: Formation 9

Name: BONE SPRING 2ND

Lithology(ies):

SANDSTONE

Elevation: -8452

True Vertical Depth: 10835

Measured Depth: 10835

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 10

Name: BONE SPRING 3RD

Lithology(ies):

SANDSTONE

Elevation: -9512

True Vertical Depth: 11895

Measured Depth: 11895

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? N

ID: Formation 11

Name: WOLFCAMP

Lithology(ies):

SHALE

Elevation: -9982

True Vertical Depth: 12365

Measured Depth: 12365

Mineral Resource(s):

NATURAL GAS

OIL

Is this a producing formation? Y

Section 2 - Blowout Prevention

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Pressure Rating (PSI): 5M

Rating Depth: 12530

Equipment: The minimum blowout preventer equipment (BOPE) shown in Exhibit #1 will consist of a single ram, mud cross and double ram-type (10,000 psi WP) preventer and an annular preventer (5000-psi WP). Both units will be hydraulically operated and the ram-type will be equipped with blind rams on bottom and drill pipe rams on top. All BOPE will be tested in accordance with Onshore Oil and Gas order No. 2.

Requesting Variance? YES

Variance request: Variance is requested to use a co-flex line between the BOP and choke manifold (instead of using a 4" OD steel line). Variance is requested to wave the centralizer requirements for the 7-5/8" FJ casing in the 8-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" hole interval to maximize cement bond and zonal isolation. Variance is also requested to wave any centralizer requirements for the 5-1/2" FJ casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

Testing Procedure: Before drilling out of the surface casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 3500/ 250 psig. The surface casing will be tested to 1500 psi for 30 minutes. Before drilling out of the intermediate casing, the ram-type BOP and accessory equipment will be tested to 5000/ 250 psig and the annular preventer to 3500/ 250 psig. The intermediate casing will be tested to 2000 psi for 30 minutes. Pipe rams will be operationally checked each 24-hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets. A hydraulically operated choke will be installed prior to drilling out of the intermediate casing shoe.

Choke Diagram Attachment:

Fox 30 Fed Com 703H 5 M Choke Manifold Diagram (3-21-14)_02-13-2017.pdf

BOP Diagram Attachment:

Fox 30 Fed Com 703H 5 M BOP Diagram (8-14-14)_02-13-2017.pdf

Section 3 - Casing

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

String Type: SURFACE

Other String Type:

Hole Size: 14.75

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: -9207

Bottom setting depth MD: 965

Bottom setting depth TVD: 965

Bottom setting depth MSL: -10172

Calculated casing length MD: 965

Casing Size: 10.75

Other Size

Grade: J-55

Other Grade:

Weight: 40.5

Joint Type: STC

Other Joint Type:

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.125

Burst Design Safety Factor: 1.25

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 1.6

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 1.6

Casing Design Assumptions and Worksheet(s):

Fox 30 Fed Com 703H BLM Plan_02-13-2017.pdf

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

String Type: INTERMEDIATE

Other String Type:

Hole Size: 9.875

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: -9207

Bottom setting depth MD: 1000

Bottom setting depth TVD: 1000

Bottom setting depth MSL: -10207

Calculated casing length MD: 1000

Casing Size: 7.625

Other Size

Grade: HCP-110

Other Grade:

Weight: 29.7

Joint Type: LTC

Other Joint Type: Flushmax III

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.125

Burst Design Safety Factor: 1.25

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 1.6

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 1.6

Casing Design Assumptions and Worksheet(s):

Fox 30 Fed Com 703H BLM Plan_02-13-2017.pdf

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

String Type: PRODUCTION

Other String Type:

Hole Size: 6.75

Top setting depth MD: 0

Top setting depth TVD: 0

Top setting depth MSL: -9207

Bottom setting depth MD: 10900

Bottom setting depth TVD: 10900

Bottom setting depth MSL: -20107

Calculated casing length MD: 10900

Casing Size: 5.5

Other Size

Grade: OTHER

Other Grade: P-110EC

Weight: 20

Joint Type: OTHER

Other Joint Type: DWC/C-IS MS

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.125

Burst Design Safety Factor: 1.25

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 1.6

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 1.6

Casing Design Assumptions and Worksheet(s):

Fox 30 Fed Com 703H BLM Plan_02-13-2017.pdf

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

String Type: PRODUCTION

Other String Type:

Hole Size: 6.75

Top setting depth MD: 10900

Top setting depth TVD: 10900

Top setting depth MSL: -20107

Bottom setting depth MD: 19975

Bottom setting depth TVD: 12530

Bottom setting depth MSL: -21737

Calculated casing length MD: 9075

Casing Size: 5.5

Other Size

Grade: OTHER

Other Grade: P-110EC

Weight: 20

Joint Type: OTHER

Other Joint Type: VAM SFC

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.125

Burst Design Safety Factor: 1.25

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 1.6

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 1.6

Casing Design Assumptions and Worksheet(s):

Fox 30 Fed Com 703H BLM Plan_02-13-2017.pdf

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

String Type: INTERMEDIATE

Other String Type:

Hole Size: 9.875

Top setting depth MD: 1000

Top setting depth TVD: 1000

Top setting depth MSL: -10207

Bottom setting depth MD: 3000

Bottom setting depth TVD: 3000

Bottom setting depth MSL: -12207

Calculated casing length MD: 2000

Casing Size: 7.625

Other Size

Grade: OTHER

Other Grade: P-110EC

Weight: 29.7

Joint Type: OTHER

Other Joint Type: SLIJ II

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.125

Burst Design Safety Factor: 1.25

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 1.6

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 1.6

Casing Design Assumptions and Worksheet(s):

Fox 30 Fed Com 703H BLM Plan_02-13-2017.pdf

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

String Type: INTERMEDIATE

Other String Type:

Hole Size: 8.75

Top setting depth MD: 3000

Top setting depth TVD: 3000

Top setting depth MSL: -12207

Bottom setting depth MD: 11400

Bottom setting depth TVD: 11400

Bottom setting depth MSL: -20607

Calculated casing length MD: 8400

Casing Size: 7.625

Other Size

Grade: HCP-110

Other Grade:

Weight: 29.7

Joint Type: OTHER

Other Joint Type: Flushmax III

Condition: NEW

Inspection Document:

Standard: API

Spec Document:

Tapered String?: N

Tapered String Spec:

Safety Factors

Collapse Design Safety Factor: 1.125

Burst Design Safety Factor: 1.25

Joint Tensile Design Safety Factor type: BUOYANT

Joint Tensile Design Safety Factor: 1.6

Body Tensile Design Safety Factor type: BUOYANT

Body Tensile Design Safety Factor: 1.6

Casing Design Assumptions and Worksheet(s):

Fox 30 Fed Com 703H BLM Plan_02-13-2017.pdf

Section 4 - Cement

Casing String Type: INTERMEDIATE

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 0

Cement Type: 0

Additives: 0

Quantity (sks): 0

Yield (cu.ff./sk): 0

Density: 0

Volume (cu.ft.): 0

Percent Excess:

Casing String Type: PRODUCTION

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 0

Cement Type: 0

Additives: 0

Quantity (sks): 0

Yield (cu.ff./sk): 0

Density: 0

Volume (cu.ft.): 0

Percent Excess: 0

Casing String Type: INTERMEDIATE

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 0

Cement Type: 0

Additives: 0

Quantity (sks): 0

Yield (cu.ff./sk): 0

Density: 0

Volume (cu.ft.): 0

Percent Excess:

Casing String Type: SURFACE

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 965

Cement Type: Class C

Additives: Class C + 4.0% Bentonite +
0.6% CD-32 + 0.5% CaCl₂ + 0.25 lb/sk
Cello-Flake (TOC @ Surface)

Quantity (sks): 325

Yield (cu.ff./sk): 1.73

Volume (cu.ft.): 562

Percent Excess: 25

Fail Density: 13.5

Top MD of Segment: 965

Bottom MD Segment: 965

Cement Type: Class C

Quantity (sks): 200

Yield (cu.ff./sk): 1.34

Additives: Class C + 0.6% FL-62 +
0.25 lb/sk Cello-Flake + 0.2% Sodium
Metasilicate

Volume (cu.ft.): 268

Percent Excess: 25

Density: 14.8

Casing String Type: INTERMEDIATE

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Stage Tool Depth:

Lead

Top MD of Segment: 0

Bottom MD Segment: 11400

Cement Type: Class C

Additives: Class C + 5% Gypsum + 3% Quantity (sks): 2250

Yield (cu.ff./sk): 1.38

CaCl₂ pumped via bradenhead
(TOC@surface)

Volume (cu.ft.): 3105

Percent Excess: 25

~~Fail~~
Density: 14.8

Top MD of Segment: 11400

Bottom MD Segment: 11400

Cement Type: Class H

Quantity (sks): 550

Yield (cu.ff./sk): 1.2

Additives: 50:50 Class H:Poz + 0.25%

Volume (cu.ft.): 660

Percent Excess: 25

CPT20A + 0.40% CPT49 + 0.20%

CPT35 + 0.80% CPT16A + 0.25%

CPT503P pumped conventionally

Density: 14.4

Casing String Type: PRODUCTION

Stage Tool Depth:

Lead

Top MD of Segment: 10900

Bottom MD Segment: 19975

Cement Type: Class H

Additives: Class H + 0.1% C-20 +

Quantity (sks): 850

Yield (cu.ff./sk): 1.26

0.05% CSA-1000 + 0.20% C-49 +

0.40% C-17 (TOC @ 10,600')

Volume (cu.ft.): 848

Percent Excess: 25

Density: 14.1

Section 5 - Circulating Medium

Mud System Type: Closed

Will an air or gas system be Used? NO

Description of the equipment for the circulating system in accordance with Onshore Order #2:

Diagram of the equipment for the circulating system in accordance with Onshore Order #2:

Describe what will be on location to control well or mitigate other conditions: (A) A Kelly cock will be kept in the drill string at all times. (B) A full opening drill pipe-stabbing valve (inside BOP) with proper drill pipe connections will be on the rig floor at all times. (C) H₂S monitoring and detection equipment will be utilized from surface casing point to TD.

Describe the mud monitoring system utilized: An electronic pit volume totalizer (PVT) will be utilized on the circulating system to monitor pit volume, flow rate, pump pressure and stroke rate.

Circulating Medium Table

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Top Depth: 965

Bottom Depth: 11400

Mud Type: SALT SATURATED

Min Weight (lbs./gal.): 8.8

Max Weight (lbs./gal.): 10

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP):

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Top Depth: 11400

Bottom Depth: 19975

Mud Type: OIL-BASED MUD

Min Weight (lbs./gal.): 10

Max Weight (lbs./gal.): 14

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP):

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Top Depth: 0

Bottom Depth: 965

Mud Type: WATER-BASED MUD

Min Weight (lbs./gal.): 8.6

Max Weight (lbs./gal.): 8.8

Density (lbs/cu.ft.):

Gel Strength (lbs/100 sq.ft.):

PH:

Viscosity (CP):

Filtration (cc):

Salinity (ppm):

Additional Characteristics:

Section 6 - Test, Logging, Coring

List of production tests including testing procedures, equipment and safety measures:

Open-hole logs are not planned for this well.

List of open and cased hole logs run in the well:

DS

Coring operation description for the well:

None

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 7492

Anticipated Surface Pressure: 4735.39

Anticipated Bottom Hole Temperature(F): 181

Anticipated abnormal pressures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geohazards description:

Contingency Plans geohazards attachment:

Hydrogen Sulfide drilling operations plan required? YES

Hydrogen sulfide drilling operations plan:

Fox 30 Fed Com 703H H2S Plan Summary_02-13-2017.pdf

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

Fox 30 Fed Com 703H Planning Report_02-13-2017.pdf

Fox 30 Fed Com 703H Wall Plot_02-13-2017.pdf

Other proposed operations facets description:

Other proposed operations facets attachment:

Fox 30 Fed Com 703H 7.625in 29.7 P110EC VAM SLIJ-II_02-13-2017.pdf

Fox 30 Fed Com 703H 5.500in 20.00 VST P110EC VAM SFC Spec Sheet_02-13-2017.pdf

Fox 30 Fed Com 703H 5.500in 20.00 VST P110EC DWC_C-IS MS Spec Sheet_02-13-2017.pdf

Fox 30 Fed Com 703H 7.625in 29.70 P-110 FlushMax III Spec Sheet_02-13-2017.pdf

Fox 30 Fed Com 703H BLM Plan_02-13-2017.pdf

Fox 30 Fed Com 703H Proposed Wellbore_02-13-2017.pdf

Fox 30 Fed Com 703H Rig Layout_02-13-2017.pdf

Other Variance attachment:

Fox 30 Fed Com 703H Co-Flex Hose Certification_02-13-2017.PDF

Fox 30 Fed Com 703H Co-Flex Hose Test Chart_02-13-2017.pdf

SUPO

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Section 1 - Existing Roads

Will existing roads be used? YES

Existing Road Map:

FOX30FEDCOM_703H_vicinity map_02-14-2017.pdf

Existing Road Purpose: ACCESS,FLUID TRANSPORT

Row(s) Exist? NO

ROW ID(s)

ID:

Do the existing roads need to be improved? NO

Existing Road Improvement Description:

Existing Road Improvement Attachment:

Section 2 - New or Reconstructed Access Roads

Will new roads be needed? YES

New Road Map:

Fox 30 Fed Com area sketch_02-14-2017.pdf

FOX30FEDCOM_703H_well site_02-14-2017.pdf

New road type: RESOURCE

Length: 333

Feet

Width (ft.): 24

Max slope (%): 2

Max grade (%): 20

Army Corp of Engineers (ACOE) permit required? NO

ACOE Permit Number(s):

New road travel width: 24

New road access erosion control: Newly constructed or reconstructed roads will be constructed as outlined in the BLM "Gold Book" and to meet the standards of the anticipated traffic flow and all anticipated weather requirements as needed. Construction will include ditching, draining, crowning and capping or sloping and dipping the roadbed as necessary to provide a well-constructed and safe road. We plan to grade and water twice a year.

New road access plan or profile prepared? NO

New road access plan attachment:

Access road engineering design? NO

Access road engineering design attachment:

Access surfacing type: OTHER

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Access topsoil source: ONSITE

Access surfacing type description: 6" of Compacted Caliche

Access onsite topsoil source depth: 6

Offsite topsoil source description:

Onsite topsoil removal process: An adequate amount of topsoil/root zone will be stripped by dozer from the proposed well location and stockpiled along the side of the well location as depicted on the well site diagram / survey plat.

Access other construction information:

Access miscellaneous information:

Number of access turnouts:

Access turnout map:

Drainage Control

New road drainage crossing: OTHER

Drainage Control comments: No drainage crossings

Road Drainage Control Structures (DCS) description: N/A

Road Drainage Control Structures (DCS) attachment:

Access Additional Attachments

Additional Attachment(s):

Section 3 - Location of Existing Wells

Existing Wells Map? YES

Attach Well map:

FOX30FEDCOM_703H_radius map_02-14-2017.pdf

Existing Wells description:

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Estimated Production Facilities description:

Production Facilities description: Fox 30 Fed Com Central Battery is located in SE/4 of section 30. State Surface.

Production Facilities map:

Fox 30 Fed Com area sketch_02-14-2017.pdf

Section 5 - Location and Types of Water Supply

Water Source Table

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Water source use type: OTHER

Water source type: RECYCLED

Describe type:

Source latitude:

Source longitude:

Source datum:

Water source permit type: WATER RIGHT

Source land ownership: FEDERAL

Water source transport method: PIPELINE,TRUCKING

Source transportation land ownership: FEDERAL

Water source volume (barrels): 0

Source volume (acre-feet): 0

Source volume (gal): 0

Water source and transportation map:

Fox 30 Fed Com Water Source and Caliche map_02-14-2017.pdf

Water source comments:

New water well? NO

New Water Well Info

Well latitude:

Well Longitude:

Well datum:

Well target aquifer:

Est. depth to top of aquifer(ft):

Est thickness of aquifer:

Aquifer comments:

Aquifer documentation:

Well depth (ft):

Well casing type:

Well casing outside diameter (in.):

Well casing inside diameter (in.):

New water well casing?

Used casing source:

Drilling method:

Drill material:

Grout material:

Grout depth:

Casing length (ft.):

Casing top depth (ft.):

Well Production type:

Completion Method:

Water well additional information:

State appropriation permit:

Additional information attachment:

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Section 6 - Construction Materials

Construction Materials description: Caliche will be supplied from pits shown on the attached caliche source map. Caliche utilized for the drilling pad will be obtained either from an existing approved mineral pit, or by benching into a hill, which will allow the pad to be level with existing caliche from the cut, or extracted by "Flipping" the well location. A mineral material permit will be obtained from BLM prior to excavating any caliche on Federal Lands. Amount will vary for each pad. The procedure for "Flipping" a well location is as follows: * -An adequate amount of topsoil/root zone (usually top 6 inches of soil) will be stripped from the proposed well location and stockpiled along the side of the well location as depicted on the well site diagram/survey plat. -An area will be used within the proposed well site dimensions to excavate caliche. Subsoil will be removed and stockpiled within the surveyed well pad dimensions. -Once caliche/surfacing mineral is found, the mineral material will be excavated and stock piled within the approved drilling pad dimensions. -Then, subsoil will be pushed back in the excavated hole and caliche will be spread accordingly across the entire well pad and road (if available). -Neither caliche, nor subsoil will be stock piled outside of the well pad dimensions. Topsoil will be stockpiled along the edge of the pad as depicted in the Well Site Layout or survey plat. * In the event that no caliche is found onsite, caliche will be hauled in from a BLM approved caliche pit or other established mineral pit. A BLM mineral material permit will be acquired prior to obtaining any mineral material from BLM pits or federal land.

Construction Materials source location attachment:

Fox 30 Fed Com Water Source and Caliche map_02-14-2017.pdf

Section 7 - Methods for Handling Waste

Waste type: DRILLING

Waste content description: Drill fluids and produced oil and water from the well during drilling and completion operations will be stored safely and disposed of properly in an NMOCD approved disposal facility. Garbage and trash produced during drilling and completion operations will be collected in a trash container and disposed of properly. Human waste and grey water will be properly contained of and disposed of properly. After drilling and completion operations; trash, chemicals, salts, frac sand, and other waste material will be removed and disposed of properly at a state approved disposal facility.

Amount of waste: 0 barrels

Waste disposal frequency : Daily

Safe containment description: Steel Tanks

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** COMMERCIAL

Disposal type description:

Disposal location description: Trucked to NMOCD approved disposal facility

Reserve Pit

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Reserve pit length (ft.) **Reserve pit width (ft.)**

Reserve pit depth (ft.) **Reserve pit volume (cu. yd.)**

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Reserve pit liner specifications and installation description

Cuttings Area

Cuttings Area being used? NO

Are you storing cuttings on location? YES

Description of cuttings location Closed Loop System. Drill cuttings will be disposed of into steel tanks and taken to an NMOCD approved disposal facility.

Cuttings area length (ft.)

Cuttings area width (ft.)

Cuttings area depth (ft.)

Cuttings area volume (cu. yd.)

Is at least 50% of the cuttings area in cut?

WCuttings area liner

Cuttings area liner specifications and installation description

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities?: NO

Ancillary Facilities attachment:

Comments:

Section 9 - Well Site Layout

Well Site Layout Diagram:

Fox 30 Fed Com 703H Rig Layout_02-13-2017.pdf

FOX30FEDCOM_703H_well site_02-14-2017.pdf

FOX30FEDCOM_703H_pad site_02-14-2017.pdf

Comments: Exhibit 2A-Wellsite & Exhibit 2B-Padsite Rig Layout Exhibit 4

Section 10 - Plans for Surface Reclamation

Type of disturbance: NEW

Recontouring attachment:

FOX30FEDCOM_703H_interim reclamation_02-14-2017.pdf

Drainage/Erosion control construction: Proper erosion control methods will be used on the area to control erosion, runoff, and siltation of the surrounding area.

Drainage/Erosion control reclamation: The interim reclamation will be monitored periodically to ensure that vegetation has reestablished and that erosion is controlled.

Wellpad long term disturbance (acres): 2.563131

Wellpad short term disturbance (acres): 4.178145

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Access road long term disturbance (acres): 0.183471

Access road short term disturbance (acres): 0.183471

Pipeline long term disturbance (acres): 0.5247934

Pipeline short term disturbance (acres): 0.87465566

Other long term disturbance (acres): 0

Other short term disturbance (acres): 0

Total long term disturbance: 3.2713954

Total short term disturbance: 5.236272

Reconstruction method: In areas planned for interim reclamation, all the surfacing material will be removed and returned to the original mineral pit or recycled to repair or build roads and well pads. Areas planned for interim reclamation will be recontoured to the original contour if feasible, or if not feasible, to an interim contour that blends with the surrounding topography as much as possible. Where applicable, the fill material of the well pad will be backfilled into the cut to bring the area back to the original contour. The interim cut and fill slopes prior to re-seeding will not be steeper than a 3:1 ratio, unless the adjacent native topography is steeper. Note: Constructed slopes may be much steeper during drilling, but will be recontoured to the above ratios during interim reclamation.

Topsoil redistribution: Topsoil will be evenly respread and aggressively revegetated over the entire disturbed area not needed for all-weather operations including cuts and fills. To seed the area, the proper BLM seed mixture, free of noxious weeds, will be used. Final seedbed preparation will consist of contour cultivating to a depth of 4 to 6 inches within 24 hours prior to seeding, dozer tracking, or other imprinting in order to break the soil crust and create seed germination micro-sites.

Soil treatment: Re-seed according to BLM standards. All reclaimed areas will be monitored periodically to ensure that revegetation occurs, that the area is not redisturbed, and that erosion is controlled.

Existing Vegetation at the well pad: Grass, forbs, and small woody vegetation, such as mesquite will be excavated as the topsoil is removed. Large woody vegetation will be stripped and stored separately and respreads evenly on the site following topsoil resspreading. Topsoil depth is defined as the top layer of soil that contains 80% of the roots. In areas to be heavily disturbed, the top 6 inches of soil material, will be stripped and stockpiled on the perimeter of the well location and along the perimeter of the access road to control run-on and run-off, to keep topsoil viable, and to make redistribution of topsoil more efficient during interim reclamation. Stockpiled topsoil should include vegetative material. Topsoil will be clearly segregated and stored separately from subsoils.

Existing Vegetation at the well pad attachment:

Existing Vegetation Community at the road: All disturbed areas, including roads, pipelines, pads, will be recontoured to the contour existing prior to the initial construction or a contour that blends indistinguishably with the surrounding landscape. Topsoil that was spread over the interim reclamation areas will be stockpiled prior to recontouring. The topsoil will be redistributed evenly over the entire disturbed site to ensure successful revegetation.

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline: All disturbed areas, including roads, pipelines, pads, will be recontoured to the contour existing prior to the initial construction or a contour that blends indistinguishably with the surrounding landscape. Topsoil that was spread over the interim reclamation areas will be stockpiled prior to recontouring. The topsoil will be redistributed evenly over the entire disturbed site to ensure successful revegetation.

Existing Vegetation Community at the pipeline attachment:

Existing Vegetation Community at other disturbances: All disturbed areas, including roads, pipelines, pads, will be recontoured to the contour existing prior to the initial construction or a contour that blends indistinguishably with the surrounding landscape. Topsoil that was spread over the interim reclamation areas will be stockpiled prior to recontouring. The topsoil will be redistributed evenly over the entire disturbed site to ensure successful revegetation.

Existing Vegetation Community at other disturbances attachment:

Non native seed used? NO

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project? NO

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation? NO

Seed harvest description:

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Seed harvest description attachment:

Seed Management

Seed Table

Seed type:

Seed source:

Seed name:

Source name:

Source address:

Source phone:

Seed cultivar:

Seed use location:

PLS pounds per acre:

Proposed seeding season:

Seed Summary

Total pounds/Acre:

Seed Type	Pounds/Acre
-----------	-------------

Seed reclamation attachment:

Operator Contact/Responsible Official Contact Info

First Name: Stan

Last Name: Wagner

Phone: (432)686-3689

Email: stan_wagner@eogresources.com

Seedbed prep:

Seed BMP:

Seed method:

Existing invasive species? NO

Existing invasive species treatment description:

Existing invasive species treatment attachment:

Weed treatment plan description: All reclaimed areas will be monitored periodically to ensure that revegetation occurs, that the area is not redisturbed, erosion is controlled, and free of noxious weeds. Weeds will be treated if found.

Weed treatment plan attachment:

Monitoring plan description: Reclamation will be completed within 6 months of well plugging. All reclaimed areas will be monitored periodically to ensure that revegetation occurs, that the area is not redisturbed, erosion is controlled, and free of noxious weeds.

Monitoring plan attachment:

Success standards: N/A

Pit closure description: NA

Pit closure attachment:

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Section 11 - Surface Ownership

Disturbance type: WELL PAD

Describe:

Surface Owner: STATE GOVERNMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office: STATE OF NEW MEXICO

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Fee Owner: Oliver Kiehne

Fee Owner Address: P.O. Box 135 Orla, TX 79770

Phone: (575)399-9281

Email:

Surface use plan certification: NO

Surface use plan certification document:

Surface access agreement or bond: Agreement

Surface Access Agreement Need description: surface use agreement

Surface Access Bond BLM or Forest Service:

BLM Surface Access Bond number:

USFS Surface access bond number:

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Section 12 - Other Information

Right of Way needed? NO

Use APD as ROW?

ROW Type(s):

ROW Applications

SUPO Additional Information: An onsite meeting was conducted 11/17/16. Poly lines are planned to transport water for operations. Will truck if necessary. See attached SUPO Plan.

Use a previously conducted onsite? YES

Previous Onsite information: Onsite meeting conducted 11/17/16.

Other SUPO Attachment

Fox 30 Fed Com_703H SUPO_02-14-2017.pdf

Fox 30 Fed Com 703H signed C-102_02-14-2017.pdf

FOX30FEDCOM_703H_ COMBINED_02-14-2017.PDF

Fox_30_Fed_Com_703H_revised_interim_reclamation_04-19-2017.pdf

Fox_30_Fed_Com_703H_revised_padsite_04-19-2017.pdf

Fox_30_Fed_Com_703H_revised_wellsite_04-19-2017.pdf

PWD

Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Leak detection system description:

Leak detection system attachment:

Lined pit Monitor description:

Lined pit Monitor attachment:

Lined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Lined pit bond amount:

Additional bond information attachment:

Section 3 - Unlined Pits

Would you like to utilize Unlined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit specifications:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule attachment:

Unlined pit reclamation description:

Unlined pit reclamation attachment:

Unlined pit Monitor description:

Unlined pit Monitor attachment:

Do you propose to put the produced water to beneficial use?

Beneficial use user confirmation:

Estimated depth of the shallowest aquifer (feet):

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic evidence:

State authorization:

Unlined Produced Water Pit Estimated percolation:

Unlined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Unlined pit bond number:

Unlined pit bond amount:

Additional bond information attachment:

Section 4 - Injection

Would you like to utilize Injection PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Injection PWD discharge volume (bbl/day):

Injection well mineral owner:

Injection well type:

Injection well number:

Injection well name:

Assigned injection well API number?

Injection well API number:

Injection well new surface disturbance (acres):

Minerals protection information:

Mineral protection attachment:

Underground Injection Control (UIC) Permit?

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

UIC Permit attachment:

Section 5 - Surface Discharge

Would you like to utilize Surface Discharge PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Surface discharge PWD discharge volume (bbl/day):

Surface Discharge NPDES Permit?

Surface Discharge NPDES Permit attachment:

Surface Discharge site facilities information:

Surface discharge site facilities map:

Section 6 - Other

Would you like to utilize Other PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Other PWD discharge volume (bbl/day):

Other PWD type description:

Other PWD type attachment:

Have other regulatory requirements been met?

Other regulatory requirements attachment:

Bond Info

Bond Information

Federal/Indian APD: FED

BLM Bond number: NM2308

BIA Bond number:

Do you have a reclamation bond? NO

Is the reclamation bond a rider under the BLM bond?

Is the reclamation bond BLM or Forest Service?

BLM reclamation bond number:

Forest Service reclamation bond number:

Forest Service reclamation bond attachment:

Reclamation bond number:

Operator Name: EOG RESOURCES INC

Well Name: FOX 30 FED COM

Well Number: 703H

Reclamation bond amount:

Reclamation bond rider amount:

Additional reclamation bond information attachment:

Operator Certification

Operator Certification

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME: Stan Wagner

Signed on: 02/15/2017

Title: Regulatory Specialsit

Street Address: 5509 Champions Drive

City: Midland

State: TX

Zip: 79702

Phone: (432)686-3689

Email address: Stan_Wagner@eogresources.com

Field Representative

Representative Name: James Barwis

Street Address: 5509 Champions Drive

City: Midland

State: TX

Zip: 79706

Phone: (432)425-1204

Email address: james_barwis@eogresources.com

Payment Info

Payment

APD Fee Payment Method: BLM DIRECT

CBS Receipt number: 3764398