



GATES E & S NORTH AMERICA, INC.
134 44TH STREET
CORPUS CHRISTI, TEXAS 78405

PHONE: 361-887-9807
FAX: 361-887-0812
EMAIL: Tim.Cantu@gates.com
WEB: www.gates.com

10K CEMENTING ASSEMBLY PRESSURE TEST CERTIFICATE


Customer :	AUSTIN DISTRIBUTING	Test Date:	4/30/2015
Customer Ref. :	4060578	Hose Serial No.:	D-043015-7
Invoice No. :	500506	Created By:	JUSTIN CROPPER
Product Description:	10K3.548.0CK4.1/1610KFLGE/E LE		
End Fitting 1 :	4 1/16 10K FLG	End Fitting 2 :	4 1/16 10K FLG
Gates Part No. :	4773-6290	Assembly Code :	L36554102914D-043015-7
Working Pressure :	10,000 PSI	Test Pressure :	15,000 PSI

Gates E & S North America, Inc. certifies that the following hose assembly has been tested to the Gates Oilfield Roughneck Agreement/Specification requirements and passed the 15 minute hydrostatic test per API Spec 7K/Q1, Fifth Edition, June 2010, Test pressure 9.6.7 and per Table 9 to 15,000 psi in accordance with this product number. Hose burst pressure 9.6.7.2 exceeds the minimum of 2.5 times the working pressure per Table 9.

Quality Manager :	QUALITY	Production:	PRODUCTION
Date :	4/30/2015	Date :	4/30/2015
Signature :		Signature :	

Form PTC - 01 Rev.02





20

25

30

35

15

10

5

60 MIN

GATES ENGINEERING & SERVICES NA
CHART POOL USA INC.
PORTAGE, INDIANA
APR 2 1974
1000-1HR

HOSE ID 3.5
GRADE 10K

TEST PRESSURE 12000
TEST DATE 4-2-74

WORKING PRESSURE 10000
ASSEMBLY DATE 4-2-74

SERIAL 22550

18000
16000
14000
12000
10000
8000
6000
4000
2000

18000
16000
14000
12000
10000
8000
6000
4000
2000

2000

4000

6000

8000

10000

12000

14000

16000

18000

2000

4000

6000

8000

10000

12000

14000

16000

18000