BI	UNITED STATES PARTMENT OF THE IN UREAU OF LAND MANAGE NOTICES AND REPOR S form for proposals to I. Use form 3160-3 (APL TRIPLICATE - Other inst	NTERIOR GEMENT Carlol	nd Fie D H	5. Lease Serial No. NMNM02965A  1. In ia A states of NMNM135754  8. Well Name and No.	ement, Name and/or No.
☑ Oil Well ☐ Gas Well ☐ Other				THOR 21 FED CC	OM 708H
Name of Operator Contact: STAN WAGNER EOG RESOURCES INCORPORATEDE-Mail: stan_wagner@eogresources.com				9. API Well No. 30-025-43091-00-X1	
3a. Address MIDLAND, TX 79702		3b. Phone No. (include area code) Ph: 432-686-3689		10. Field and Pool or Exploratory Area WC025G09S263327G-UP WOLFCAM	
4. Location of Well (Footage, Sec., T. Sec 21 T26S R33E SWSE 37)			11. County or Parish, State  LEA COUNTY, NM		
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICATE NATURE OF	NOTICE,	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
<ul> <li>□ Notice of Intent</li> <li>☑ Subsequent Report</li> <li>□ Final Abandonment Notice</li> </ul>	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans ☐ Convert to Injection	☐ Deepen ☐ Hydraulic Fracturing ☐ New Construction ☐ Plug and Abandon ☐ Plug Back	☐ Production (Start/Resume) ☐ Reclamation ☐ Recomplete ☐ Temporarily Abandon ☐ Water Disposal		<ul> <li>□ Water Shut-Off</li> <li>□ Well Integrity</li> <li>☑ Other</li> <li>□ Drilling Operations</li> </ul>
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi	ally or recomplete horizontally, k will be performed or provide operations. If the operation re- pandonment Notices must be fil and inspection.	give subsurface locations and measur the Bond No. on file with BLM/BIA. sults in a multiple completion or recor ed only after all requirements, includi	red and true ver Required sub impletion in a n	rtical depths of all pertin sequent reports must be new interval, a Form 316	ent markers and zones. filed within 30 days 0-4 must be filed once
Resumed drilling 9-7/8" hole.  6/01/17 Ran 7-5/8", 29.7#, (2/ at 4853'. 6/02/17 1st stage: Cement leat ail w/ 800 sx Class H, 14.8 pp. Notified BLM. 2nd stage: Cement lead w/ 15 tail w/ 200 sx Class C, 14.8 pp. Notified BLM will run temperat 6/03/17 Ran temperature log,	02 jts) P-110 LTC & (50 jt ad w/ 600 sx Class C, 10. ag, 1.15 CFS yield. Did no 500 sx Class C, 12.7 ppg, ag, 1.34 CFS yield. Did no ure log. WOC 8 hrs.	8 ppg, 4.46 CFS yield; ot circulate.  2.23 CFS yield; ot circulate.	575'. DV too	ol .	

14. I hereby certify that the foregoing is true and correct. Electronic Submission #378736 verified by the BLM Well Information System
For EOG RESOURCES INCORPORATED, sent to the Hobbs
Committed to AFMSS for processing by DEBORAH MCKINNEY on 06/14/2017 (17DLM1291SE) REGULATORY ANALYSIS Title Name (Printed/Typed) STAN WAGNER (Electronic Submission) Date 06/13/2017 Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE 2 MUSTAFA HAQUE Title PETROLEUM AENON NAMED MANAGEMENT Date 07/12/2017 Approved By CARLSBAD FIELD OFFICE Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



## Additional data for EC transaction #378736 that would not fit on the form

## 32. Additional remarks, continued

Ran CBL, TOC at 3600'. BLM instructed us to drill lateral. Tested casing to 2500 psi for 30 minutes. Test good. Drill out DV tool. Resumed drilling 6-3/4" hole.

6/09/17 TD at 16973'.
6/10/17 Ran 5-1/2", 23#, (250 jts) P-110 DQX, (131 jts) P-110 SF, (2 jts) P-110 LTC casing set at 16955'.
6/11/17 Cement lead w/ 350 sx Class C, 10.8 ppg, 3.67 CFS yield; tail w/ 620 sx Class H, 14.8 ppg, 1.15 CFS yield.
Circulated 33 bbls cement to surface. WOC 12 hrs.
6/12/17 Rig released.