

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
HOBBS OCD
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
RECEIVED
AUG 01 2017

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-31160
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injection Well		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Apache Corporation		6. State Oil & Gas Lease No. A-2614
3. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705		7. Lease Name or Unit Agreement Name McDonald State AC 1 [306613]
4. Well Location Unit Letter <u>H</u> : <u>2620</u> feet from the <u>North</u> line and <u>25</u> feet from the <u>East</u> line Section <u>16</u> Township <u>22S</u> Range <u>36E</u> NMPM County <u>Lea</u>		8. Well Number <u>034</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3552' GR		9. OGRID Number 873
		10. Pool name or Wildcat Eunice; 7Rivers-Queen, South (24130)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Apache proposes to temporarily abandon this well, as follows:

Day 1: MIRU SU. Release packer and POOH w/tubing. RU WL. RIH and set CIBP @ 3,710' via wireline. RIH and dump bail 35' of cement on top of CIBP. POOH.
RIH and tag TOC. Record depth of TOC. RD wireline.
RIH w/tubing (testing in).

Day 2: Test casing. Circulate inhibited fluid in wellbore.
POOH w/tubing. Perform MIT

**Condition of Approval: notify
OCD Hobbs office 24 hours
prior of running MIT Test & Chart**

NOTE: Please contact NMOCD 48 hours prior to performing MIT test.

Spud Date:

7/28/1991

Rig Release Date:

8/3/1991

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Reesa Fisher

TITLE Sr. Staff Reg Analyst

DATE 7/26/2017

Type or print name Reesa Fisher

E-mail address: Reesa.Fisher@apachecorp.com

PHONE: (432) 818-1062

For State Use Only

APPROVED BY:

[Signature]

TITLE

Petroleum Engineer

DATE

08/02/17

Conditions of Approval (if any):


Apache Corporation

Work Objective _____

Region Office Permian / Midland
District /Field Office NW / Eunice South
AFE Type _____

Start Date	TBD	End Date	TBD
Lease	McDonald State AC 1	KB	15'
Well Name	McDonald State AC 1 #34	Well No.	#34
Field	Eunice South	TD @	4000'
County	Lea	PBTD @	3894'
State	New Mexico	ETD @	N/A
AFE #	TBD	API #	30-025-31160
Gross AFE	TBD	Spud Date	7/29/1991
Apache WI	100.000000%	Comp. Date	8/21/1991

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	8-5/8"	K-55	24#	450'	350	Circulated to surface
Inter Csg						
Prod Csg	5-1/2"	K-55	15.5#	4000'	1579	Circulated to surface
Casing Liner						



Date	Zone	Actual Perforations	JSPF	Total Perfs
8/17/1991	Seven Rivers/Queen	Perf 3770' - 3800', 3806' - 12', 3818' - 56'	4	299

Date	Zone	Stimulation / Producing Interval	Amount
8/20/1991	Seven Rivers/Queen	Acidize w/5500 gals 15% NEFE Acid and 900# rock salt.	Saw good block action
11/12/1992	Seven Rivers/Queen	Acidize w/3500 gals 15% HCl Acid	
9/27/1993	Seven Rivers/Queen	Frac w/36,700 gals 30# crosslink	79,000# 20/40 Brady and 12,000# resin-coated (NOTE: had to cleanout a lot of sand)

Jts	Feet	Pulled Description	Tubing	Jts	Feet	Ran Description
			PIN JT #VALUE!			
			PS #VALUE!			
			SN #VALUE!			
			IPC #VALUE!			
			TBG #VALUE!			
			TAC #VALUE!			
			TBG #VALUE!			
			#VALUE!			
			#VALUE!			
			KB 15'	0	0.00	
Jts	Feet	Pulled Description	Rods	Jts	Feet	Ran Description
			Gas Anchor			
			Pump			
			TOOL			
			K-BAR			
			TOOL			
			K-BARS			
			RODS			
			RODS			
			RODS			
			SUBS			
			POLISH			
				0	0.00	

Well History / Failure	

Apache Representative _____ Contract Rig/Number _____

Apache Engineer Jacob Bower _____ Operator _____

Apache Corporation

Work Objective

TA Wellbore

Region Office

Permian / Midland


District / Field Office

NW / Eunice South

AFE Type

Start Date	TBD	End Date	TBD
Lease	McDonald State AC 1	KB	15'
Well Name	McDonald State AC 1 #34	Well No.	#34
Field	Eunice South	TD @	4000'
County	Lea	PBTD @	3894'
State	New Mexico	ETD @	N/A
AFE #	TBD	API #	30-025-31160
Gross AFE	TBD	Spud Date	7/29/1991
Apache WI	100.000000%	Comp. Date	8/21/1991

Description	O.D.	Grade	Weight	Depth	Cmt Sx	TOC
Surface Csg	8-5/8"	K-55	24#	450'	350	Circulated to surface
Inter Csg						
Prod Csg	5-1/2"	K-55	15.5#	4000'	1579	Circulated to surface
Casing Liner						



Date	Zone	Actual Perforations	JSPF	Total Perfs
8/17/1991	Seven Rivers/Queen	Perf 3770' - 3800', 3806' - 12', 3818' - 56'	4	299

Date	Zone	Stimulation / Producing Interval	Amount
8/20/1991	Seven Rivers/Queen	Acidize w/5500 gals 15% NEFE Acid and 900# rock salt.	Saw good block action
11/12/1992	Seven Rivers/Queen	Acidize w/3500 gals 15% HCl Acid	
9/27/1993	Seven Rivers/Queen	Frac w/36,700 gals 30# crosslink	79,000# 20/40 Brady and 12,000# resin-coated (NOTE: had to cleanout a lot of sand)

Jts	Feet	Pulled Description	Tubing	Jts	Feet	Ran Description
			PIN JT #VALUE!			
			PS #VALUE!			
			SN #VALUE!			
			IPC #VALUE!			
			TBG #VALUE!			
			TAC #VALUE!			
			TBG #VALUE!			
			#VALUE!			
			#VALUE!			
			KB 15'	0	0.00	
Jts	Feet	Pulled Description	Rods	Jts	Feet	Ran Description
			Gas Anchor			
			Pump			
			TOOL			
			K-BAR			
			TOOL			
			K-BARS			
			RODS			
			RODS			
			RODS			
			SUBS			
			POLISH			
				0	0.00	

Well History / Failure	

Apache Representative

Contract Rig/Number

Apache Engineer

Jacob Bower

Operator