Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS DO not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals

5. Lease Serial No.
NMAIM114992
6. If Indian, Allottee or Tribe Name

		, , .	OCD	Hobi	DS	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.	
Type of Well					8. Well Name and No. FIGHTING OKRA 18 19 FED 31H	
2. Name of Operator Contact: REBECCA DEAL DEVON ENERGY PRODUCTION COM: Mail: REBECCA.DEAL@DVN.COM					9. API Well No. 30-025-43267-00-X1	
3a. Address 6488 SEVEN RIVERS HIGHW ARTESIA, NM 88211	3b. Phone No. Ph: 405-228	(include area code) 3-8429		10. Field and Pool or Exploratory Area GWC-025 G06 S263407P		
4. Location of Well (Footage, Sec., T.			11. County or Parish, St	tate		
Sec 18 T26S R34E Lot 2 2310			LEA COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICAT	E NATURE O	F NOTICE,	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
■ Notice of Intent	☐ Acidize ☐ Deep		en Product		tion (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing	☐ Hydr	aulic Fracturing	☐ Reclam	ation	■ Well Integrity
☐ Subsequent Report	□ Casing Repair	□ New	Construction	□ Recomp	olete	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	☐ Tempor		
	☐ Convert to Injection	Plug	Back	■ Water Disposal		
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. Devon Energy Production Co., L.P. respectfully requests approval for the following changes and additions to the drilling plan: 1. SUMMARY OF CHANGES: Devon Energy respectfully requests approval for the following changes and additions to the drilling plan: 1. Utilize a spudder rig to pre-set surface casing. 2. Description of Operations 1. Spudder rig will move in their rig to drill the surface hole section and pre-set surface casing.						
Electronic Submission #381049 verified by the BLM Well Information System For DEVON ENERGY PRODUCTION COM LP, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 07/19/2017 (17PP0460SE)						
Name (Printed/Typed) REBECCA DEAL			Title REGULATORY ANALYST			
Signature (Electronic Submission)			Date 07/12/2	APPROVED		
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE	
Approved By mustafa Hague			Title	ETROLEU	AUG 1 2017 IM ENGINEER	Date 8-1-2017
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				CAR	OF LAND MANAGEME LSBAD FIELD OFFICE	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United						

Additional data for EC transaction #381049 that would not fit on the form

32. Additional remarks, continued

on the Fighting Okra 18-19 Fed 31H.

a. After drilling the surface hole section, the rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2 and all COA regulations).
b. Rig will utilize fresh water based mud to drill 17?? surface hole to TD. Solids control will be

 b. Rig will utilize fresh water based mud to drill 17?? surface hole to TD. Solids control will be handled entirely on a closed loop basis.

2. The wellhead will be installed and tested once the 13-3/8? surface casing is cut off and the WOC time has been reached.

3. A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
a. A means for intervention will be maintained while the drilling rig is not over the well.

4. Spudder rig operations is expected to take 8-10 days on a multi well pad.

5. The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.
6. Drilling operations will be performed with the drilling rig. At that time an approved BOP stack will be nippled up and tested on the wellhead before drilling operations commences on each well.
a. The BLM will be contacted / notified 24 hours before the drilling rig moves back on to the pad

a. The BLM will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing. The big right read to make back in within 90 days. 7. Devon Energy will have supervision over the right to ensure compliance with all BLM regulations and to oversee operations.

8. Once the rig is removed, Devon Energy will secure the wellhead area by placing a guard rail around the cellar area.

- All previous coan still apply. Additional COA is not required.