Form 3160-5 (June 2015)

UNITED STATES

FORM APPROVED Expires: January 31, 2018

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT AT SOAD

SUNDRY NOTICES AND REPORTS ON WELLS AT SOAD AND MANAGEMENT AT SOAD AND MANA

	7 IfIImit on CA/A		lama and/ac NI-					
SUBMIT IN TRIPLICATE - Other instructions on page 10BB3					7. If Unit or CA/Agreen	nent, N	ame and/or No.	
Type of Well			AU	i 0 8 2017	8. Well Name and No. FIGHTING OKRA 18 19 FED 21H			
2. Name of Operator DEVON ENERGY PRODUCTION COM: Mail: REBECCA.DEAL@DVN.COM RECEIVE					API Well No. 30-025-43275-00-X1			
6488 SEVEN RIVERS HIGHWAY Ph: 405-22 ARTESIA, NM 88211			(include area cod	e)	10. Field and Pool or Exploratory Area GWC-025 G06 S263407P			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State			
Sec 18 T26S R34E Lot 2/60FI			LEA COUNTY, N	IM				
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA								
TYPE OF SUBMISSION	TYPE OF ACTION				,			
Notice of Intent	☐ Acidize ☐ De		eepen Prod		ction (Start/Resume)		☐ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing		Reclam	☐ Reclamation		■ Well Integrity	
☐ Subsequent Report	eport Casing Repair		■ New Construction		☐ Recomplete		⊠ Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug	☐ Plug and Abandon		rarily Abandon	Change to Original A PD		
	☐ Convert to Injection	Plug	☐ Plug Back		■ Water Disposal			
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. Devon Energy Production Co., L.P. respectfully requests approval for the following changes and additions to the drilling plan: 1. SUMMARY OF CHANGES: Devon Energy respectfully requests approval for the following changes and additions to the drilling plan: 1. Utilize a spudder rig to pre-set surface casing. 2. Description of Operations 1. Spudder rig will move in their rig to drill the surface hole section and pre-set surface casing								
Electronic Submission #381047 verified by For DEVON ENERGY PRODUCTION Committed to AFMSS for processing by PRISCI				ent to the Hob on 07/19/2017	(17PP0459SE)			
Name(Printed/Typed) REBECCA DEAL			Title REGULATORY ANALYST					
Signature (Electronic Submission)			Date 07/12	2017 AF	PROJED		7	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved By Mustafa Hague Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease			Title P		ENGINEER017		Date 8-1-2017	
certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office Offic							of the United	
States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.								

(Instructions on page 2) ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #381047 that would not fit on the form

32. Additional remarks, continued

on the Fighting Okra 18-19 Fed 21H.

a. After drilling the surface hole section, the rig will run casing and cement following all of the applicable rules and regulations (OnShore Order 2 and all COA regulations).
b. Rig will utilize fresh water based mud to drill 17?? surface hole to TD. Solids control will be

handled entirely on a closed loop basis.

The wellhead will be installed and tested once the 13-3/8? surface casing is cut off and the WOC time has been reached.

3. A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead. a. A means for intervention will be maintained while the drilling rig is not over the well.

Spudder rig operations is expected to take 8-10 days on a multi well pad.
 The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.
 Drilling operations will be performed with the drilling rig. At that time an approved BOP stack

will be nippled up and tested on the wellhead before drilling operations commences on each well.

a. The BLM will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

7. Devon Energy will have supervision over the rig to ensure compliance with all BLM regulations

and to oversee operations.

8. Once the rig is removed, Devon Energy will secure the wellhead area by placing a guard rail

around the cellar area.

- All previous COAn still apply. Additional COA?s not required.