Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

BUREAU OF LAND MANAGEMENT CARISDAD FIELD Expires:
SUNDRY NOTICES AND REPORTS ON WELLS

BUREAU OF LAND MANAGEMENT CARISDAD FIELD

Expires:

Expires:

Expires:

Expires:

Expires:

Expires:

SUNDRY NOTICES AND REPORTS ON WELLS

Expires:

Expires:

Expires:

Expires:

Expires:

SUNDRY NOTICES AND REPORTS ON WELLS

Expires:

Exp

Do not use this form for proposals to drill or to re-enter a abandoned well. Use form 3160-3 (APD) for such proposals obosif Indian, Allottee or Tribe Name

			0000	00-					
SUBMIT IN TRIPLICATE - Other instructions on page 2						7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well ☑ Oil Well ☐ Gas Well ☐ Other				VED		8. Well Name and No. BOOMSLANG 14-23 FED 2H			
Name of Operator Contact: REBECCA DENT DEVON ENERGY PRODUCTION CONTRACT: REBECCA DENT CONTRACT: REBECCA DENT CONTACT: REBECCA D				ALD	9. API Well No. 30-025-43308				
3a. Address 333 WEST SHERIDAN AVENUE OKLAHOMA CITY, OK 73102 3b. Phone Ph: .405			(include area co 8-8429	de)	10. Field a RED H	10. Field and Pool or Exploratory Area RED HILLS; BONE SPRING N			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State					
Sec 14 T24S R33E NENW 225FNL 1450FWL				LEA COUNTY, NM					
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICAT	ΓΕ NATURE	OF NOTIC	E, REPORT,	OR OTHE	R DATA		
TYPE OF SUBMISSION	TYPE OF ACTION				1				
Notice of Intent ■	☐ Acidize ☐ Dee		pen Produc		uction (Start/R	tion (Start/Resume)		■ Water Shut-Off	
_	☐ Alter Casing	raulic Fracturing		amation	nation		■ Well Integrity		
☐ Subsequent Report	□ Casing Repair	□ New	Construction	☐ Reco	mplete		Other		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	☐ Tem	porarily Aband	lon	Change to Original A		
	☐ Convert to Injection	Convert to Injection							
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final Aldetermined that the site is ready for f Devon Energy respectfully reciplan: 1. Utilize a spudder rig to pre-2. Description of Operations: 1. Spudder rig will move in the on the Boomslang 14-23 Fed a. After drilling the surface ho applicable rules and regulation b. Rig will utilize fresh water b	rk will be performed or provided operations. If the operation rebandonment Notices must be fill final inspection. quests approval for the following set surface casing. eir rig to drill the surface heart. He section, the rig will runns (OnShore Order 2 and eased mud to drill 17?? surfaced mud to drill 17??	the Bond No. on sults in a multipled only after all is lowing change to leave the section are casing and cealil COA requirements to the section are casing and cealil COA requirements.	file with BLM// e completion or requirements, incomes and additional pre-set sur- ment following lations).	BIA. Required recompletion in cluding reclams ons to the drafface casing g all of the	subsequent report a new interval, ation, have been	orts must be file a Form 3160-4	ed within 30	days led once	
Name (Printed/Typed) REBECC	Electronic Submission # For DEVON ENERG Committed to AFMSS for	SY PRODUCTION	ON COMPAN, DEBORAH M	sent to the I CKINNEY on	Hobbs	F PROFESS	SI.		
Traine(17 mices 1) persy Traine(17 mices 1) persy	N DEAL		THE TYPE	OL/ (I DIXI)	APPI	ROJET	1	1	
Signature (Electronic	Submission)		Date 06/0		7111	TOVEL			
	THIS SPACE FO	OR FEDERA	L OR STAT	E OFFICE	USEAUG	1 2017			
Conditions of approval, if any, are attache			Title	PETROLE	IM ENGINE REAU OF LAN CARLSBAD I	ID MANAGE	MENT	8-1-2017	
certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office Office							11-2-1		

Additional data for EC transaction #377719 that would not fit on the form

32. Additional remarks, continued

handled entirely on a closed loop basis.

- 2. The wellhead will be installed and tested once the 13-3/8? surface casing is cut off and the WOC time has been reached.
- 3. A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead. a. A means for intervention will be maintained while the drilling rig is not over the well.

4. Spudder rig operations is expected to take 8-10 days on a multi well pad.

- 5. The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.6. Drilling operations will be performed with the drilling rig. At that time an approved BOP stack
- will be nippled up and tested on the wellhe ad before drilling operations commences on each well.

 a. The BLM will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing. The big moves back on to the pad with the pre-set surface casing. The big moves back on to the pad with the pre-set surface casing. The big moves back and with the pre-set surface casing. The big moves back and with all BLM regulations.

and to oversee operations.

8. Once the rig is removed, Devon Energy will secure the wellhead area by placing a guard rail around the cellar area.

- All previous COAn nill apply. Additional COA?s not required.