Form 3160-5 (June 2015)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Carlsbad Field Office No. 1004-0137
Expires: January 31, 2018


CARLSBAG FORM APPROVED
Expires: January 31, 2018

CARLSBAG FORM APPROVED
Expires: January 31, 2018


SUNDRY	NOTICES AND REPO	RTS ON WE	LLS OB	20	MMLC062300		
abandoned wel	NOTICES AND REPO is form for proposals to II. Use form 3160-3 (API	D) for such p	roposals.	SOCL	6. If Indian, Allottee or	Tribe Name	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on page 2 1. Type of Well Oil Well Gas Well Other					7. If Unit or CA/Agreement, Name and/or No. NMNM137151		
Type of Well ☐ Gas Well ☐ Oth	8. Well Name a		8. Well Name and No. ARABIAN 30-19 FE	ED COM 4H			
Name of Operator DEVON ENERGY PRODUCT	9. API Well No. 30-025-43788-00-X1						
3a. Address 333 WEST SHERIDAN AVENUE OKLAHOMA CITY, OK 73102 3b. Phone No Ph: 405.55			(include area code) 2.6571		10. Field and Pool or Exploratory Area WC025G08S253235G-LWR BONE SPI		
4. Location of Well (Footage, Sec., T.	11		11. County or Parish, State				
Sec 30 T25S R32E SENE 245 32.101849 N Lat, 103.710052	LEA COUNTY		LEA COUNTY, N	IM			
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	ΓE NATURE C	F NOTICE,	REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	F SUBMISSION TYPE OF ACTION						
■ Notice of Intent	☐ Acidize	□ Deep	□ Deepen		ion (Start/Resume)	■ Water Shut-Off	
	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclam	ation	■ Well Integrity	
☐ Subsequent Report	☐ Casing Repair	□ New	Construction	☐ Recomp	olete	Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug	and Abandon	□ Tempor	arily Abandon	Change to Original A	
	☐ Convert to Injection	Plug	Back	■ Water Disposal			
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attached that the site is ready for final Attached revised plats. 14. I hereby certify that the foregoing is	ally or recomplete horizontally, rk will be performed or provide to operations. If the operation repandoment Notices must be fil inal inspection. By Vaz; Devon Energy Proace hole from 2450 FNL 2	give subsurface the Bond No. on sults in a multiple ed only after all a	locations and meas file with BLM/BL e completion or rec equirements, inclu	ured and true ve A. Required sul ompletion in a r ding reclamatio	ertical depths of all pertine bsequent reports must be f new interval, a Form 3160 n, have been completed an	nt markers and zones. iled within 30 days -4 must be filed once	
Electronic Submission #381199 verified For DEVON ENERGY PRODUCTION Committed to AFMSS for processing by PRIS Name (Printed/Typed) LINDA GOOD			ON COMPAN, sent to the Hobbs				
Signature (Electronic S	Submission)		Date 07/13/2	2017			
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE		
Approved By CODY LAYTON			TitleASSISTANT FIELD MANAGER Date 08/03/2		Date 08/03/2017		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Hobbs				
The layer of the latter than the layer of th				1 7110 11		2 1 YY 1 1	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **







010 50 100 200 SCALE 1" = 100'

DEVON ENERGY PRODUCTION COMPANY, L.P.
ARABIAN 30-19 FED COM 4H


LOCATED 2485 FT. FROM THE NORTH LINE
AND 1317 FT. FROM THE EAST LINE OF
SECTION 30, TOWNSHIP 25 SOUTH,
RANGE 32 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

JUNE 29, 2017

SURVEY NO. 3987D

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP



USGS QUAD MAP: PADUCA BREAKS WEST

NOT TO SCALE

DEVON ENERGY PRODUCTION COMPANY, L.P.

ARABIAN 30-19 FED COM 4H


LOCATED 2485 FT. FROM THE NORTH LINE
AND 1317 FT. FROM THE EAST LINE OF
SECTION 30, TOWNSHIP 25 SOUTH,
RANGE 32 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

JUNE 29, 2017

SURVEY NO. 3987D

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO VICINITY MAP



DISTANCES IN MILES


NOT TO SCALE

DIRECTIONS TO LOCATION
FROM THE INTERSECTION OF STATE HWY 128 & ORLA HWY (COUNTY ROAD 1) GO SOUTH ON ORLA HWY APPROX. 6.2 MILES TO MONSANTO ROAD, TURN RIGHT (WEST) ON MONSANTO ROAD GO APPROX 2.1
MILES TO A "T" INTERSECTION, TURN LEFT (SOUTH) ON LEASE ROAD GO APPROX 1.5 MILES TO A CALICHE ROAD ON RIGHT (WEST), TURN RIGHT (WEST) GO APPROX 0.2 MILE TO LOCATION ON LEFT (SOUTH) SIDE OF ROAD.

DEVON ENERGY PRODUCTION COMPANY, L.P. ARABIAN 30-19 FED COM 4H LOCATED 2485 FT. FROM THE NORTH LINE AND 1317 FT. FROM THE EAST LINE OF SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

JUNE 29, 2017

SURVEY NO. 3987D MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO



SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO AERIAL ACCESS ROUTE MAP



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH NOV. 2015


DEVON ENERGY PRODUCTION COMPANY, L.P. ARABIAN 30-19 FED COM 4H


LOCATED 2485 FT. FROM THE NORTH LINE AND 1317 FT. FROM THE EAST LINE OF SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

JUNE 29, 2017

SURVEY NO. 3987D


MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO





ACCESS ROAD PLAT ACCESS ROAD FOR ARABIAN 30-19 FED COM 3H & 4H

DEVON ENERGY PRODUCTION COMPANY, L.P.
CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
JUNE 29, 2017



SEE NEXT SHEET (2-2) FOR DESCRIPTION



GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 1-2

MADRON SURVEYING

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SUBVEY IS FRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS GERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THIS 5 - DAY OF DUCT 2017

ADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 3987D

ARLSBAD, NEW MEXICO

ACCESS ROAD PLAT

ACCESS ROAD FOR ARABIAN 30-19 FED COM 3H & 4H

DEVON ENERGY PRODUCTION COMPANY, L.P.

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M.

LEA COUNTY, STATE OF NEW MEXICO

JUNE 29, 2017

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SE/4 NE/4 OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M., WHENCE THE EAST QUARTER CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS S70'42'14"E, A DISTANCE OF 1182.76 FEET;

THENCE NO0°02'28"E A DISTANCE OF 41.80 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF SAID SECTION 30, TOWNSHIP 25 SOUTH, RANGE 32 EAST, N.M.P.M. BEARS N26'27'19"E, A DISTANCE OF 2463.15 FEET;

SAID STRIP OF LAND BEING 41.80 FEET OR 2.53 RODS IN LENGTH, CONTAINING 0.029 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SE/4 NE/4 41.80 L.F. 2.53 RODS 0.029 ACRES

SURVEYOR CERTIFICATE

INC. 331 501/11/30

GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 2-2

MADRON SURVEYING

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITHESS WHEREOF, THIS BERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO. THIS 1200 DAY OF JULY 2017

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 3987D

CARLSBAD, NEW MEXICO