Form 3160-5 (June 2015)

## UNITED STATES

SUNDRY NOTICES AND REPORTS ON WELLS

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5.	Lease Serial No.
	NMLC069515

-	If Indian	A 11-44	on Taile	NI	
_					

Do not use the	is form for proposals to	drill or to re-	enter an	DAG		m if all
abandoned we	II. Use form 3160-3 (API	D) for such pi	oposals.	ags c	6. If Indian, Allottee o	r Tribe Name
SUBMIT IN	TRIPLICATE - Other inst	ructions on p	DA	192017	7. If Unit or CA/Agree	ement, Name and/or No.
Type of Well		, CCF	IVED	8. Well Name and No. WAR HAMMER 2	5 FEDERAL COM W1 00	
Name of Operator CONOCOPHILLIPS COMPAN	RHONDA ROGERS conocophillips.com			9. API Well No. 30-025-42027		
3a. Address P. O. BOX 51810 MIDLAND, TX 79710	3b. Phone No. (include area code), Ph: 432-688-9174			10. Field and Pool or Exploratory Area WC-025 G-09 S263225A;WOLF		
4. Location of Well (Footage, Sec., T	)			11. County or Parish, State		
Sec 25 T26S R32E Mer NMP	Sec 25 T26S R32E Mer NMP NENE 316FNL 125FEL				LEA COUNTY, NM	
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICAT	E NATURE O	F NOTICE	, REPORT, OR OTH	HER DATA
TYPE OF SUBMISSION	TYPE OF SUBMISSION		TYPE OI	FACTION		
☐ Notice of Intent	☐ Acidize	☐ Deepen ☐		☐ Produc	tion (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing	☐ Hydr	aulic Fracturing	- Reclam	ation	■ Well Integrity
Subsequent Report	☐ Casing Repair	□ New	Construction	□ Recom	plete	Other
☐ Final Abandonment Notice	Change Plans	☐ Plug	and Abandon	☐ Tempo	rarily Abandon	
	Convert to Injection	Plug	Back	□ Water I	Disposal	
determined that the site is ready for for ConocoPhillips Company wou intermediate csg and cmt on Cattached is a current schematic.	uld like to report a cmt squ 6/26/15 using class C PO2	z cmt f/ 8700'-:	ed on the 7 5/8" 27'.	csg during	the	
was th	u casing	fested	all	h?.		
14. I hereby certify that the foregoing is	Electronic Submission #3 For CONOCO Committed to AFMSS f	PHILLIPS COV	PÁNY, sent to t by DEBORAH H	the Hobbs AM on 08/08	2017	
Name (Printed/Typed) RHONDA	ROGERS		Title STAFF	-	DRY TECHNICIAN	of coops
Signature (Electronic S	Submission)		Date 07/28/2	017 AC	CEPTED FOR	MECUKU
	THIS SPACE FO	R FEDERA	OR STATE	OFFICE U	SE MIC 20 1	017
					NOG -	M/W
Approved By		ļ	Title			//Date
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to condu		Office	//	CARLSBAD FIELD	OF REAL PROPERTY.	
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a statements or representations as	crime for any per to any matter wit	son knowingly and hin its jurisdiction.	willfully to m	ake to any department or	agency of the United

Schemette - Current WAR HANNER 25 HEDERAL CONNVISION Field Name API / UWI State/Province County PERMIAN UNCONVENTIONAL RED HILLS WEST LEA **NEW MEXICO** 3002542027 Original Spud Date Surface Legal Location East/West Distance (ft) North/South Distance (ft) North/South Reference Section 25, Township 26 3/7/2015 125.00 FEL 316.00 FNL S, Range 32 E HORIZONTAL - Original Hole, 7/28/2017 12:02:37 PM MD (ftKB) Vertical schematic (actual) 11,000.0 1 12,483.9 E. 12.692.9 E. 12,901.9 1 13,110.9 13,319.9 1 13,522.0 1 13,720.1 13,929.1 1 14,138.1 14,369.1 A 14,587.9 **E** 14,808.1 15,027.9 VE 15,248.0 7 15,467.8 15,688.0 15,908.1 1 16,128.0 16,329.1 16,548.9 1 16,778.9 16,987,9 乙豐 17,208.0 一些 17,428.1 人 17,648.0 / E 17,868.1 18,087.9 人 18,308.1 7 18,527.9 PBTD Est 18,793.0

## ar hammer 25 federal com wii 3h Field Name RED HILLS WEST API / UWI District County State/Province PERMIAN UNCONVENTIONAL 3002542027 **NEW MEXICO** LEA Surface Legal Location East/West Distance (ft) North/South Distance (ft) Original Spud Date East/West Reference North/South Reference 125.00 FEL 316.00 FNL 3/7/2015 Section 25, Township 26 S, Range 32 E HORIZONTAL - Original Hole, 7/28/2017 12:02:37 PM MD TVD (ftKB) (ftKB) Directional schematic (actual) Float Collar; 18,794.6-18,796.0; 1.37; 5; 4.27... 8,578.3 8,690.0 Casing Joints; 18,796.0-18,882.9; 86.90; 5; 4.2.. 12,483,9 12,223.3 Float Shoe; 18,882.9-18,884.6; 1.69; 5; 4.27... 12.271.3 12,692.9 12 901 9 12.269.6 13,110.9 12.276.4 13,319.9 12.275.1 13,529.9 12.268.2 13,738.8 12,262.5 13,948,2 12,259 1 12,257 8 14,157.2 14,408.1 12,257 1 14,607.9 12,256.2 12,263 4 14,828.1 15,047.9 12,249 8 15,268,0 12,248,3 15,487.9 12.246 2 15,708.0 12,247,5 15,928.1 12,250,8 16,148.0 12,253.0 16,349.1 12,252.4 16,568 9 12,250.8 16,808,1 17,027,9 17,248.0 17,467 8 12,248.2 17,688 0 12,253,1 17,908,1 12,255.8 18,128,0 12,254.7 18,348.1 12,257.3 Note: Directional schematic does not correlate to other tracks.