

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Mewbourne Oil Company PO Box 5270 Hobbs, NM 88241		² OGRID Number 14744
		³ Reason for Filing Code/ Effective Date NW / 09/09/17
⁴ API Number 30 - 025 - 42914	⁵ Pool Name WC-025 G-08 S263205N; Upper Wolfcamp	⁶ Pool Code 98065
⁷ Property Code 315631	⁸ Property Name Red Hills West 21 W1DM Fed Com	⁹ Well Number 3H

II. ¹⁰ Surface Location

UL or lot no. D	Section 21	Township 26S	Range 32E	Lot Idn	Feet from the 185	North/South Line North	Feet from the 500	East/West line West	County Lea
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. M	Section 21	Township 26S	Range 32E	Lot Idn	Feet from the 335	North/South line South	Feet from the 349	East/West line West	County Lea
¹² Lse Code F	¹³ Producing Method Code Flowing	¹⁴ Gas Connection Date 09/09/17	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				



III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
174238	Enterprise Crude Oil, LLC 4600 W Hwy 80 Midland, TX 79706	O
285689	Delaware Basin Midstream, LLC PO Box 1330 Houston, TX 77251-1330	G

IV. Well Completion Data We are asking for an exemption from tubing at this time

²¹ Spud Date 06/23/17	²² Ready Date 09/09/17	²³ TD 16570' MD 11750' TVD	²⁴ PBTB 16547'	²⁵ Perforations 11919' - 16510'	²⁶ DHC, MC NA
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2"	13 3/8"	915'	800		
12 1/4"	9 5/8"	4290'	900		
8 3/4"	7"	11913'	1050		
6 1/8"	4 1/2"	11235' - 16510'	350		

V. Well Test Data

³¹ Date New Oil 09/09/17	³² Gas Delivery Date 09/09/17	³³ Test Date 09/11/17	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 4125
³⁷ Choke Size 20/64"	³⁸ Oil 706	³⁹ Water 2050	⁴⁰ Gas 2103		⁴¹ Test Method Production
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Jackie Lathan			OIL CONSERVATION DIVISION		
Printed name: Jackie Lathan			Approved by: 		
Title: Regulatory			Title:  Petroleum Engineer		
E-mail Address: jlathan@mewbourne.com			Approval Date: 10/05/17		
Date: 09/26/17		Phone: 575-393-5905			

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM27507
2. Name of Operator MEWBOURNE OIL COMPANY Contact: JACKIE LATHAN E-Mail: jlathan@mewbourne.com		6. If Indian, Allottee or Tribe Name
3a. Address PO BOX 5270 HOBBS, NM 88241	3b. Phone No. (include area code) Ph: 575-393-5905	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T26S R32E Mer NMP NWNW 185FNL 500FWL		8. Well Name and No. RED HILLS WEST 21 W1DM FED COM 3H
		9. API Well No. 30-025-42914
		10. Field and Pool or Exploratory Area UPPER WOLFCAMP
		11. County or Parish, State LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

08/30/17 Frac Wolfcamp from 11919' MD (11750' TVD) to 16510' MD (11751' TVD). 1008 holes, 0.39" EHD, 120 degree phasing. Frac in 29 stages w/11,466,556 gals slickwater, carrying 7,171,745# 100 Mesh sand & 4,121,330# 40/70 sand.

Flowback well for cleanup.

09/09/17 PWOL for production.

We are asking for an exemption from tubing at this time.

Bond on file: NM1693 nationwide & NMB000919

14. I hereby certify that the foregoing is true and correct. Electronic Submission #389841 verified by the BLM Well Information System For MEWBOURNE OIL COMPANY, sent to the Hobbs	
Name (Printed/Typed) JACKIE LATHAN	Title AUTHORIZED REPRESENTATIVE
Signature (Electronic Submission)	Date 09/26/2017

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

Additional data for EC transaction #389841 that would not fit on the form

32. Additional remarks, continued

Bond on file: 22015694 nationwide & 022041703 Statewide

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

HOBBS OCD
SEP 28 2017
RECEIVED

1a. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other		5. Lease Serial No. NMNM27507	
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____		6. If Indian, Allottee or Tribe Name	
2. Name of Operator MEWBOURNE OIL COMPANY		Contact: JACKIE LATHAN E-Mail: jlathan@mewbourne.com	
3. Address PO BOX 5270 HOBBS, NM 88241		3a. Phone No. (include area code) Ph: 575-393-5905	
4. Location of Well (Report location clearly and in accordance with Federal requirements)* Sec 21 T26S R32E Mer At surface NWNW 185FNL 500FWL Sec 21 T26S R32E Mer NMP At top prod interval reported below NWNW 363FNL 357FWL Sec 21 T26S R32E Mer NMP At total depth SWSW 335FSL 349FWL		8. Lease Name and Well No. RED HILLS 21 W1DM FED COM 3H	
14. Date Spudded 06/23/2017		15. Date T.D. Reached 07/14/2017	
16. Date Completed <input type="checkbox"/> D & A <input type="checkbox"/> Ready to Prod. 09/09/2017		17. Elevations (DF, KB, RT, GL)* 3153 GL	
18. Total Depth: MD 16570 TVD 11750		19. Plug Back T.D.: MD 16547 TVD 11750	
20. Depth Bridge Plug Set: MD TVD		21. Type Electric & Other Mechanical Logs Run (Submit copy of each) CBL, CCL, GR & CNL	
22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes (Submit analysis)			

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 J55	54.5	0	915		800	233	0	
12.250	9.625 N80	40.0	0	4290		900	355	0	
8.750	7.000 P110	26.0	0	11913		1050	314	3990	
6.125	4.500 P110	13.5	11235	16510		350	155	0	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WOLFCAMP	11751	16570	11919 TO 16510	0.390	1008	OPEN
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
11919 TO 16510	11,466,566 GALS SLICKWATER CARRYING 7,181,745# 100 MESH SAND & 4,121,330# 40/70 WHITE SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
09/09/2017	09/11/2017	24	→	706.0	2103.0	2050.0	50.4	0.78	FLows FROM WELL
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
20/64	SI	4125.0	→	706	2103	2050	2979	PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #389877 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
WOLFCAMP	11571	16570	OIL, WATER, GAS	RUSTLER T/SALT B/SALT DELAWARE BELL CANYON BRUSHY CANYON BONE SPRING WOLFCAMP	683 1047 4114 4329 4368 7058 8402 11571

32. Additional remarks (include plugging procedure):
Logs will be sent by mail.

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7 Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #389877 Verified by the BLM Well Information System.
For MEWBOURNE OIL COMPANY, sent to the Hobbs

Name (please print) JACKIE LATHAN

Title REGULATORY

Signature (Electronic Submission)

Date 09/26/2017

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL **