

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd. Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-24651

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

AO-2614

7. Lease Name or Unit Agreement Name

McDonald WN State (306617)

8. Well Number

23

9. OGRID Numer

873

10. Pool Name or Wildcat

Jalmat; Tan-Yates-7Rvrs(Gas)(79240)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Apache Corporation

3. Address of Operator

303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705

4. Well Location

Unit Letter C : 660 feet from the N line and 1980 feet from the W line
Section 15 Township 22S Range 36E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3548' GL

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐ INT TO PA pm
CASING/CEMENT JOB ☐ P&A NR _____
P&A R _____
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.14 NMAC.

Spud Date:

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Sr. Reclamation Foreman DATE 10/24/17Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: Mark Whitaker TITLE Petroleum Engr. Specialist DATE 10/31/2017

Conditions of Approval (if any):



WELL BORE INFO.

LEASE NAME

McDonald WN State

WELL #

23

API #

30-025-24651

COUNTY

LEA

0

371

10 3/4" Hole
7 5/8" 26.4# @ 429'
w/ 250 sx CIRC to surf

742

1113

1484

1855

2226

TOC @ 2200' (TS)

2597

2968

3339


CIBP @ 3250' w/ 35' cmt

7 Rvrs/Queen perms @ 3320' - 3667'

3710

6 3/4" Hole
4 1/2" 9.5# @ 3710'
w/ 500 sx. TOC @ 2200' (TS)

PBTD @ 3250'
TD @ 3710'





WELL BORE INFO.

LEASE NAME	McDonald WN State
WELL #	23
API #	30-025-24651
COUNTY	LEA

PROPOSED PROCEDURE

Cut off wellhead 3' below ground level. Verify cement to surface. Install P&A marker.

0

371

10 3/4" Hole
7 5/8" 26.4# @ 429'
w/ 250 sx CIRC to surf



742

1113

1484

1855

2226

TOC @ 2200' (TS)

2597

2968

3339

CIBP @ 3250' w/ 35' cmt

3710

6 3/4" Hole
4 1/2" 9.5# @ 3710'
w/ 500 sx. TOC @ 2200' (TS)

PBTD @ 3250'
TD @ 3710'

4. P.U.H & perf @ 479' & sqz 135 sx Class "C" cmt from 479' to surf. Attempt to CIRC 4 1/2" to surf. (Surf Shoe & Water Board)

3. P.U.H & perf @ ^{1500'}1650' & sqz 40 sx Class "C" cmt from 1650' - 1450' WOC/TAG (Top & Base of Salt)
^{1500'-1300'}

2. Spot 25 sx Class C cmt at 3100'.
(Base Salt)

1. MIRU P&A rig. RIH w/tbg & verify CIBP @ 3250', CIRC w/ MLF.

7 Rvrs/Queen perms @ 3320' - 3667'