Submit 1 Copy To Appropriate District State of New Mexico	Form C-103
District I – (575) 393-6161 Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210 DIL CONSERVAHOBBES OF D	30-025-43897
District III – (505) 334-6178 12720 South St. Francis Dr	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87503 9 2018 District IV – (505) 476-3460 Santa Fe, NM 87503 9 2018	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	Thor 21
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other	8. Well Number 709H
2. Name of Operator EOG Resources, Inc.	9. OGRID Number 7377
3. Address of Operator	10. Pool name or Wildcat
P.O. Box 2267 Midland, TX 79702	Sanders Tank; Upper Wolfcamp
4. Well Location Unit Letter P : 175 feet from the South line and 439 feet from the East line	
Section 21 Township 26S Range 33E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3253' GR	
5255 GR	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB Image: Complement of the second seco	
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT DOWNHOLE COMMINGLE	T JOB 🔽
CLOSED-LOOP SYSTEM	_
OTHER: OTHER: Image: Classical state and perturbative perturb	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of	
proposed completion or recompletion.	
1/15/18 Resume drilling 12-1/4" hole. 1/17/18 Ran 9-5/8", 40#, J55 LTC (0'-3947')	
Ran 9-5/8", 40#, HCK55 LTC (3947'-4840')	
1/18/18 Cement lead w/ 810 sx Class C, 12.7 ppg, 2.37 CFS yield;	
tail w/ 390 sx Class C, 14.8 ppg, 1.45 CFS yield. Circulated 139 sx cement to surface.	
Tested casing to 1500 psi for 30 minutes. Test good.	
Resumed drilling 8-3/4" hole.	
Spud Date: 12/10/17 Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
	01/16/2018
SIGNATURE the Way TITLE Regulatory Analyst	01/16/2018
Type or print name Stan Wagner / E-mail address:	PHONE: 432-686-3689
For State Use Only	
APPROVED BY: Sallen Sharp TITLE Staff Mar	DATE 2-2-18
Conditions of Approval (if any):	