

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

Form C-103
June 19, 2008

HOBBS OCD
MAR 22 2018
RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-104) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-31548
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chevron Midcontinent, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 6301 Deauville Blvd, Midland, TX 79706		7. Lease Name or Unit Agreement Name Lovington San Andreas Unit
4. Well Location Unit Letter <u>O</u> : <u>350</u> feet from the <u>SOUTH</u> line and <u>1630</u> feet from the <u>EAST</u> line Section <u>31</u> Township <u>16S</u> Range <u>37E</u> NMPM County <u>Lea</u>		8. Well Number 82
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3806' GL, 3822 KB		9. OGRID Number 241333
		10. Pool name or Wildcat Vacuum; Glorieta

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/>	INT TO PA <input type="checkbox"/> P&A NR <input checked="" type="checkbox"/> P&A R <input type="checkbox"/>	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/6/2018 MIRU APWS Rig 12. Check PSI on well. Found hole @ surface.

3/7/2018 PU 5 1/2" pkr. TIH to 33' and set pkr. PT pkr to 500#. Test - OK. LD pkr. Tag plug @ 4520'. Plug #1: Mix & pump 30sxs Class C cmt from 4520' - 4224'.

3/8/2018 PT well. Plug #2: Mix & pump 90sxs Class C cmt from 3784' - 2394'. TOH to 1370'. Plug #3A: Mix & pump 90sxs Class C cmt from 1370' - 481'. TOH to 481'. Plug #3B: Mix & pump 30sxs Class C cmt from 481' - 175'. TOH to 175'. Plug #3C: Mix & pump 20sxs Class C cmt from 175' - Surface. LD all tbg. RD MOL.

The subject well was plugged and abandoned on 3/8/2018 per the attached Final P&A report and Plugged Well Diagram.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nick Glann TITLE Well Abandonment Engineer DATE 3/21/2018

Type or print name Nick Glann E-mail address: nglann@chevron.com PHONE: 432-687-7786
For State Use Only

APPROVED BY: Mahesh Patel TITLE P.E.S. DATE 03/22/2018
Conditions of Approval (if any):

Approved for Plugging of wellbore only. Liability under bond is retained pending restoration and completion of the C-103, Specific for Subsequent Report of Well Plugging, which may be found on the OCD web page under forms.
Restoration Due By 03-08-2019

LSAU 82
Plugged WBD

Lovington San Andres Unit
350' FSL & 1630' FEL, UL – O, Sec. 31, T16S, R37E
Lea County, NM / API # 30-025-31548

Elevation: 3806' GL


(12-1/4" hole)

Surface Csg:
8 5/8", 24#, H-40 @ 1320'

(7-7/8" hole)

Prod Csg:
5 1/2", 15/5#, K-55 @ 5150'

PBTD @ 5111'
TD @ 5150'



Plug #3C: Mix & pump
20sxs Class C cmt from
175' – Surface.

Plug #3B: Mix & pump
30sxs Class C cmt from
481' – 175'

Plug #3A: Mix & pump
90sxs Class C cmt from
1370' – 481'

Plug #2: Mix & pump
90sxs Class C cmt from
3784' – 2894'

Plug #1: Mix & pump
30sxs Class C cmt from
4520' – 4224'

4 1/2" CIBP @ 4520' Capped
w/ 50' cmt

San Andres Perfs:
4657' – 5064'