Form 3160-5 (June 2015)

(Instructions on page 2)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

NMOCD Hobbs

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM66925

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well				8 Well Name and No.	
☑ Oil Well ☐ Gas Well ☐ Other				MESA VERDE BS UNIT 9	
Name of Operator OXY USA INC.	Contact: SARAH MITCHELL E-Mail: sarah_mitchell@oxy.com			9. API Well No. 30-025-44194	
3a. Address P.O. BOX 50250 MIDLAND, TX 79710		3b. Phone No. (include area code) Ph: 432-699-4318 HOBBS OCT		10. Field and Pool or Exploratory Area MESA VERDE BONE SPRING	
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)			11. County or Parish,	State
Sec 17 T24S R32E Mer NMP SWSW 280FSL 1116FWL 32.210960 N Lat, 103.701683 W Lon			2018	LEA COUNTY, NM	
12. CHECK THE A	PROPRIATE BOX(ES) TO INDI	CATE NATURE OF	NOTICE,	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	☐ Acidize ☐ I	☐ Deepen		ion (Start/Resume)	■ Water Shut-Off
☐ Notice of Intent	☐ Alter Casing ☐ I	alter Casing Hydraulic Fracturing		ation	☐ Well Integrity
☑ Subsequent Report ☐ Casing Repair ☐		New Construction	□ Recomp	olete	⊠ Other
☐ Final Abandonment Notice	Change Plans			arily Abandon	Drilling Operations
_				Disposal	
following completion of the involved testing has been completed. Final Al determined that the site is ready for final 2/12/18 NU BOP, test @ 250 992', perform FIT EMW= 15.5 csg and set @ 4717', called P then cmt w/ 1270 sks (424 BB BBLs) PPC w/ additives, 14.8 test csg to 4760 psi for 30 min 3/2/18 NU BOP, test @ 250 p formation to 4740' perform FIT Pat Hutchins at BLM prior to r 50 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 BBLs spacer, then cmt w/ 250 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer, then cmt w/ 250 psi for 30 BBLs spacer.	rk will be performed or provide the Bond No operations. If the operation results in a mubandonment Notices must be filed only after inal inspection. psi low, 5000 psi high. RIH & tag con PPG. Drill 12-1/4" hole to 4730' (2 at Hutchins at BLM to advice of certles) PPC w/ additives, 12.9 PPG, 1.8) PPG, 1.33 yield. Circ. 449 sks (150, good test. ND BOP, install well considered by the second process of the second process is low, 5000 psi high, good test. RIFEMW=10 PPG. Drill 8-1/2" hole to unning casing. RIH w/ 5-1/2" 20# P235 sks (70 BBLs) PPC w/ additives additives, 13.2 PPG, 1.65 yield. Est	ntiple completion or recoral requirements, including all requirements, and all requirements are released as a rele	formation to the second	new interval, a Form 316 n, have been completed a control of the completed a control of the cont	0-4 must be filed once
14. I hereby certify that the foregoing is	true and correct. Electronic Submission #408478 ver	rified by the BLM Wel	Unformation	System	
	For OXY USA IN	IC., sent to the Hobb	s		X/
Name (Printed/Typed) DAVID STEWART Title SR/REGULATORY ADVISOR					
Traine(17theat1)peay DAVID CT	EVVAIX	/ Ork IVE	ACCHP	TED FOR/RE	CORDI/ A
Signature (Electronic S	Submission)	Date 03/20/20	18	120101111	
	THIS SPACE FOR FEDE	RAL OR STATE	FFICE U	SE 20 2018	
certify that the applicant holds legal or equivalent would entitle the applicant to condu	d. Approval of this notice does not warrant aitable title to those rights in the subject least to operations thereon. U.S.C. Section 1212, make it a crime for an	Se Office		RLSBAD FLEXT CEMIC	agency of the United
	statements or representations as to any matter			department of	- State of the control

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

Additional data for EC transaction #408478 that would not fit on the form

32. Additional remarks, continued

stage, performed Bradenhead squeeze by pumping 10 BBLs spacer then cementing w/ 1033 sks (345 BBLs) PPC w/ additives, 12.9 PPG, 1.87 yield. Ran echometer, TOC = 50'.) ND BOP, install well cap, release rig (3/16/18).