Office District I - (575) 393-6161 1625 N. French Dr., Hobbs, NM 88HOBS OCD District II - (575) 748-1283 811 S. First St., Artesia, NM 88210 District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410 District IV - (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NMRECELVED 87505 SUNDRY NOTICES AND REPO (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMI PROPOSALS.) 1. Type of Well: Oil Well Gas Well Otel 2. Name of Operator Fasken Oil and Ranch, Ltd. 3. Address of Operator 6101 Holiday Hill Road, Midland, TX 79707	TO DEEPEN OR PLUG BACK TO A T" (FORM C-101) FOR SUCH	WELL API NO. 30-025-41771 5. Indicate Type of Lease STATE FEE 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name Laguna "16" State 8. Well Number 5H 9. OGRID Number 151416 10. Pool name or Wildcat Salt Lake; Bone Spring
4. Well Location	make South lineard 220	Y fact from the West line
	m the South line and 330	
Section 16 Town		
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3513' GR		
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT JOB 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give perfinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 7-8-14 - 7-26-14 Drilled an 8 %" hole from 4600' - 12,200'. Plugged well back. Please see attachment for more information.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNATURE 12m mon	TITLERegulatory Analy	vst DATE 8-6-2014
Type or print name Kim Tyson	E-mail address: <u>kimt@forl.</u>	com PHONE: 432-687-1777
APPROVED BY: Mary TITLE Daff Mgp DATE 5-15-18 Conditions of Approval (if any):		

Fasken Oil and Ranch, Ltd. Laguna 16 State No. 5H Plug Well Back & TA Well API No. 30-025-41771 Sundry Notice Attachment

7-8-14 - 7-26-14

Plugging Detail:

Plug 1: 12,195' to 12,095', Bottom plug (50 sx Class "H", 17 ppg, yield 0.99 ft³/sx)
Plug 2: 11,912' to 11,812', Strawn top, (50 sx Class "H", 17 ppg, yield 0.99 ft³/sx)
Plug 3: 10,964' to 10,864', Wolfcamp top, (50 sx Class "H", 17 ppg, yield 0.99 ft³/sx)
Plug 4: 7,739' to 7,639', Bone Spring top, (60 sx Class "H", 17 ppg, yield 0.99 ft³/sx)
Plug 5: 6,158' to 6,058', Brushy Canyon top, (50 sx Class "H", 17 ppg, yield 0.99 ft³/sx)
Plug 6: 4,925' to 4,825', Bell Canyon top, (50 sx Class "H", 17 ppg, yield 0.99 ft³/sx)
Plug 7: 4,643' to 4,543', Intermediate casing seat, (110 sx Class "H", 17 ppg, yield 0.99 ft³/sx)

Plugging operations were approved by Maxey with the NMOCD.

Calculated PBTD = 4543'.

Installed a fence around the cellar. Well temporarily plugged and abandoned.