

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87413  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

HOBBS OGD  
JUN 18 2018  
RECEIVED

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.  
30-025-44675

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Condor 32 State

8. Well Number 310H

9. OGRID Number  
7377

10. Pool name or Wildcat  
Hardin Tank; Bone Spring

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
EOG Resources, Inc.

3. Address of Operator  
P.O. Box 2267 Midland, TX 79702

4. Well Location  
Unit Letter C : 843 feet from the North line and 2490 feet from the West line  
Section 32 Township 25S Range 34E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3320' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☒  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


6/07/18 Tested casing to 1500 psi. Resumed drilling 12-1/4" hole.  
6/09/18 Ran 9-5/8", 40#, J55 LTC (0'-3953')  
Ran 9-5/8", 40#, HCK55 LTC (3953'-5194')  
6/10/18 Cement w/ 920 sx Class C, 12.7 ppg, 2.32 CFS yield;  
tail w/ 415 sx Class C, 14.8 ppg, 1.42 CFS yield.  
Circulated 203 sx cement to surface. Good casing test to 2250 psi.  
Resumed drilling 8-3/4" hole.

Spud Date: 4/26/18

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

  
Stan Wagner

TITLE

Regulatory Analyst

DATE

6/11/2018

Type or print name

E-mail address:

PHONE:

432-686-3689

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

  
6/15/18