Form 3160-5	HOBBS OCD UNITED STATES JUN 2 7 2018 FORM APPROVED DEPARTMENT OF THE INTERIOR JUN 2 7 2018 FORM APPROVED						
(June 2015)		UNITED STATE ARTMENT OF THE I REAU OF LAND MANA	NTERIOR	JUN	272018 46		I APPROVED NO. 1004-0137 January 31, 2018
SI			o Condad	» REC	GIVES	5. Lease Serial No. NMNM108503	
Do no abando	oned well.	form for proposals to Use form 3160-3 (AF	D) for such	CD H	obbe	o. Allottee	or Tribe Name
SUI	BMIT IN TR	RIPLICATE - Other ins	tructions on pag			7. If Unit or CA/Agr	eement, Name and/or
1. Type of Well S Oil Well Gas Well Other						8. Well Name and No CABALLO 23 FE	
2. Name of Operator EOG RESOURCES INC Contact: ELIZABETH CASTILLO E-Mail: ELIZABETH_CASTILLO@EOGRESOURCES.COM					 API Well No. 30-025-43876- 	00-X1	
3a. Address 1111 BAGBY SKY LOBBY2 HOUSTON, TX 77002			3b. Phone No. (include area code) Ph: 432-686-3697			10. Field and Pool or Exploratory Area WC025G09S253336D-UPPER V	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description			n)			11. County or Parish	, State
Sec 23 T25S R33E SWSW 494FSL 461FWL 32.110138 N Lat, 103.550171 W Lon			,				, NM
12. CHECK	K THE APP	PROPRIATE BOX(ES) TO INDICATE	NATURE O	F NOTICE,	REPORT, OR OT	HER DATA
TYPE OF SUBMISS	ION			TYPE OF	ACTION		
□ Notice of Intent		Acidize	🗖 Deepen		Producti	on (Start/Resume)	Water Shut-
		Alter Casing	🗖 Hydraul	ic Fracturing	🗖 Reclama	ation	🗖 Well Integri
Subsequent Report		Casing Repair	🗖 New Co	nstruction	🗖 Recomp	lete	Other
Final Abandonment	Notice	Change Plans	🗖 Plug and	d Abandon	Tempora	arily Abandon	Drilling Opera
		Convert to Injection	🗖 Plug Ba	ck	🗖 Water D	isposal	
Attach the Bond under wh following completion of the	en directionall hich the work the involved o	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple co	tions and measu with BLM/BIA mpletion or reco	red and true ve Required sub mpletion in a p	roposed work and appr rtical depths of all pert sequent reports must b ew interval, a Form 31	inent markers and zon e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of th testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3. 6/20/2018 TD at 18398'	n directionall hich the work the involved o d. Final Abaa ready for fina /4" hole.	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r adonment Notices must be fi al inspection.	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple co	tions and measu with BLM/BIA mpletion or reco	red and true ve Required sub mpletion in a p	roposed work and appr rtical depths of all pert sequent reports must b ew interval, a Form 31	inent markers and zon e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of ti testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3. 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018	m directional hich the work he involved o d. Final Abaa ready for fina /4" hole. /P-110, Geo P-110, Ultra sx class H, 23 psi. Test	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fi al inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good.	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple co- iled only after all requ	tions and measu with BLM/BIA mpletion or reco	red and true ve Required sub mpletion in a p	roposed work and appr rtical depths of all pert sequent reports must b ew interval, a Form 31	inent markers and zon e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3. 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018 Cement lead w/825 s Tested casing to 639 Did not circulate cem	m directional hich the work he involved o d. Final Abar ready for fina /4" hole. /P-110, Gee P-110, Ultra sx class H, 33 psi. Test hent. TOC a	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fi al inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good. at 7476' CBL	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple co- iled only after all requ	tions and measu with BLM/BIA mpletion or reco	red and true ve Required sub mpletion in a p	roposed work and appr rtical depths of all pert sequent reports must b ew interval, a Form 31	inent markers and zon e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3, 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018 Cement lead w/825 s Tested casing to 639	m directionall hich the work he involved o cd. Final Abai ready for fina a ready for fina (P-110, Geo P-110, Ultra sx class H, 3 psi. Test hent. TOC a foregoing is th	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fi al inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good. at 7476' CBL ue and correct. Electronic Submission a	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple co- iled only after all requi- bled	tions and measu with BLM/BL mpletion or reco irements, includ	red and true ve Required sub mpletion in a n ing reclamation	roposed work and appr rical depths of all pert sequent reports must b ew interval, a Form 3 I h, have been completed	inent markers and zor e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3, 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018 Cement lead w/825 s Tested casing to 639 Did not circulate cem	n directional hich the work the involved o d. Final Abar ready for final /4" hole. /P-110, Geo P-110, Ultra sx class H, 33 psi. Test hent. TOC a foregoing is th Comm	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fa l inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good. at 7476' CBL Tue and correct. Electronic Submission a For EOG	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple co- iled only after all requi- bled	tions and measu with BLM/BIA mpletion or reco irements, includ	red and true ve Required sub mpletion in a n ing reclamation	roposed work and appr ricical depths of all pert sequent reports must b ew interval, a Form 3 I a, have been completed system (18PP1322SE)	inent markers and zor e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of ti testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3. 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018 Cement lead w/825 s Tested casing to 639 Did not circulate cem	n directional hich the work the involved o d. Final Abar ready for final /4" hole. /P-110, Geo P-110, Ultra sx class H, 33 psi. Test hent. TOC a foregoing is th Comm	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fr al inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good. at 7476' CBL Tue and correct. Electronic Submission a For EOG nitted to AFMSS for prov 4 CASTILLO bmission)	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple con- iled only after all requi- block only after all requi- end after all requi- block only after all requi- all after all after al	tions and measu with BLM/BIA mpletion or reco irements, includ the BLM Wel , sent to the F LLA PEREZ ou the REGUL ate 06/25/21	red and true ve Required sub mpletion in a n ing reclamation l Information tobbs n 06/26/2018 ATORY TEC	System (18PP1322SE)	inent markers and zor e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3, 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018 Cement lead w/825 s Tested casing to 639 Did not circulate cem	m directional hich the work he involved o cd. Final Abaa ready for fina /4" hole. /P-110, Ged P-110, Ultra sx class H, 23 psi. Test hent. TOC a foregoing is th Comm ELIZABETH	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fi al inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good. at 7476' CBL Tue and correct. Electronic Submission a For EOG nitted to AFMSS for provid 1 CASTILLO	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple con- iled only after all requi- block only after all requi- end after all requi- block only after all requi- all after all after al	tions and measu with BLM/BIA mpletion or reco irements, includ the BLM Wel , sent to the F LLA PEREZ ou the REGUL ate 06/25/21	red and true ve Required sub mpletion in a n ing reclamation l Information tobbs n 06/26/2018 ATORY TEC	System (18PP1322SE)	inent markers and zor e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3. 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018 Cement lead w/825 s Tested casing to 639 Did not circulate cem 14. I hereby certify that the f Name (Printed/Typed) E Signature (I Approved By_ACC	m directional hich the work he involved o d. Final Abar ready for final aready for final p/4" hole. (P-110, Geo P-110, Ultra sx class H, 33 psi. Test hent. TOC a foregoing is th Comm ELIZABETH Electronic Su	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fal inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good. at 7476' CBL Tue and correct. Electronic Submission a For EOG nitted to AFMSS for prov 1 CASTILLO bmission) THIS SPACE F	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple con- iled only after all requi- eld #425239 verified by RESOURCES INC, cessing by PRISCII Tit Da OR FEDERAL O	tions and measu with BLM/BIA mpletion or reco irements, includ the BLM Wel , sent to the H LLA PEREZ ou the REGUL the REGUL	red and true ve Required sub mpletion in a n ing reclamation I Information lobbs 06/26/2018 ATORY TEC 018 OFFICE US	system (18PP1322SE) CH	inent markers and zon e filed within 30 days 60-4 must be filed on
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is 6/13/2018 Resumed drilling 6-3. 6/20/2018 TD at 18398' Ran 5-1/2", 20#, ICY Ran 5-1/2", 20#, ICY Ran 5-1/2", 23#, HCF 6/21/2018 Cement lead w/825 s Tested casing to 639 Did not circulate cem 14. I hereby certify that the f Name (Printed/Typed) E Signature (1	en directionall hich the work he involved o d. Final Abar ready for final /4" hole. (P-110, Gee P-110, Ultra sx class H, 03 psi. Test hent. TOC a foregoing is th Comm ELIZABETH Electronic Su	ation: Clearly state all pertin y or recomplete horizontally will be performed or provid perations. If the operation r ndonment Notices must be fal inspection. Deconn TS (0' - 11,305') a SF (11,305' - 18,388' 14.5 ppg, 1.25 CFS yie good. at 7476' CBL ue and correct. Electronic Submission a For EOG nitted to AFMSS for prov 4 CASTILLO bmission) THIS SPACE F D Approval of this notice doe able title to those rights in th	ent details, including e , give subsurface loca e the Bond No. on file esults in a multiple con- iled only after all requi- block of the subsurface loca esults in a multiple con- led only after all requi- estimation of the subsurface of the sub- second of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the subsurface of the sub- estimation of the subsurface of the sub- estimation of the subsurface of the sub- estimation of the subsurface of the sub- subsurface of the subsurface of the sub- subsurface of the subsurface of the sub- subsurface of the sub- subsurface of the subsurface of the subsurface of the sub- subsurface of the subsurface of the subsurf	tions and measu with BLM/BIA mpletion or reco irements, includ the BLM Well sent to the H LLA PEREZ of the REGUL the 06/25/20 DR STATE	red and true ve Required sub mpletion in a n ing reclamation I Information lobbs 06/26/2018 ATORY TEC 018 OFFICE US	system (18PP1322SE) CH	inent markers and zor e filed within 30 days 60-4 must be filed on and the operator has

; . · Additional data for EC transaction #425239 that would not fit on the form

 $\in \mathbb{C}^{n}_{1}(\mathbb{C}^{n})$

. x

32. Additional remarks, continued

6/22/2018 Rig Released.

Revisions to Operator-Submitted EC Data for Sundry Notice #425239

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM108503	NMNM108503
Agreement:		
Operator:	EOG RESOURCES, INC. PO BOX 2267 MIDLAND, TX 79702 Ph: 432-686-3697	EOG RESOURCES INC 1111 BAGBY SKY LOBBY2 HOUSTON, TX 77002 Ph: 7136517000
Admin Contact:	ELIZABETH CASTILLO REGULATORY TECH E-Mail: ELIZABETH_CASTILLO@EOGRESOURCES.INC	ELIZABETH CASTILLO REGULATORY TECH E-Mail: ELIZABETH_CASTILLO@EOGRESOURCES.COM
	Ph: 432-686-3697	Ph: 432-686-3697
Tech Contact:	ELIZABETH CASTILLO REGULATORY TECH E-Mail: ELIZABETH_CASTILLO@EOGRESOURCES.INC	ELIZABETH CASTILLO REGULATORY TECH E-Mail: ELIZABETH_CASTILLO@EOGRESOURCES.COM
	Ph: 432-686-3697	Ph: 432-686-3697
Location: State: County:	NM LEA COUNTY	NM LEA
Field/Pool:	WC-025 S253336D UPPER WC	WC025G09S253336D-UPPER WC
Well/Facility:	CABALLO 23 FED COM 702H Sec 23 T25S R33E SWSW 494FSL 461FWL	CABALLO 23 FED COM 702H Sec 23 T25S R33E SWSW 494FSL 461FWL 32.110138 N Lat, 103.550171 W Lon

~

\$