

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| | | |
|---|--|--|
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG A WELL OR TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | | WELL API NO. 30-025-29977 ✓ |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> | | 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 2. Name of Operator Smith & Marrs, Inc. | | 6. State Oil & Gas Lease No. V-1671 |
| 3. Address of Operator P.O. Box 863 Kermit, TX 79745 | | 7. Lease Name or Unit Agreement Name Sanmal Queen Unit ✓ |
| 4. Well Location Unit Letter <u>D</u> : <u>990</u> feet from the <u>North</u> line and <u>330</u> feet from the <u>West</u> line Section <u>12</u> Township <u>17S</u> Range <u>33E</u> NMPM <u>Lea</u> County <u>✓</u> | | 8. Well Number <u>009</u> ✓ |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) | | 9. OGRID Number 020989 ✓ |
| | | 10. Pool name or Wildcat Sanmal; Queen ✓ |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT

REMEDIAL WORK ☐
COMMENCE DRILLING OF INT TO P&A PM ☒
CASING/CEMENT JOB P&A NR _____
P&A R _____

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

SEE ATTACHED

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Agent DATE 6/28/2018

Type or print name Bobby Stearns E-mail address: bobbystearns1@yahoo.com PHONE: 575-760-2482

For State Use Only

APPROVED BY: [Signature] TITLE Petroleum Engr. Specialist DATE 07/05/2018

Conditions of Approval (if any):

C103 INTENT TO P&A EXPIRES
1 YEAR FROM DATE OF APPROVAL


MW

**Proposed P&A Procedures
Sanmal Queen Unit #9
API # 30-025-29977**

1. Set 5 ½" CIBP @ 3667'. Circulate MLF and test casing. Spot 25 sx cement on top of CIBP.
2. Spot 25 sx cement @ 2685'. Base Salt
3. Perforate 5 ½" casing at 1600' and squeeze with 50 sx cement. WOC and tag at 1500' or higher. Top of Salt and 8 5/8" Shoe Plug.
4. Perforate 5 ½" casing at 250' and pump cement down 5 ½" casing to perfs at 250' and up 5 ½" X 8 5/8" annulus to surface with 70 sx.
5. Cut off wellhead and insure cement is to surface in both strings of casing. Install dry hole marker.

All fluids will be circulated to a steel pit.

Smith & Marrs Inc
Sanmal Queen Unit #9
API 30-025-29977
WBD Before PA



Smith & Marrs Inc
Sanmal Queen Unit #9
API 30-025-29977
WBD After PA

