Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resource	Revised July 18, 2013 WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	30-025-44839
<u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease STATE ☐ FEE ☐
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
SUNDRY NOT	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLI	CATION FOR PERMIT" (FORM C-101) FOR CH	Osprey 10 8. Well Number
PROPOSALS.) 1. Type of Well: Oil Well	OSALS TO DRILL OR TO DEEPEN OR PLUG BOOM A CATION FOR PERMIT" (FORM C-101) BORNOCH Gas Well Other HOBBER	301H
2. Ivanie of Operator	11 13 7010	9. OGRID Number
EOG Resources, Inc. 3. Address of Operator	JULTUED	7377 10. Pool name or Wildcat
P.O. Box 2267 Midland, TX 79702	Gas Well Other HOBBS JUL 13 2018 Que 13 2018 Que 13 2018	Red Hills; Bone Spring, East
4. Well Location	1	
Unit Letter M: 208 feet from the South line and 14 feet from the West line		
Section 10	Township 25S Range 34I	
	11. Elevation (Show whether DR, RKB, RT, GF 3333'GR	R, etc.)
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL	
TEMPORARILY ABANDON		
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB		
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM		
OTHER:	☐ OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recompletion.		
C/07/19 DD 10 1/4"		
6/27/18 RD 12-1/4" 6/28/18 Ran 9-5/8", 40#, J55 LTC (0'-3953')		
Ran 9-5/8", 40#, HCK55 LTC (3953'-5257')		
6/29/18 Cement lead with 930 sx Class C, 12.7 ppg, 2.32 yld;		
Tail with 420 sx Class C, 14.8 ppg, 1.42 yld. Circulate 150 sx. Test casing to 2700 psi. 6/30/18 RD 8-3/4" hole. Circulate 150 sx. Test casing to 2700 psi. Now long? good test?		
6/30/18 RD 8-3/4" hole.		
•		
<u> </u>		
Spud Date: 6/21/18	Rig Release Date:	
<u> </u>		
Thombo and Code at the information	should be the send complete to the best of my limour	viodes and halist
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNATURE Character TITLE Regulatory Specialist DATE July 3, 2018		
Type or print name Tina Hue	erta E-mail address: tina huerta@eo	gresources.com PHONE: 575-748-4168
For State Use Only		
APPROVED BY Jaren Sharp TITLE Staff Mar DATE 1-13-18		
Conditions of Approval (if any):		