

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis
Santa Fe, NM 87505

WELL API NO. 30-025-32300
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name McQuatters State Com
8. Well Number #1
9. OGRID Number 5898
10. Pool name or Wildcat Eumont (Yates 7-Rivers Queen)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well XXX <input type="checkbox"/> Other
2. Name of Operator David H. Arrington Oil & Gas, Inc.
3. Address of Operator P.O. Box 2071, Midland, Texas 79702
4. Well Location Unit Letter <u>F</u> : <u>1830</u> feet from the <u>West</u> line and <u>1980</u> feet from the <u>North</u> line Section <u>11</u> Township <u>21S</u> Range <u>36E</u> NMPM Lea County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK	INT TO P&A <input checked="" type="checkbox"/> P&A NR <u> </u> P&A R <u> </u>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS.	
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <u> </u>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- CIRCULATE MLP & PRESSURE TEST CSG TO 500 PSI
1. CIBP 5-1/2 @ 3152' w/25 sxs
 2. 25 sxs cmt @ 2746', tag 2694'
 3. 25 sxs cmt @ 1346', tag 1246'
 4. 18 sxs cmt @ 60' to surface. Install DHM.
25 250'

Cut wellhead off 3' below ground level.
Verify cement to surface.
Install upright P&A marker.

APPROVED 08/07/2018 Mah Whitely
P.E.S.

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

R

C103 INTENT TO P&A EXPIRES
1 YEAR FROM DATE OF APPROVAL

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE W. H. Whitely TITLE Reg. Coordinator DATE 7/31/18

McQuatters State Com #1

Current

Eumont (Yates 7- Rivers Queen)

1830' FWL & 1980' FNL, Section 11, T-21-S, R-36-E

Lea County, NM, API #30-027-32300

Today's Date: 7/26/18

Spud: 11/1/3/93

Completed: 1/15/93

Elevation: 3564' GI
3570' KB

12.25" hole

8-5/8" , 24# Casing set @ 1296'
Cement with 600 sxs, circulated


2-3/8" Tubing @ 3572'
w/ SN

Queen Perforations:
3202' – 3592'

7-7/8" hole

5.5", 15.5#, Casing set @ 3749'
Cement with 950 sxs, circulated to surface

PBTD 3590'
TD 3750'



Eumont (Yates 7- Rivers Queen)

Spud: 11/1/3/93

Completed: 1/15/93

Elevation: 3564' GI
3570' KB

1830' FWL & 1980' FNL, Section 11, T-21-S, R-36-E

Lea County, NM, API #30-027-32300

12.25" hole

Plug #4: ~~60'~~ - 0'
Spot ~~10~~ sxs

25

8-5/8" , 24# Casing set @ 1296'
Cement with 600 sxs, circulated

Plug #3: 1346' – 1246'
Spot 25 sxs

Plug #2: 2746' – 2694'
Spot 25 sxs

Plug #1: 3152'
Spot 25 sxs

Set CIBP @ 3152'

Queen Perforations:
3202' – 3592'

Packer @ 3640'

5.5", 15.5#, Casing set @ 3749'
Cement with 950 sxs, circulated to surface

7-7/8" hole

PBTD 3700'
TD 3750'