District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Will connect to North Thistle 3 CTB 1

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

## GAS CAPTURE PLAN

x Orig	ginai		Oper	ator & OGKID I	No.: <u>Devo</u>	on Production	n Co., L.P. (6137)	
□ A:	mended			Date: 6/8/2018				
Reaso	n for Amendment:							
	Gas Capture Plan outlines ompletion (new drill, reconstruction)  A C-129 must be submitted as a production Facility —				o reduce we	ll/production  **  **  **  **  **  **  **  **  **	n facility Plaring/venting OF 102018 18 KM 102018 RECEIVED	g fo
The w	rell(s) that will be located	at the	production facil	ity are shown in	the table bel	ow.		
V	Well Name	API	Well Location	Footages	Expected MCF/D	Flared or Vented	Comments	

Sec 3-T23S-33E | 231'FSL 1519'

## **Gathering System and Pipeline Notification**

North Thistle 3-34 State

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to Lucid & DCP and will be connected to Lucid & DCP low/high pressure gathering system located in Lea County, New Mexico. It will require 13,000' of pipeline to connect the facility to low/high pressure gathering system. Devon provides (periodically) to Lucid & DCP a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Devon and Lucid & DCP have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at Lucid Red Hills Processing Plant located at Sec. 13-24S-34E, Lea Co. NM & DCP Linam Ranch Processing Plant located in Sec. 6, TWN 19S, RNG 37E, Lea County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

## Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on Lucid & DCP's system at that time. Based on current information, it is Devon's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines