		UNITED STATE PARTMENT OF THE I JREAU OF LAND MANA	INTERIOR	HOBE	is oc		FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018		
	SUNDRY	NOTICES AND REPO	ORTS ON WE	ills sep	0 4 2018	5. Lease Ser NMLCO			
L al	Do not use thi bandoned wel	s form for proposals to I. Use form 3160-3 (AF	o drill or to re- PD) for such p	ontor an -	CEIVE		Allottee or Tribe Name		
	SUBMIT IN 1	RIPLICATE - Other ins	tructions on p	page 2	- V-I-I-I-I-I-I-I-I-I-I-I-I-I-I-I-I-I-I-	7. If Unit or	CA/Agreement, Name ar	id/or No.	
1. Type of Well						8. Well Name and No. WH RHODES B FEDERAL NCT-1 23			
Contact: GREG BRYANT PPC OPERATING COMPANY LLC E-Mail: GREG.BRYANT@BASICENERGYSERVICE:					5 COM	9. API Well No. 30-025-32097-00-S1			
3a. Address 1500 INDUSTRIAL BLVD SUITE 304 Bh: 432-56			(include area code)		10. Field and). Field and Pool or Exploratory Area RHODES			
ABILENE, TX 79602 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County of	or Parish, State			
Sec 26 T26S R37E SWNW 2583FNL 55FWL					/	LEA COUNTY, NM			
12. CH	IECK THE AF	PROPRIATE BOX(ES)) TO INDICAT	FE NATURE O	F NOTICE,	REPORT, O	OR OTHER DATA		
TYPE OF SUB	MISSION			TYPE OF	ACTION)N			
🛿 Notice of Inter	nt	□ Acidize				ion (Start/R		Pm	
Subsequent Re	eport	Alter Casing Casing Repair		Construction	□ Reclama		INT TO PA P&A NR		
🗖 Final Abandon	nment Notice	Change Plans	_	and Abandon		arily Abani	P&A R		
	-	Convert to Injection	🗖 Plug	Back	🔲 Water 🛙	Disposal			
testing has been cor determined that the	mpleted. Final Ab e site is ready for fi		iled only after all r	e completion or reco equirements, includ	mpletion in a 1	new interval, a	Form 3160-4 must be file	d once	
testing has been cor determined that the 1) MIRU. ND W 2) RIH Tbg - Ta 3) Spot 50sx cm 4) PUH to 1400 5) POOH Tbg. N	mpleted. Final At site is ready for fi ag existing CIB nt @ 3128'-268 0' - Spot 40sx c ND BOP. Pum	andonment Notices must be fi	esults in a multiple iled only after all r t (if necessary) MLF fface	e completion or reco requirements, includ	mpletion in a 1	new interval, a	Form 3160-4 must be file	d once	
testing has been cor determined that the 1) MIRU. ND W 2) RIH Tbg - Ta 3) Spot 50sx cm 4) PUH to 1400 5) POOH Tbg. N	mpleted. Final At site is ready for ff /H, NU BOP. P ag existing CIB nt @ 3128'-268 of a 2128'-268 of a 2128'-268 of a 2128'-268 ND BOP. Pum off well. RDMC	andonment Notices must be fi inal inspection. OOH w/ Prod equipment P @ 3128'. Circ hole w/ I 34'. WOC-Tag mt to 1040'. WOC-Tag p 15sx cmt @ 100' to su p 15sx cmt @ 15sx cmt @ 100' to su p 15sx cmt	esults in a multiple iled only after all r t (if necessary) MLF rface Install P&A ma	e completion or reco equirements, includ arker.	I Information the Hobbs 1 03/09/2017	new interval, a n, have been co	Form 3160-4 must be file ompleted and the operator	d once	
testing has been cor determined that the 1) MIRU. ND W 2) RIH Tbg - Ta 3) Spot 50sx cm 4) PUH to 1400 5) POOH Tbg. N 6) POOH. Top c	mpleted. Final Ab site is ready for ff /H, NU BOP. P ag existing CIB nt @ 3128'-268)' - Spot 40sx c ND BOP. Pum off well. RDMC off well. RDMC	andonment Notices must be fi inal inspection. OOH w/ Prod equipment P @ 3128'. Circ hole w/ I 34'. WOC-Tag mt to 1040'. WOC-Tag p 15sx cmt @ 100' to sui p 15sx cmt @ 15sx cmt @ 15sx cmt & 100' to sui p 15sx cmt @ 15sx cmt & 100' to sui p 15sx cmt	esults in a multiple iled only after all r t (if necessary) MLF rface Install P&A ma	e completion or reco equirements, includ arker. MY LLC, sent to SCILLA PEREZ or Title AGENT	Information Information Information the Hobbs 1 03/09/2017	new interval, a n, have been co	Form 3160-4 must be file ompleted and the operator	d once	
testing has been cor determined that the 1) MIRU. ND W 2) RIH Tbg - Ta 3) Spot 50sx cm 4) PUH to 1400 5) POOH Tbg. N 6) POOH. Top c	mpleted. Final At site is ready for ff /H, NU BOP. P ag existing CIB nt @ 3128'-268 of a 2128'-268 of a 2128'-268 of a 2128'-268 ND BOP. Pum off well. RDMC	andonment Notices must be fi inal inspection. OOH w/ Prod equipment P @ 3128'. Circ hole w/ I 34'. WOC-Tag mt to 1040'. WOC-Tag p 15sx cmt @ 100' to sui p 15sx cmt @ 15sx cmt @ 15sx cmt & 100' to sui p 15sx cmt @ 15sx cmt & 100' to sui p 15sx cmt	esults in a multiple iled only after all r t (if necessary) MLF fface Install P&A ma #369165 verifier RATING COMP cessing by PRI	arker.	I Information the Hobbs 03/09/2017	n System (17PP0351S)	Form 3160-4 must be file ompleted and the operator	d once	
testing has been cor determined that the 1) MIRU. ND W 2) RIH Tbg - Ta 3) Spot 50sx cm 4) PUH to 1400 5) POOH Tbg. N 6) POOH. Top c 14. I hereby certify th Name (Printed/Type Signature	mpleted. Final At site is ready for ff /H, NU BOP. P ag existing CIB nt @ 3128'-268)' - Spot 40sx c ND BOP. Pum off well. RDMC off well. RDMC nat the foregoing is con wed) GREG BR (Electronic S	andonment Notices must be fi inal inspection. OOH w/ Prod equipment P @ 3128'. Circ hole w/ I 34'. WOC-Tag mt to 1040'. WOC-Tag p 15sx cmt @ 100' to sur p 15sx cmt @ 15sx cmt @ 15sx cmt @ 100' to sur p 15sx cmt @ 15sx cmt	esults in a multiple iled only after all r t (if necessary) MLF fface Install P&A ma #369165 verifier RATING COMP cessing by PRI	arker.	I Information the Hobbs 03/09/2017 017	n System (17PP0351S)	Form 3160-4 must be file ompleted and the operator E)	ed once has	
testing has been cor determined that the 1) MIRU. ND W 2) RIH Tbg - Ta 3) Spot 50sx cm 4) PUH to 1400 5) POOH Tbg. N 6) POOH. Top c 14. I hereby certify th Name (<i>Printed/Type</i> Signature 	mpleted. Final At site is ready for ff (H, NU BOP. P ag existing CIB nt @ 3128'-268)' - Spot 40sx c ND BOP. Pum off well. RDMC not 40sx c ND BOP. Pum off well. RDMC (Electronic S (Electronic S - SWARTZ	andonment Notices must be fi inal inspection. OOH w/ Prod equipment P @ 3128'. Circ hole w/ I 34'. WOC-Tag mt to 1040'. WOC-Tag p 15sx cmt @ 100' to sur p. Cut off WH & anchors. Cut off WH & anchors. Electronic Submission f For PPC OPEI mitted to AFMSS for prod RYANT Submission) THIS SPACE F	esults in a multiple iled only after all r t (if necessary) MLF rface Install P&A ma #369165 verifie RATING COMPE cessing by PRI OR FEDERA	arker.	I Information the Hobbs 03/09/2017 017	n System (17PP0351S)	Form 3160-4 must be file ompleted and the operator E)	d once	
testing has been cor determined that the 1) MIRU. ND W 2) RIH Tbg - Ta 3) Spot 50sx cm 4) PUH to 1400 5) POOH Tbg. f 6) POOH. Top c 14. I hereby certify th Name (<i>Printed/Type</i> Signature 	mpleted. Final At site is ready for ff /H, NU BOP. P ag existing CIB nt @ 3128'-268)' - Spot 40sx c ND BOP. Pum off well. RDMC if well. RDMC <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>con</u> <u>c</u>	andonment Notices must be fi inal inspection. OOH w/ Prod equipment P @ 3128'. Circ hole w/ I 34'. WOC-Tag mt to 1040'. WOC-Tag p 15sx cmt @ 100' to sur p. Cut off WH & anchors. Cut off WH & anchors. Electronic Submission f For PPC OPEI mitted to AFMSS for prod RYANT Submission) THIS SPACE F	esults in a multiple iled only after all r t (if necessary) MLF fface Install P&A ma #369165 verifie RATING COMPE cessing by PRI OR FEDERA OR FEDERA	arker. by the BLM Well arker. by the BLM Well ANY LLC, sent to SCILLA PEREZ or Title AGENT Date 03/08/22 L OR STATE (TitleTECHNIC/ Office Hobbs rson knowingly and	I Information the Hobbs 03/09/2017 OFFICE U	n System (17PP0351SI	Form 3160-4 must be file ompleted and the operator E) Date (ed once has	

Revisions to Operator-Submitted EC Data for Sundry Notice #369165

J. Sug

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	ABD NOI	ABD NOI
Lease:	NMLC030174B	NMLC030174B
Agreement:		
Operator:	PPC OPERATING COMPANY LLC 4700 W. SAM HOUSTON PKWY N. STE. 140 HOUSTON, TX 77041 Ph: 325-668-9230	PPC OPERATING COMPANY LLC 1500 INDUSTRIAL BLVD SUITE 304 ABILENE, TX 79602 Ph: 325.267.6046
Admin Contact:	GREG BRYANT AGENT E-Mail: GREG.BRYANT@BASICENERGYSERVICES.COM Cell: 432-889-7302 Ph: 432-563-3355 Fx: 432-563-3364	GREG BRYANT AGENT E-Mail: GREG.BRYANT@BASICENERGYSERVICES.COM Ph: 432-563-3355
Tech Contact:	GREG BRYANT AGENT E-Mail: GREG.BRYANT@BASICENERGYSERVICES.COM Cell: 432-889-7302 Ph: 432-563-3355 Fx: 432-563-3364	GREG BRYANT AGENT E-Mail: GREG.BRYANT@BASICENERGYSERVICES.COM Ph: 432-563-3355
Location: State: County:	NM LEA	NM LEA
Field/Pool:	RHODES YATES 7RVR	RHODES
Well/Facility:	WH RHODES B FED NCT-1 23 Sec 26 T26S R37E 2583FNL 55FWL	WH RHODES B FEDERAL NCT-1 23 Sec 26 T26S R37E SWNW 2583FNL 55FWL

•

HPPC, Inc. 306 West Wall Suite 209 Midland, TX 79701 432-557-5067

August 29, 2018

HOBBS OCD SEP 04 2018 RECEIVED

Oil Conservation Division ATTN: Maxey Brown 1625 N. French Dr. Hobbs, NM 88240

1

Re: Notice of Intent to Plug and Abandon Rhodes B #9 and Rhodes B #23

Dear Mr. Brown,

Attached is form C-103 to file notice of intent to plug and abandon Rhodes B NCT-1 #9 well. Also attached is a wellbore diagram for the proposed plugging of this well. We request that you approve this notice.

Also attached is a permit to plug and abandon Rhodes B NCT-1 #23 that was filed by the previous operator, PPC Operating Company and permit was approved on 5/15/2017 by Mr. Paul Swartz. The Permit expired on January 31, 2018. We request to have this permit re-instated to allow HPPC, Inc to plug this well.

Please feel free to contact me at 432-557-5067 or email at rajan.prasad@hppcinc.com.

Best Regards, Rajan Prasad

Vice President HPPC, Inc.