Form 3160-5 (June 2015)	NITED STATES/ DEPAR 1 MENT OF THE IN BUREAU OF LAND MANA		FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018
Do abai	SUNDRY NOTICES AND REPO not use this form for proposals to ndoned well. Use form 3160-3 (API	GEMENT CARLSBAD FIELD FIELD CARLSBAD FIELD FI	<ol> <li>Lease Serial No. NMNM118726</li> <li>If Indian, Allottee or Tribe Name</li> </ol>
S	UBMIT IN TRIPLICATE - Other inst		If Unit or CA/Agreement, Name and/or No. NMNM137576
1. Type of Well Oil Well Gas	Well 🔲 Other	RECENT	8. Well Name and No. ANTIETAM 9 FEDERAL COM 701H
2. Name of Operator EOG RESOURCE	Contact: S INCORPORATEDE-Mail: Kay_Madd	KAY MADDOX ox@EOGRESOURCES.com	9. API Well No. 30-025-43477-00-S1
3a. Address MIDLAND, TX 79	702	3b. Phone No. (include area code) Ph: 432-686-3658	10. Field and Pool or Exploratory Area WC025G09S253309A-UPPER WC
4. Location of Well (Fe	potage, Sec., T., R., M., or Survey Description,	)	11. County or Parish, State
	NWNW 59FNL 348FWL 103.584160 W Lon		LEA COUNTY, NM
12. CHE0	CK THE APPROPRIATE BOX(ES)	TO INDICATE NATURE OF NOTICE	REPORT, OR OTHER DATA


## TYPE OF SUBMISSION TYPE OF ACTION Acidize Deepen Production (Start/Resume) UWater Shut-Off □ Notice of Intent U Well Integrity □ Alter Casing Hydraulic Fracturing □ Reclamation Subsequent Report Casing Repair New Construction C Recomplete 🛛 Other Site Facility Diagra Final Abandonment Notice Change Plans Plug and Abandon Temporarily Abandon m/Security Plan Convert to Injection Plug Back Water Disposal

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or complete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.


REFERENCE ATTACHED UPDATED FACILTIY DIAGRAM

14. I hereby certify that the	e foregoing is true and correct. Electronic Submission #427726 verifie								
	For EOG RESOURCES INCOR Committed to AFMSS for processing by DEBO	PORATI	ED, sent to t KINNEY on t	the Ho 07/19/	bbs 2018 (18DLN	10421SE)			
Name (Printed/Typed)		Title	REGULAT			,			
Signature	(Electronic Submission)	Date	07/18/2011	9.00	EDTED		FOOD		
THIS SPACE FOR FEDERAL OR STATE OFFICE USELD FUR KLUURD									
Approved By		Title			JUL	1 9 20	18 0	ate	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office			MEHIN		ME	ľ	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to <b>DARL SPAD FIGE</b> ency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.									
(Instructions on page 2) ** BLM REVISED ** K-F									


Antietam 9 Fed CTB         Calve Cl           D-09-25S-33E         S Valve Cl           7/17/2018         Cl	osed Oil aled Gas	lines, vent lines, and small drain lines PRODUCTION PHASE: All valves that provide access to production are effectively sealed in the dosed position. SALES THROUGH LACT UNITS: Sale is measured through LACT units. All other valves that provide access to production (load-out valves) are effectively sealed in the dosed position. WATER TANKS: If the possibility for oil to enter water tanks exists through common recirculating or equalizing lines, oil tanks are isolated from water tanks by valves effectively sealed in the dosed position.



Facility Overview: Please see pages 2 and 3 for details.



ı.



.

٠