		UNITED STATES DEPARTMENT OF THE INTERIOR			FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018			
	BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS					5. Lease Serial No. NMNM12280		
	Do not use thi	s form for proposals to I. Use form 3160-3 (AP		6. If Indian, Allottee or Tribe Name				
	SUBMIT IN		7. If Unit or CA/Agreement, Name and/or No.					
1. Type of Well	er			8. Well Name and No. TATANKA FEDERAL 001H				
2. Name of Opera		ALVA FRANCO osehillres.com	9. API Well No. 30-025-44569-00-X1					
3a. Address 16200 PARH HOUSTON,	K ROW SUITE 30 TX 77084	D	3b. Phone No. (include area cod Ph: 281-675-3420 Fx: AFRANCO@ROSEH	e)	10. Field and Pool or Exploratory Area WOLFCAMP			
					11. County or Parish, State			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 11 T26S R35E SWSW 230FSL 790EWL 15 32.051159 N Lat, 103.344292 W Lon			D Hobbs		LEA COUNTY, NM			
12.	CHECK THE AI	· · · · ·	TO INDICATE NATURE	OF NOTICE,	REPORT, OR OTI	HER DATA		
TYPE OF S	UBMISSION	TYPE OF ACTION						
🛛 Notice of I	Intent	C Acidize	Deepen	Producti	on (Start/Resume)	□ Water Shut-Off		
_		Alter Casing	Hydraulic Fracturing			Well Integrity		
		Casing Repair	New Construction	C Recomp		Other Drilling Operations		
🗖 Final Aban	ndonment Notice Change Plans		Plug and Abandon Plug Back		Temporarily Abandon Water Disposal			
Rosehill Ope	11S directly to the	existing cas meter at the	e proposed compressor nad	Since the		BBS OCD		
tank battery compressor CENTERLIN N.M.P.M., Lo BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co	will not be installe NE DESCRIPTION eo County, New M 6 at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad sit	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a le, which point bears S 13	e proposed compressor pad w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, whic rass Cap found for the South point in the Northeast-quarte 3"22' 19" W, a distance of 2,0	is line. ection 11, T-2 ws: h point bears heast corner o er of said 053.8 from a t	N 17 f said RE	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Lo BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co	will not be installe NE DESCRIPTION eo County, New M 6 at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad sit bund for Northeast	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline B lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a te, which point bears S 13 corner of said Section 1	e proposed compressor pad w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, whic rass Cap found for the South point in the Northeast-quarte 3"22' 19" W, a distance of 2, 1 for the END OF THIS EAS	Is line. ection 11, T-2 ws: h point bears heast corner o er of said D53.8 from a L EMENT, being	N 17 f said RE USGLO g 595.3	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Lu BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co Brass cap fo RS ANE 14. I hereby certif	will not be installe NE DESCRIPTION eo County, New M 3 at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad sit ound for Northeast Com fy that the foregoing is Con	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a e, which point bears S 13 corner of said Section 1 7-17-18 true and correct. Electronic Submission # For ROSEHILL OF mitted to AFMSS for proc	e proposed compressor pad. w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, which rass Cap found for the South point in the Northeast-quarter 3"22' 19" W, a distance of 2, 1 for the END OF THIS EAS DOT - BLM-MA 426690 verified by the BLM W PERATING COMPANY LLC, so ressing by PRISCILLA PEREZ	Is line. ection 11, T-2 ws: h point bears heast corner of said 053.8 from a L EMENT, being A - POZ ell Information ent to the Hobb on 07/10/2018	N 17 f said JSGLO g 595.3 <u>O-ZOVS-O</u> System JS (18PP1409SE)	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Lu BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co Brass cap fo RS ANE 14. I hereby certif	will not be installed NE DESCRIPTION eo County, New M S at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad sin ound for Northeast Cotto fy that the foregoing is	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a e, which point bears S 13 corner of said Section 1 7-17-18 true and correct. Electronic Submission # For ROSEHILL OF mitted to AFMSS for proc	e proposed compressor pad. w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, which rass Cap found for the South point in the Northeast-quarter 3"22' 19" W, a distance of 2, 1 for the END OF THIS EAS DOT - BLM-MA 426690 verified by the BLM W PERATING COMPANY LLC, so ressing by PRISCILLA PEREZ	Is line. ection 11, T-2 ws: h point bears heast corner of said D53.8 from a to EMENT, being A - POZ fell Information and to the Hobb	N 17 f said JSGLO g 595.3 <u>O-ZOVS-O</u> System JS (18PP1409SE)	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Lu BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co Brass cap fo RS ANE 14. I hereby certif	will not be installe NE DESCRIPTION eo County, New M 3 at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad sit ound for Northeast Com fy that the foregoing is Con	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a te, which point bears S 13 corner of said Section 1 <u>7 -17 - 18</u> true and correct. Electronic Submission # For ROSEHILL OF mitted to AFMSS for proc ANCO	e proposed compressor pad. w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, which rass Cap found for the South point in the Northeast-quarter 3"22' 19" W, a distance of 2,1 1 for the END OF THIS EAS DOT - BLM-MA PERATING COMPANY LLC, se ressing by PRISCILLA PEREZ Title REGL Date 07/09/	Is line. ection 11, T-2 ws: h point bears heast corner of said 253.8 from a L EMENT, being A - POZ ell Information ent to the Hobt on 07/10/2018 JLATORY AD 2018	N 17 f said JSGLO g 595.3 <u>O-ZONS-O</u> System JS (18PP1409SE) /ISOR	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Ld BEGINNING T31'38" W, a Section 11; THENCE N Proposed Cd Brass cap fo Rass cap fo Rass cap fo It. I hereby certif	will not be installed NE DESCRIPTION eo County, New M S at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad sin ound for Northeast Compressor Pad sin bund for Northeast Com (Typed) ALVA FR/	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a te, which point bears S 13 corner of said Section 1 <u>7 -17 - 18</u> true and correct. Electronic Submission # For ROSEHILL OF mitted to AFMSS for proc ANCO	e proposed compressor pad. w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, which rass Cap found for the South point in the Northeast-quarte 3"22' 19" W, a distance of 2, 1 for the END OF THIS EAS DOT - BLM-MA PERATING COMPANY LLC, so ressing by PRISCILLA PEREZ Title REGL	Is line. ection 11, T-2 ws: h point bears heast corner of said 253.8 from a L EMENT, being A - POZ ell Information ent to the Hobt on 07/10/2018 JLATORY AD 2018	N 17 f said JSGLO g 595.3 <u>O-ZONS-O</u> System JS (18PP1409SE) /ISOR	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Lo BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co Brass cap fo RS AUE 14. I hereby certif Name (Printed/ Signature	will not be installed NE DESCRIPTION eo County, New M S at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad sin ound for Northeast <i>Com</i> (Typed) ALVA FR/ (Electronic S	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a e, which point bears S 13 corner of said Section 1 7-17-18 true and correct. Electronic Submission # For ROSEHILL OF mitted to AFMSS for proc ANCO	e proposed compressor pad. w directly to ETC?s sales gas Easement being located in S articularly described as follow d Compressor Pod site, which rass Cap found for the South point in the Northeast-quarter 3"22' 19" W, a distance of 2,1 1 for the END OF THIS EAS DOT - BLM-MA 426690 verified by the BLM W PERATING COMPANY LLC, so ressing by PRISCILLA PEREZ Title REGL Date 07/09/ DR FEDERAL OR STATE	Is line. ection 11, T-2 ws: h point bears heast corner of said 253.8 from a L EMENT, being A - POZ ell Information ent to the Hobt on 07/10/2018 JLATORY AD 2018	N 17 f said JSGLO g 595.3 <u>O-ZONS-O</u> System JS (18PP1409SE) /ISOR	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Lo BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co Brass cap fo KS AUE 14. I hereby certif Name (Printed/ Signature	will not be installed NE DESCRIPTION eo County, New M S at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad si ound for Northeast <i>Com</i> (<i>Typed</i>) ALVA FR/ (Electronic S	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a re, which point bears S 13 corner of said Section 1 7-17-18 true and correct. Electronic Submission # For ROSEHILL OF mitted to AFMSS for proc ANCO Submission) THIS SPACE FO	e proposed compressor pad. w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, which rass Cap found for the South point in the Northeast-quarter 3"22' 19" W, a distance of 2,1 1 for the END OF THIS EAS DOT - BLM-MA 426690 verified by the BLM W PERATING COMPANY LLC, se ressing by PRISCILLA PEREZ Title REGL Date 07/09/ DR FEDERAL OR STATE Title M	Is line. ection 11, T-2 ws: h point bears heast corner of said 253.8 from a L EMENT, being A - POZ ell Information ent to the Hobt on 07/10/2018 JLATORY AD 2018	N 17 f said JSGLO g 595.3 <u>O-ZONS-O</u> System JS (18PP1409SE) /ISOR	EP 1 3 2018 ECEIVED		
tank battery compressor CENTERLIN N.M.P.M., Lo BEGINNING T31'38" W, a Section 11; THENCE N Proposed Co Brass cap fo RS AUE 14. I hereby certif Name (<i>Printed</i> / Signature	will not be installed NE DESCRIPTION eo County, New M S at o point on the a distance of 2,95 37 T26'33" E. a di ompressor Pad si ound for Northeast <i>Com</i> (<i>Typed</i>) ALVA FR/ (Electronic S (Electronic S) (Val, if any, are attache icant holds legal or equ the applicant to condu- tion 1001 and Title 43	e existing gas meter at the d initially, the gas can flo l of a proposed Pipeline E lexico, and being more p South side of a Proposed 1.4 feet from a USGLO B stance of 595.3 feet to a te, which point bears S 10 corner of said Section 1 7-17-18 true and correct. Electronic Submission # For ROSEHILL OF mitted to AFMSS for proc ANCO Submission) THIS SPACE FO Control of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for control of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of this notice does intable title to those rights in the for perval of the perval for perval of the pervan of the perval of the pervan of the perval of t	e proposed compressor pad. w directly to ETC?s sales ga Easement being located in S articularly described as follow d Compressor Pod site, which rass Cap found for the South point in the Northeast-quarter 3"22' 19" W, a distance of 2,0 1 for the END OF THIS EAS DOT - BLM-MA 426690 verified by the BLM W PERATING COMPANY LLC, se ressing by PRISCILLA PEREZ Title REGL Date 07/09/ DR FEDERAL OR STATE Title M	Is line. ection 11, T-2 ws: h point bears h point bears h point bears for of said $\Delta - POZ$ fell Information ant to the Hobb on 07/10/2018 EOFFICE US COTFICE US M \sim PO HATORY AD 2018	N 17 f said USGLO g 595.3 O-ZOIS-O System (18PP 1409SE) /ISOR SE	EP 1 3 2018 CEIVED 294-EA Date 24/15		

Additional data for EC transaction #426690 that would not fit on the form

32. Additional remarks, continued

feet or 36.08 rods in length.

- 4

BLM LEASE NUMBER: NMNM12280 <u>COMPANY NAME</u>: ROSEHILL OPERATING COMPANY LLC <u>ASSOCIATED WELL NAME</u>: TATANKA FEDERAL 001H

BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.

6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.

7. The maximum allowable disturbance for construction in this right-of-way will be $\underline{30}$ feet:

- Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed <u>20</u> feet. The trench is included in this area. (*Blading is defined as the complete removal of brush and ground vegetation.*)
- Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed <u>30</u> feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.)
- The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (*Compressing can be caused by vehicle tires, placement of equipment, etc.*)

9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

() seed mixture 1	() seed mixture 3
(X) seed mixture 2	() seed mixture 4
() seed mixture 2/LPC	() Aplomado Falcon Mixture

2

13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2.

14. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.

16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

18. <u>Escape Ramps</u> - The operator will construct and maintain pipeline/utility trenches [that are not otherwise fenced, screened, or netted] to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:

- a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
- b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.